



**CEDAR RAPIDS TIRE**

*industrial & specialty tire warehouse*



## 2011 TIRE CHAIN CATALOG



**(800) 755-9929**

4601 8th Avenue • Marion, IA 52302

[www.CedarRapidsTire.com](http://www.CedarRapidsTire.com)

***Same Day Shipping!***



# Shoe & Boot Chains

## Quick Step



**Standard**

Part No. 2400536

Sizes: 3 and up

## Walk Safely

*No more sliding  
on ice and snow.*

- 100% welded for extra grip and longer life
- Made of the finest quality alloy steel
- Easy on and off
- Cleans itself

## Bergsteiger



**Small**

Part No. 55921

Mens sizes: 3-5

Womens sizes: 1-6

**Medium**

Part No. 55922

Mens sizes: 5 1/2-9

Womens sizes: 7-11

**Large**

Part No. 55923

Mens sizes: 9 1/2-12

Womens sizes: 12-15

**Ex-Large**

Part No. 55924

Mens sizes: 13-15

Womens sizes: 16-up



# CEDAR RAPIDS TIRE

4601 8th Avenue  
Marion, IA 52302  
crtire@cedarrapidstire.com

Phone: (319) 390-0531  
(800) 755-9929  
Fax: (800) 960-8525

## *Greetings from Cedar Rapids Tire!*

To our loyal current customers - Hello again and thank you for your continued business! And to prospective clientele - Welcome, and thank you for taking an interest in our company! Please take a few minutes to look through our latest catalog.

Our goal here at Cedar Rapids Tire has always been to provide our customers with THE WIDEST SELECTION, THE BEST PRICES, AND THE MOST KNOWLEDGEABLE & SERVICE-ORIENTED STAFF in the Industrial & Specialty Tire Industry.

To accomplish this goal we believe we have compiled the most complete, user-friendly catalog in the country!

You will find all the styles and brands that have always been available in the past; with the addition of a few items we would like to call to your attention:

### *Shoe & Boot Chains*

An excellent item for you to have for winter work; or to have in your showroom to catch a customer's eye.

### *Lawn & Garden*

Garden Tractor  
Snow Blower  
Deep Lug Snow Hog Chains

### *Skid Steer*

Ladder Style  
Howy "H" Pattern

### *Fit Charts*

Easy-to-use size charts for passenger and truck chains.

### *Forklift*

### *Grader & Equipment*

### *ATV*

### *Passenger Car*

Eady Fit Grip (stationary fitting)  
Square Link & Twist Link  
Cable

### *Product Descriptions*

Easy-to-understand explanations to guide you to the chain you need.

### *Rear Tractor*

Duo Style  
Ladder Style

### *Truck*

Easy Fit Grip 4x4 (stationary fitting)  
Highway Service  
V-Bar Reinforced  
Wide Base & Dual Mount  
Springs  
Mud Service  
Cable

### *Accessories*

Side Chain Fasteners  
Chain Repair Pliers  
Side Chain Adjusters

### *Guidelines For Using Tire Chains*

Rules and requirements needed for proper usage

Cedar Rapids Tire has been an innovator and a leader in the Industrial & Specialty Tire Industry since our inception. With this new catalog, we are striving to maintain and improve on that reputation. We will continue to work hard to earn and keep your business. We, in turn, ask you to help keep us in touch with your needs and concerns. Please don't hesitate to call with questions or comments.

We wish everyone continued success and look forward to long term relationships with all of you!

*Thank you from everyone here  
at Cedar Rapids Tire!*

PLEASE REMOVE THIS PAGE FROM YOUR CATALOG

We understand many of you use our catalog as a retail tool. We have done our best to limit our information to the cover. Nowhere in the body of the text do we mention Cedar Rapids Tire except for this page and the Account Information page on the reverse side of this page. Accordingly, we have perforated this page for easy removal.

#### PROSPECTIVE CLIENTS

Please find an Account Information/Credit Application on the reverse of the page.



# CEDAR RAPIDS TIRE

4601 8th Avenue  
Marion, IA 52302  
crtire@cedarrapidstire.com

Phone: (319) 390-0531  
(800) 755-9929  
Fax: (800) 960-8525

## Account Information

We offer three types of accounts. Please choose the type of account you are requesting:

☐ Open Billing

☐ Credit Card

☐ COD (extra charges apply)

Business Name: \_\_\_\_\_ Shipping Address: \_\_\_\_\_

(if different)

Mailing Address: \_\_\_\_\_

City: \_\_\_\_\_ E-mail: \_\_\_\_\_

State: \_\_\_\_\_ Zip: \_\_\_\_\_ Contact: \_\_\_\_\_

Telephone: \_\_\_\_\_ Fax: \_\_\_\_\_

## Multi Jurisdiction Sales Tax Exemption Certificate

In compliance with Sales and Use Tax Laws, it is necessary that we receive this certificate for any type of account (Open Billing, Credit Card, or COD) if the merchandise is purchased for resale, complete with your State Tax ID Number.

State Tax ID Number: \_\_\_\_\_

## Open Credit Application

If you would like to be considered for open account billing privileges, please fill out the following credit information. This section is not necessary for credit card or COD accounts.

### Principal Suppliers:

1. \_\_\_\_\_

Business Name

Address

City State Zip

Telephone

Fax

Your Account # With Listed Supplier

2. \_\_\_\_\_

Business Name

Address

City State Zip

Telephone

Fax

Your Account # With Listed Supplier

3. \_\_\_\_\_

Business Name

Address

City State Zip

Telephone

Fax

Your Account # With Listed Supplier

### Bank Reference:

Bank Name

Address

City State Zip

Telephone

Fax

Terms are Net 10th. Statements are generated on the last day of the month, due and payable by the 10th of the following month. Service charges will be assessed on past due accounts, 2% of unpaid balance or minimum \$2.00. Shipments will be COD or pre-pay on accounts with past due balances.

By signing below, you agree to our terms and conditions for open billing privileges and agree to pay all legal and collection costs associated with past due amounts. Authorized Signature Title Date

\_\_\_\_\_  
Authorized Signature

\_\_\_\_\_  
Title

\_\_\_\_\_  
Date

# TABLE OF CONTENTS

Boot & Shoe Chains.....	Inside Cover
Passenger Car Fit Chart.....	2-4
Passenger Car Descriptions	
Grip.....	4
Square Link.....	5
Twist Link.....	5
Cable.....	5
Truck Chain Fit Chart.....	6-10
Truck Chain Descriptions	
Grip 4x4.....	11
Sprints.....	11
Highway Service.....	12
V-Bar Reinforced.....	13
Mud Service.....	13
Wide Base & Dual Mount.....	14
Cable.....	14

Grader & Equipment.....	15
Rear Tractor-Duo Style.....	16
Rear Tractor-Ladder Style .....	17
ATV .....	17
Garden Tractor .....	18
Snow Blower.....	18
Snow Hog-Deep Lug.....	18
Forklift.....	19
Skid Steer.....	19
Accessories & Tools.....	20

Please call for  
Pricing.

We also offer Free Freight Programs for volume purchasing. Please call for details.

## Return Policy

All items must be in clean, new and un-used condition and in all original packaging when applicable.

RGA # required. A 15% restocking fee will be deducted from your credit unless agreed to prior to return.

Sorry, special order & close out merchandise is not returnable. Due to the seasonal necessity of chains, we must enforce a 21 day return policy for all chain purchases.

## Rules for Using Tire Chains

### Important: Pre-fit chains prior to actual use!

- Consult vehicle owner's manual to see if chains can be used.
- Make certain your tire chains are the proper size for your tires. A proper fit is key to performance.
- Be sure to pull off highway to a safe place to install, service or remove tire chains.
- Do not deflate tires to install tire chains.
- Follow directions for installing tire chains. Apply as tight as possible by hand, drive approximately 1/4 mile, stop and retighten.
- Extra links may be cut off. Keep chains tight and snug throughout the operation. Rubber adjusters may be applied after retightening on *ladder style chains* only. **DO NOT USE** adjusters on *cable* type chains.
- Do not exceed 30 mph. Accelerate and decelerate slowly. Avoid spinning or locking wheels.
- If a cross chain fails, stop immediately. Repair or remove. **DO NOT** drive with a broken chain.
- Avoid hitting curbs with tire chains.
- Never use tire chains for towing.

# PASSENGER CHAIN FIT CHART

This Chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that size tire. To view pictures and descriptions of the different chain styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual Product Codes may vary.

Tire Size	Grip Pg. #4	Square Link Pg. #5	Twist Link Pg. #5	Cable Pg. #5
<b>12 inch</b>				
P155R-12		1114SL	1114	1014
P155/80R12	02-1510	1114SL	1114	1014
P165/70R12		1114SL	1114	1014
P175/70R12	02-1510	1114SL	1114	1014
<b>13 inch</b>				
P145R13	02-1510	1114SL	1114	1014
P145/70R13	02-1505			1014
P145/80R13	02-1510	1114SL	1114	1014
P155R13	02-1515	1114SL	1114	1014
P155/65ZR13	02-1505			
P155/70R13	02-1510	1114SL	1114	1014
P155/80R13	02-1515	1114SL	1114	1014
P165R-13	02-1520	1118SL	1118	1018
P165/55R13	02-1505			
P165/60R13	02-1510	1114SL	1114	1014
P165/65R13	02-1510	1114SL	1114	1018
P165/70R13	02-1515	1114SL	1114	1014
P165/75R13		1114SL	1114	1014
P165/80R13	02-1520	1118SL	1118	1018
P175R-13	02-1525	1122SL	1122	1026
P175/50R13		1114SL	1114	1014
P175/60R13	02-1510	1114SL	1114	1014
P175/65R13	02-1515	1114SL	1114	1014
P175/70R13	02-1520	1118SL	1118	1018
P175/75R13	02-1525	1118SL	1118	1018
P175/80R13	02-1525	1122SL	1122	1026
P185R-13	02-1530	1126SL	1126	1026
P185/55R13	02-1510			
P185/60R13	02-1515	1118SL	1118	1018
P185/65R13	02-1520	1118SL	1118	1018
P185/70R13	02-1525	1118SL	1118	1026
P185/75R13		1126SL	1126	1026
P185/80R13	02-1525	1122SL	1122	1022
P185/85R13		1130SL	1130	1030
P195R-13		1130SL	1130	1030
P195/60R13	02-1520	1126SL	1126	1026
P195/65R13	02-1525	1122SL	1122	1022
P195/70R13	02-1525	1126SL	1126	1026
P195/75R13		1130SL	1130	1030
P205/60R13	02-1525	1126SL	1126	1026
P205/70R13	02-1535	1130SL	1130	1030
P215/50R13		1126SL	1126	1026
P215/60R13		1126SL	1126	1026
P215/65R13		1130SL	1130	1030
P235/50R13		1134SL	1134	1034
P235/60R13		1134SL	1134	1034
P245/50R13		1134SL	1134	1034
<b>14 inch</b>				
7-14LT		1130SL	1130	1030
8.5-14LT		1134SL	1134	1034
27X8.5-14		1134SL	1134	1034
P135-14	02-1510	1114SL	1114	1014
P145-14	02-1520	1114SL	1114	1014
P145/70R14		1114SL	1114	1014
P145/80R14	02-1515			
P155R14		1118SL	1118	1018
P155/65R14	02-1510	1114SL	1114	1014
P155/70R14	02-1515	1118SL	1118	1018
P165R-14		1122SL	1122	1026
P165/60R14	02-1510	1114SL	1114	1014
P165/65R14	02-1515	1118SL	1118	1018
P165/70R14	02-1520	1118SL	1118	1018
P165/75R14	02-1525	1118SL	1118	1018
P165/80R14	02-1525	1118SL	1118	1018
P175R14		1122SL	1122	1022
P175/60R14	02-1515	1118SL	1118	1018
P175/65R14	02-1520	1118SL	1118	1018
P175/70R14	02-1525	1126SL	1126	1026
P175/75R14	02-1530	1122SL	1122	1022

Tire Size	Grip Pg. #4	Square Link Pg. #5	Twist Link Pg. #5	Cable Pg. #5
<b>14 inch</b>				
P175/80R14	02-1530	1122SL	1122	1022
P185R14	02-1535	1130SL	1130	1030
P185/55R14	02-1520	1118SL	1118	1018
P185/60R14	02-1520	1126SL	1126	1026
P185/65R14	02-1525	1126SL	1126	1026
P185/70R14	02-1530	1126SL	1126	1022
P185/75R14	02-1535	1122SL	1122	1030
P185/80R14	02-1535	1130SL	1130	1030
P195R-14		1134SL	1134	1034
P195/55R14	02-1525	1126SL	1126	1026
P195/60R14	02-1525	1126SL	1126	1026
P195/65R14	02-1530	1126SL	1126	1026
P195/70R14	02-1535	1130SL	1130	1030
P195/75R14	02-1545	1130SL	1130	1030
P200/70R14	02-1535			
P205R-14		1134SL	1134	1034
P205/55R14		1126SL	1126	1026
P205/60R14	02-1530	1126SL	1126	1026
P205/65R14	02-1535	1130SL	1130	1030
P205/70R14	02-1540	1130SL	1130	1030
P205/75R14		1134SL	1134	1034
P215R-14	02-1550	1138SL	1138	1038
P215/60R14		1130SL	1130	1030
P215/65R14		1130SL	1130	1030
P215/70R14	02-1555	1134SL	1134	1034
P215/75R14	02-1550	1134SL	1134	1034
P225R-14		1138SL	1138	1038
P225/55R14		1134SL	1134	1034
P225/60R14	02-1540	1130SL	1130	1034
P225/65R14		1134SL	1134	1034
P225/70R14	02-1547	1138SL	1138	1038
P225/75R14	02-1550	1138SL	1138	1038
P235/60R14		1134SL	1134	1034
P235/70R14		1138SL	1138	1038
P235/75R14		1138SL	1138	1042
P245/50R14	02-1540	1134SL	1134	1034
P245/60R14		1138SL	1138	1038
P245/70R14		1142SL	1142	1042
P255/55R14		1138SL	1138	1038
P255/60R14		1138SL	1138	1038
P265/50R14		1138SL	1138	1038
P265/60R14		1142SL	1142	1042
P275/60R14		1142SL	1142	1042
<b>15 inch</b>				
7.00-15		1130SL	1130	1030
27x8.5-15		1138SL	1138	1038
135-15	02-1515	1118SL	1118	1014
P145R-15	02-1520	1118SL	1118	1018
P145/65R15	02-1510			
P145/70R15		1118SL	1118	1018
P145/80R15		1118SL	1118	1018
P155R15	02-1525	1122SL	1122	1022
P155/60R15	02-1510	1114SL	1114	1014
P155/65R15	02-1515			
P155/70R15	02-1520	1118SL	1118	1018
P155/80R15	02-1525	1122SL	1122	1022
P165R-15	02-1530	1122SL	1122	1022
P165/65R15	02-1520	1122SL	1122	1022
P165/70R15		1122SL	1122	1022
P165/80R15		1122SL	1122	1022
P175R-15	02-1535	1130SL	1130	1030
P175/55R15	02-1520			
P175/65R15	02-1525			
P175/70R15	02-1530	1122SL	1122	1022
P175/75R15		1122SL	1122	1022
P175/80R15	02-1535			
P180/65R15		1122SL	1122	1022
P185R15	02-1540	1134SL	1134	1034
P185/55R15	02-1525	1126SL	1126	1026



# PASSENGER CHAIN FIT CHART (cont.)

This Chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that size tire. To view pictures and descriptions of the different chain styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual Product Codes may vary.

Tire Size	Grip Pg. #4	Square Link Pg. #5	Twist Link Pg. #5	Cable Pg. #5
<b>15 inch</b>				
P185/60R15	02-1525	1126SL	1126	1026
P185/65R15	02-1530	1126SL	1126	1026
P185/70R15	02-1535	1130SL	1130	1030
P185/75R15	02-1535	1130SL	1130	1030
P190/65R15		1130SL	1130	1030
P195R15	02-1547	1134SL	1134	1034
P195/45R15		1122SL	1122	1022
P195/50R15	02-1525	1126SL	1126	1026
P195/55R15	02-1530	1122SL	1122	1026
P195/60R15	02-1530	1130SL	1130	1030
P195/65R15	02-1535	1130SL	1130	1030
P195/70R15	02-1540	1130SL	1130	1034
P195/75R15	02-1547	1134SL	1134	1034
P195/80R15	02-1547	1134SL	1134	1034
P205R-15	02-1550	1138SL	1138	1038
P205/50R15	02-1530	1130SL	1130	1030
P205/55R15	02-1530	1134SL	1134	1034
P205/60R15	02-1535	1134SL	1134	1030
P205/65R15	02-1540	1134SL	1134	1034
P205/70R15	02-1555	1134SL	1134	1034
P205/75R15	02-1547	1138SL	1138	1038
P205/80R15	02-1550			
P215R-15		1142SL	1142	1042
P215/50R15	02-1530	1130SL	1130	1030
P215/55R15		1134SL	1134	1034
P215/60R15	02-1540	1134SL	1134	1034
P215/65R15	02-1555	1134SL	1134	1038
P215/70R15	02-1560	1138SL	1138	1038
P215/75R15	02-1550	1138SL	1138	1038
P220/45R15		1126SL	1126	1026
P225R-15		1142SL	1142	1042
P225/50R15	02-1535	1134SL	1134	1030
P225/55R15	02-1540	1134SL	1134	1034
P225/60R15	02-1555	1138SL	1138	1038
P225/65R15	02-1560	1138SL	1138	1038
P225/70R15	02-1565	1138SL	1138	1038
P225/75R15		1142SL	1142	1042
P225/80R15		1142SL	1142	1042
P235R-15		1142SL	1142	1042
P235/60R15	02-1560	1138SL	1138	1038
P235/65R15		1138SL	1138	1038
P235/70R15		1142SL	1142	1042
P235/75R15		1142SL	1142	1042
P245/50R15		1138SL	1138	1038
P245/60R15	02-1570	1142SL	1142	1042
P245/70R15				1042
P255/55R15		1142SL	1142	1042
P255/60R15		1142SL	1142	1042
P255/65R15		1142SL	1142	1042
P255/70R15				1046
P265/50R15		1142SL	1142	1042
P265/60R15		1142SL	1142	1042
P265/75R15		1146SL	1146	1046
P275/50R15		1142SL	1142	1042
P275/60R15				1046
P285/40R15		1138SL	1138	1038
P295/50R15				1042
<b>16 inch</b>				
P155/80R16		1122SL	1122	1022
P175/60R16	02-1525			
P175/75R16				
P185/60R16	02-1535			
P185/75R16	02-1547			
P195/45R16	02-1525	1130SL	1130	1030
P195/50ZR16	02-1530	1130SL	1130	1030
P195/55R16	02-1530			
P195/60R16	02-1535	1130SL	1130	1030

Tire Size	Grip Pg. #4	Square Link Pg. #5	Twist Link Pg. #5	Cable Pg. #5
<b>16 inch</b>				
P195/65R16	02-1540	1130SL	1130	1030
P195/75R16	02-1550			
P205/45R16	02-1530	1130SL	1130	1030
P205/50R16	02-1530	1134SL	1134	1034
P205/55ZR16	02-1540	1134SL	1134	1034
P205/60ZR16	02-1555	1138SL	1138	1034
P205/65R16	02-1550	1138SL	1138	1038
P205/70R16		1138SL	1138	1038
P205/75R16	02-1550			
P205/80R16		1142SL	1142	1042
P215/45R16	02-1530	1134SL	1134	1034
P215/50R16	02-1535	1134SL	1134	1034
P215/55R16	02-1555	1134SL	1134	1034
P215/60ZR16	02-1560	1134SL	1134	1034
P215/65R16	02-1565	1138SL	1138	1038
P215/70R16	02-1550	1138SL	1138	1038
P215/75R16		1138SL	1138	1038
P225/45ZR16		1134SL	1134	1034
P225/50ZR16	02-1555	1142SL	1142	1034
P225/55R16	02-1560	1138SL	1138	1038
P225/60ZR16	02-1565	1138SL	1138	1038
P225/65R16	02-1550	1138SL	1138	1038
P225/70R16		1142SL	1142	1038
P225/75R16		1142SL	1142	1042
P235/50R16	02-1555	1134SL	1134	1038
P235/55R16	02-1560	1134SL	1134	1034
P235/60R16	02-1570	1142SL	1142	1042
P235/65R16		1138SL	1138	1038
P235/70R16				1042
P245/45ZR16	02-1555	1134SL	1134	1034
P245/50ZR16	02-1560	1142SL	1142	1042
P245/55R16	02-1570	1142SL	1142	1042
P245/60R16		1142SL	1142	1042
P245/70R16				1046
P245/75R16				1046
P255/50ZR16		1142SL	1142	1042
P255/70R16		1146SL	1146	1046
P265/50R16		1142SL	1142	1042
P265/75R16		1142SL	1142	1042
P275/70R16				1042
6.50-16	02-1550			
<b>17 inch</b>				
P205/45ZR17	02-1530	1134SL	1134	1034
P205/50ZR17	02-1540	1134SL	1134	1034
P215/45ZR17	02-1540	1134SL	1134	1034
P215/50R17	02-1555			1034
P215/55R17		1138SL	1138	1038
P215/60R17		1142SL	1142	1042
P215/65R17	0139	1138SL	1138	1038
P225/45R17	02-1540	1138SL	1138	1038
P225/50R17	02-1560	1138SL	1138	1038
P225/55R17	02-1570	1138SL	1138	1038
P235/40R17				
P235/45ZR17	02-1560	1138SL	1138	1038
P235/50R17	02-1565			
P235/55R17	02-1570	1142SL	1142	1042
P235/65R17				
P245/40ZR17	02-1555	1138SL	1138	1038
P245/45ZR17	02-1560	1138SL	1138	1038
P245/50ZR17	02-1570	1142SL	1142	1042
P255/40R17	02-1560	1142SL	1142	1038
P255/45ZR17		1142SL	1142	1042
P275/40R17		1142SL	1142	1042
P275/55R17		1146SL	1146	1046
P285/35ZR17		1142SL	1142	1042
P315/35R17				1042

# PASSENGER CHAIN FIT CHART (cont.)

This Chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that size tire. To view pictures and descriptions of the different chain styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual Product Codes may vary.

Tire Size	Grip Pg.#4	Square Link Pg. #5	Twist Link Pg. #5	Cable Pg. #5
<b>18 inch</b>				
<b>P225/40R18</b>	02-1555	1138SL	1138	1034
<b>P225/45R18</b>		1138SL	1138	1038
<b>P235/40R18</b>	02-1560			
<b>P235/50R18</b>	02-1570			
<b>P245/45R18</b>	02-1570	1142SL	1142	1042
<b>P255/45R18</b>				
<b>P255/55R18</b>				
<b>Other</b>				
<b>P165/70R-360</b>		1118SL	1118	1018
<b>P165/70R-365</b>		1118SL	1118	1018

Tire Size	Grip Pg. #4	Square Link Pg. #5	Twist Link Pg. #5	Cable Pg. #5
<b>Other</b>				
<b>P185/65R-365</b>		1126SL	1126	1026
<b>P185/70R-365</b>		1130SL	1130	1030
<b>P180/65R390</b>		1126SL	1126	1026
<b>P185/65R-390</b>		1126SL	1126	1026
<b>P190/65R390</b>		1130SL	1130	1030
<b>P200/60-390</b>		1130SL	1130	1030
<b>P220/55R390</b>		1134SL	1134	1034
<b>P220/65R390</b>		1138SL	1138	1038

The codes listed here are a guide only.  
Actual product codes may vary.

## PASSENGER CAR CHAINS

### Grip

#### High-traction easy fitting chain

- Stationary fitting
- Good driving properties
- Reversible chain mesh
- Low Cost

#### Reliable Technology

- Sturdy (3.5mm diameter) chain components
- Profiled chain links with optimized traction design



This section gives a general description and picture of the Passenger Chains we have available. To see if the chain is available to fit your tire size, please refer to the Passenger Chain Fit Chart listed on pages 2-4.

Stock No.	Weight/pr.	Stock No.	Weight/pr.
<b>02-1505</b>	8	<b>02-1545</b>	12
<b>02-1510</b>	9	<b>02-1547</b>	12
<b>02-1515</b>	10	<b>02-1550</b>	12
<b>02-1520</b>	10	<b>02-1555</b>	12
<b>02-1525</b>	10	<b>02-1560</b>	12
<b>02-1530</b>	11	<b>02-1565</b>	12
<b>02-1535</b>	11	<b>02-1570</b>	14
<b>02-1540</b>	12		



# PASSENGER CAR CHAINS

FOR CARS THAT REQUIRE CLASS 'S' LIMITED CLEARANCE CHAINS



This section gives a general description and picture of the Passenger Chains we have available. To see if the chain is available to fit your tire size, please refer to the Passenger Chain Fit Chart listed on pages 2-4.

## Square Link

3.5 mm Alloy Square Link - Better Traction - Longer Wear  
Electro-Galvanized

Stock No.	Weight/pr.	Cross Chains per 1/2 Pair	Cross Chain Width
1114SL	9	10	10.38"
1118SL	10	11	10.38"
1122SL	11	12	10.38"
1126SL	11	11	11.56"
1130SL	12	12	11.56"
1134SL	13	12	12.74"
1138SL	13	13	12.74"
1142SL	14	13	13.92"
1146SL	17	15	13.92"



This section gives a general description and picture of the Passenger Chains we have available. To see if the chain is available to fit your tire size, please refer to the Passenger Chain Fit Chart listed on pages 2-4.

## Twist Link

Twist Link Design - Limited Clearance  
Electro-Galvanized

Stock No.	Weight/pr.	Replacement Cross Chain Stock No.	Cross Chains per 1/2 Pair
1114	9	CC5414	10
1118	9	CC5414	11
1122	10	CC5414	12
1126	10	CC5419	11
1130	10	CC5419	12
1134	11	CC5420	12
1138	12	CC5420	13
1142	12	CC5422	13
1146	14	CC5422	15



This section gives a general description and picture of the Passenger Chains we have available. To see if the chain is available to fit your tire size, please refer to the Passenger Chain Fit Chart listed on pages 2-4.

## Cable

Case Hardened Rollers on Cross Members - Smoother Ride  
Electro-Galvanized

Stock No.	Weight/pr.	Cross Chains per 1/2 Pair	Cross Chain Width
1014	4	10	10.5"
1018	5	11	10.5"
1022	5	12	10.5"
1026	5	11	11.8"
1030	6	12	11.8"
1034	6	12	12.8"
1038	7	13	12.8"
1042	7	13	14.1"
1046	8	14	14.1"

# TRUCK CHAIN FIT CHART

This Chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that size tire. To view pictures and descriptions of the different chain styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual Product Codes may vary.

Tire Size	Grip 4x4 Pg. #11	Sprints Pg. #11	Highway Service		V-Bar Reinforced		Mud Service		Wide Base	Cable Pg. #14	
			Single Pg. #12	Dual Triple Pg. #12	Single Pg. #13	Dual Triple Pg. #13	Single Pg. #13	Duals Pg. #13	*Dual Mount Pg. #14		
					14 inch						
185-14											
185/75-14											
195/75R14											
195/80R14	0133										
205R-14	0133										
205/70R14											
205/75R14	0133										
215/70R14											
215/75R14LT			2216		2816						
225/70R14			2216		2816						
235/70R14			2229		2829						
29X9.5-14			2216		2816						
					14.5 inch						
8-14.5			2216		2816						
9-14.5LT			2216		2816						
					15 inch						
7.00-15TR			2219	4219	2819	4819	2435		3237*		
7.00-15	0142		2216		2816						
7.50-15LT			2219	4219	2819	4819	2435		3251*		
8.25-15TR			2228		2828						
9.00-15TR			2237				2435				
10.00-15LT	0141						2441	4435	3210		
10.00-15TR			2239	4239	2839	4839	2441	4435			
11-15LT									3227		
12-15LT									3229		
14-15									3235		
195R15											
195/65-15											
195/75R15LT											
205/75R15											
215R15	0143		2216		2816						
215/75R15			2216		2816						
225/70R15			2216		2816						
225/75R15	0143		2216		2816						
235-15											
235/70R15	0143		2216		2816					1661	
235/75R15	0142		2216		2816		2435	4435		1665	
245/60R15			2216		2816						
245/70R-15			2229		2829		2437	4412		1661	
245/75R15LT			2219	4219	2819	4819					
245/85-15			2228		2828					1669	
255/60R15	0143		2229		2829						
255/70R15	0142		2229		2829		2437	4412		1665	
255/75R15LT	0141		2229		2829					1669	
265/60R15			2229		2829						
265/70R15	0141								3210	1665	
265/75R15	0157								3210	1669	
275/60R15	0142		2229		2829		2437	4412		1665	
285/70R15	0160		2228		2828						
295/50R15			2229		2829						
315/70R15									3229		
325/60R15									3229		
27x9.5-15			2229		2829						
28x8.5-15			2216		2816						
29x9.50-15			2229		2829						
29x10.5-15									3210		
30x9.50x15LT	0142		2229		2829		2437	4412		1673	
31x9.5-15									3227		
31x10.5-15LT	0141								3210	1669	
31x11.5-15LT									3227		
31x12.5-15									3227	1675	
31x13.50-15									3229		
31x15.5-15									3227		
32x9.5-15									3227		
32x11.5-15LT	0160								3227	1675	
32x12.5x15									3229	1675	

# TRUCK CHAIN FIT CHART (cont.)

This Chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that size tire. To view pictures and descriptions of the different chain styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual Product Codes may vary.

Tire Size	Grip 4x4 Pg. #11	Sprints Pg. #11	Highway Service		V-Bar Reinforced		Mud Service		Wide Base	Cable Pg. #14
			Single Pg. #12	Dual Triple Pg. #12	Single Pg. #13	Dual Triple Pg. #13	Single Pg. #13	Duals Pg. #13	*Dual Mount Pg. #14	
					15 inch					
33x9.50-15LT	0160								3227	1669
33x10.5-15	2532								3229	
33x12.50R15	2533								3229	
33x13.5-15									3227	
33x14.5-15									3229	
34x9.50-15									3227	1673
35x14-15									3235	
35x14.5-15									3249	
35x15-15									3237	
35x15.5-15									3237	
36x12.5-15									3235	
36x14-15									3251	
36x14.50R15									3237	
37x12.5-15									3235	
37x14.5-15									3251	
38x12.5-15									3259	
38x14.5-15									3259	
					16 inch					
6-16										
6.50-16LT	0139		2216		2816		2433		3237*	1661
7.00-16LT	0142		2219	4219	2819	4819	2435	4435		
7.50-16LT	0141		2221	4221	2821	4821	2437	4412	3251*	1669
8.25-16			2228		2828					
8.75-16			2237				2435	4435		
9.00-16LT			2237							
11-16									3229	
12-16									3229	
30x9.5-16			2229		2829					
31x10.5-16									3210	
31x11.5-16			2229		2829					
32x11.5-16									3227	
33x13.5-16									3227	
34x9-16									3227	
35x12.5-16										
35x13.5-16									3229	
36x13.5-16									3235	
36.5x14-16									3235	
38x15-16									3265	
175-16	0133									
175/75R16	0133									
195/75-16			2216		2816					
205R16	0143		2216		2816					1661
205/75-16	0139		2216		2816					
205/80-16	0143		2229		2829					
215/65-16			2216		2816					
215/70-16			2216		2816					
215/75-16	0143		2216		2816					
215/80R16LT	0142		2219	4219	2819	4819				
215/85R16LT	0142		2219	4219	2819	4819	2435			1665
225/70-16	0143		2216		2816					1661
225/75R16LT	0142		2219	4219	2819	4819	2435			1665
225/85-16			2228		2828					1669
235/60-16			2216		2816					
235/70R16LT	0142		2229		2829		2435			1665
235/75R16LT	0142		2219	4219	2819	4819				1665
235/80R16	0141									
235/85R16LT	0157		2221	4221	2821	4821	2437	4412		1669
245-16									3227	
P245/70R16	0142		2229		2829					1665
P245/75R16	0141		2221	4221	2821	4821				1669
245/85-16	0160		2228		2828					1663
255/60-16	0142									
255/65-16	0142		2229		2829					1665
255/70R16LT	0141		2229		2829					1669

The codes listed here are a guide only.  
Actual product codes may vary.



# TRUCK CHAIN FIT CHART (cont.)

This Chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that size tire. To view pictures and descriptions of the different chain styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual Product Codes may vary.

Tire Size	Grip 4x4 Pg. #11	Sprints Pg. #11	Highway Service		V-Bar Reinforced		Mud Service		Wide Base	
			Single Pg. #12	Dual Triple Pg. #12	Single Pg. #13	Dual Triple Pg. #13	Single Pg. #13	Duals Pg. #13	*Dual Mount Pg. #14	Cable Pg. #14
16 inch										
255/75-16	0157		2216		2816					
255/85R16LT	0160		2228		2828					1675
265/50-16			2229		2829					
265/70-16	0157								3210	1663
265/75R16LT	0160		2228		2828					1675
265/85-16			2228		2828					1675
275/65R16	0157									
275/70R16LT									3210	1675
285/75R16LT	2532								3229	1675
305/70-16	2533								3229	
305/85-16									3229	
HR78-16			2219		2819					
LR78-16			2221	4221	2821	4821	2437	4412		
16.5 inch										
8.00R16.5	0139		2216		2816					1661
8.75R16.5			2219	4219	2819	4819	2435			
9.5R16.5			2221	4221	2821	4821				1669
10-16.5			2229		2829					1669
12-16.5									3227	1675
30x9.5-16.5									3210	
31x10.5-16.5									3227	
31x11.5-16.5									3227	1675
32x11.5-16.5									3227	
32x12.5-16.5									3229	
33x10.5-16.5									3227	
33x12.5-16.5	2533								3229	
36x12.5-16.5									3235	
36x14-16.5									3235	
36x14.5-16.5									3251	
37x12.5X16.5									3235	
37x14.5-16.5									3251	
38x15.50R16.5									3235	
38.5x15-16.5									3235	
38.5x16-16.5									3249	
39.5x15-16.5									3251	
40x17-16.5									3251	
44x18.5-16.5									3269	
17 inch										
7.00-17LT			2221	4221	2821	4821	2437	4412	3251*	1669
7.50-17			2214		2814		2439		3265*	1663
8.25-17			2237							
235/55-17			2219	4219	2819	4819				
235/65-17	0142		2216		2816					1665
235/70R17			2219	4219	2819	4819				
235/80R17			2221		2821					
245/65-17			2229		2829					
245/70-17			2214		2814					
245/75-17			2228		2828					
255/55-17			2229		2829					
255/60-17	0141								3210	1673
255/70R17	0157									
265/65-17	0157								3210	
265/70-17	0157		2228		2828					1663
265/75-17			2228		2828					
275/55-17									3210	
275/60-17			2228		2828					1673
275/70-17	2532								3229	
285/60-17	0157								3227	
285/70R17	2532									
31x10.5-17									3210	
33x12.5-17									3229	
17.5 inch										
8R17.5	0141		2219	4219	2819	4819	2435			
8.50-17.5	0157		2219	4219	2819	4819				
9x17.5			2237							
9.5-17.5	0160									
10R17.5			2237							
11R17.5			2239	4239	2839	4839				
14x17.5									3235	
205/75-17.5	0142		2219		2819					

# TRUCK CHAIN FIT CHART (cont.)

This Chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that size tire. To view pictures and descriptions of the different chain styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual Product Codes may vary.

Tire Size	Grip 4x4 Pg. #11	Sprints Pg. #11	Highway Service		V-Bar Reinforced		Mud Service		Wide Base	Cable Pg. #14
			Single Pg. #12	Dual Triple Pg. #12	Single Pg. #13	Dual Triple Pg. #13	Single Pg. #13	Duals Pg. #13	*Dual Mount Pg. #14	
17.5 inch										
215/70-17.5			2219	4219	2819	4819	2435			1673
215/75-17.5	0141		2219	4221	2819	4821	2437	4412		1673
225/70-17.5			2214		2814		2439			1663
225/75-17.5	0157		2221		2821					
235/75-17.5	0157						2441	4435	3210	
245/70-17.5	0157		2228		2828					
245/75-17.5			2219		2819					
18 inch										
7.00-18			2214		2814		2439		3259*	1663
7.50-18			2233							
235/55R18	0143									
235/60R18	0142									
255/55R18	0142		2229		2829					1665
255/60R18	0141									
265/60R18	0157								3227	
265/70R18	2532									
275/65-18	2532									
275/70R18	2532								3235	
285/60-18	2532								3227	1675
285/65-18	2532									
35x10.5x18									3235	
19 inch / 19.5 inch										
255/55R19	0157									
8-19.5			2214		2814		2439		3259*	1663
9.5-19.5									3261	
15-19.5									3265	
16.5-19.5									3255	
18-19.5									3257	
225/70R19.5			2221	4221	2821	4821	2439	4219		
245/70R19.5			2233				2439			1675
265/70-19.5			2241	4241	2841	4841				
285/70-19.5									3235	
305/70-19.5										
445/65-19.5									3271	
20 inch										
6.5-20			2233						3259*	
7.00-20			2233						3265*	
7.50-20			2237				2441	4435	3267*	
8.25-20			2239	4239	2839	4839	2441	4435	3269*	
9.00-20			2241	4241	2841	4841	2445	4437	3273*	
10.00-20			2245	4245	2845	4845	2448	4448	3275*	
10.5-20			2241	4241	2841	4841				
11.00-20			2251	4251	2851	4851	2452	4461	3277*	
12.00-20			2255				2486	4486		
12.5-20										
13.00-20			2257							
13/80R20			2255			4855	2486	4486		
14.00-20			2271							
14.5-20										
275/55-20	2532								3229	
275/60-20									3227	
285/55R20	2532									
305/50R20	2533									
305/55-20									3229	
335/80-20										

# TRUCK CHAIN FIT CHART (cont.)

This Chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that size tire. To view pictures and descriptions of the different chain styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual Product Codes may vary.

Tire Size	Grip 4x4 Pg. #11	Sprints Pg. #11	Highway Service		V-Bar Reinforced		Mud Service		Wide Base	Cable Pg. #14
			Single Pg. #12	Dual Triple Pg. #12	Single Pg. #13	Dual Triple Pg. #13	Single Pg. #13	Duals Pg. #13	*Dual Mount Pg. #14	
20 inch										
365/80R20			2257							
365/85-20										
375/75-20										
395/85-20										
22 inch										
10.00-22			2249	4249	2849	4849	2452	4461	3277*	
11.00-22		TN330	2255				2486	4486		
22.5 inch										
7-22.5			2233				2439		3259*	1663
8-22.5			2237						3267*	
9-22.5			2239	4239	2839	4839	2441	4435	3269*	
10-22.5			2241	4241	2841	4841	2445	4437	3273*	
11-22.5		TN310	2245	4245	2845	4845	2448	4486	3275*	
12-22.5			2251	4251	2851	4851	2452	4461		
12.5-22.5			2251							
13-22.5		TN330							3255	
15-22.5									3255	
18-22.5									3261	
225/70-22.5			2237							
235/80R22.5			2237				2441	4435		
245/70-22.5			2239	4239	2839	4839				
245/75R22.5			2239	4239	2839	4839	2441	4435		
245/80-22.5			2239	4239	2839	4839				
255/70R22.5			2239	4239	2839	4839	2441	4435		
255/80R22.5			2239	4239	2839	4839	2441	4435		
265/75R22.5			2241	4241	2841	4841	2445	4437		
275/70R22.5			2245	4245	2845	4845	2448	4448		
275/80R22.5			2245	4245	2845	4845	2452	4437		
285/75-22.5			2247	4247	2847	4847				
295/60-22.5										
295/70-22.5										
295/75R22.5			2247	4247	2847	4847	2452	4461		
295/80R22.5			2251	4251	2851	4851	2470			
305/60-22.5										
305/70-22.5										
315/60-22.5										
315/70-22.5										
315/75-22.5			2251	4251	2851	4851				
315/80R22.5		TN320	2255				2486	4486		
385/65R22.5									3255	
425/65R22.5									3271	
445/50-22.5									3269	
445/55-22.5									3269	
445/65R22.5									3261	
24 inch										
10-00-24		TN330								
11.00-24			2253				2470			
14.00-24			2273							
24.5 inch										
11-24.5			2249	4249	2849	4849	2452	4461		
12-24.5			2255				2486	4486		
275/80R24.5			2247	4247	2847	4847	2452	4461		
285/75R24.5			2247	4247	2847	4847	2452	4461		
285/80-24.5			2249	4249	2849	4849				
305/75-24.5			2255							
315/75-24.5			2255							



# LIGHT / HEAVY TRUCK CHAINS

## GRIP 4x4



- Case hardened alloy steel
- For 4x4 and light commercial use
- Reversible for long life
- Excellent traction on or off road
- Diamond pattern for great side stability
- Economical

Stock No.	Weight/pr.	Stock No.	Weight/pr.
<b>0133</b>	14	<b>0143</b>	21
<b>0138</b>	14	<b>0157</b>	24
<b>0139</b>	18	<b>0160</b>	26
<b>0141</b>	23	<b>2532</b>	30
<b>0142</b>	23	<b>2533</b>	30

This section gives a general description and picture of the Truck Chains we have available. To see if the chain is available to fit your tire size, please refer to the Truck Chain Fit Chart listed on pages 6-10.



**Contract # GS-30F-0009N**

## Sprints

- Case hardened alloy steel
- Long life
- No side slippage
- Great traction on or off road
- Smooth running
- Improved braking traction
- Great for fleets



### Square Link

Stock No.	mm	Weight per pair
<b>TN310</b>	7	84
<b>TN320</b>	7	86
<b>TN330</b>	7	88

This section gives a general description and picture of the Truck Chains we have available. To see if the chain is available to fit your tire size, please refer to the Truck Chain Fit Chart listed on pages 6-10.

# HIGHWAY SERVICE TRUCK

RECOMMENDED FOR HIGHWAY USE

CAM = Cam Rail Side Chain



## Single

Tire Chain Stock No.	Wt./Pr.	Cross Chain Stock No.	Cross Chains per 1/2 Pair
2214CAM	29	CC6221	15
2216CAM	24		12
2219CAM	26		13
2221CAM	27		14
2228CAM	30	CC6225	14
2229CAM	26		12
2233CAM	41	CC6251	11
2237CAM	45		12
2239CAM	48		13
2241CAM	51		14
2245CAM	54	CC6253	15
2247CAM	53		14
2249CAM	56		15
2251CAM	70	CC6260	14
2253CAM	79		16
2255CAM	73	CC6263	14
2257CAM	82		16
2271CAM	85	CC6266	16
2273CAM	95		18

This section gives a general description and picture of the Truck Chains we have available. To see if the chain is available to fit your tire size, please refer to the Truck Chain Fit Chart listed on pages 6-10.

## Dual

Tire Chain Stock No.	Wt./Pr.	Cross Chain Stock No.	Cross Chains per 1/2 Pair
4219CAM	47	CC6221	26
4221CAM	50		28
4239CAM	85	CC6251	26
4241CAM	90		28
4245CAM	96		30
4247CAM	94	CC6253	28
4249CAM	101		30
4251CAM	123	CC6260	28




# TRUCK V-BAR REINFORCED

RECOMMENDED FOR HIGHWAY USE

CAM = Cam Rail Side Chain

Single

Tire Chain Stock No.	Wt./Pr.	Cross Chain Stock No.	Cross Chains per 1/2 Pair
2814CAM	32	CC6821	15
2816CAM	26	CC6821	12
2819CAM	28	CC6821	13
2821CAM	30	CC6821	14
2828CAM	32	CC6825	14
2829CAM	28	CC6825	12
2839CAM	51	CC6822	13
2841CAM	55	CC6822	14
2845CAM	58	CC6822	15
2847CAM	57	CC6853	14
2849CAM	61	CC6853	15
2851CAM	74	CC6860	14



Dual

Tire Chain Stock No.	Wt./Pr.	Cross Chain Stock No.	Cross Chains per 1/2 Pair
4819CAM	51	CC6821	26
4821CAM	54		28
4839CAM	92	CC6822	26
4841CAM	98		28
4845CAM	104		30
4847CAM	103	CC6853	28
4849CAM	104		30
4851CAM	131	CC6860	28
4855CAM	137	CC6863	28

This section gives a general description and picture of the Truck Chains we have available. To see if the chain is available to fit your tire size, please refer to the Truck Chain Fit Chart listed on pages 6-10.

## MUD SERVICE

HEAVY DUTY CONSTRUCTION FOR OFF-ROAD USE

30% MORE STRENGTH THAN HIGHWAY SERVICE

Single



Tire Chain Stock No.	Wt./Pr.	Cross Chain Stock No.	Cross Chains per 1/2 Pair
2433M	33	CC6256	8
2435M	37		9
2437M	42		10
2439M	44	CC6260	10
2441M	66	CC6434	11
2445M	73		12
2448M	80		13
2452M	86		14
2470M	99	CC6438	15
2486M	103		14

Dual

Tire Chain Stock No.	Wt./Pr.	Cross Chain Stock No.	Cross Chains per 1/2 Pair
4412M	76	CC6256	20
4435M	127	CC6434	22
4437M	137		24
4448M	150		26
4461M	160		28
4486M	175	CC6438	28

This section gives a general description and picture of the Truck Chains we have available. To see if the chain is available to fit your tire size, please refer to the Truck Chain Fit Chart listed on pages 6-10.



## WIDE BASE & DUAL MOUNT

Tire Chain Stock No.	Wt./Pr.	Cross Chain Stock No.	Cross Chains per 1/2 pair
3210R	27	CC6225	13
3227R	37	CC6253	10
3229R	39	CC6259	10
3235R	46		12
3237R	40	CC6265	9
3249R	42	CC6267	9
3251R	46		10
3255R	71	CC7213	14
3257R	62		15
3259R	58	CC7214	11
3261R	84		16
3265R	60	CC7215	11
3267R	65		12
3269R	77		13
3271R	75		14
3273R	77	CC7216	12
3275R	83		13
3277R	90		14

**DESIGNED FOR MOST 4-WHEEL DRIVE VEHICLES & SUPER SINGLE TIRES**



This section gives a general description and picture of the Truck Chains we have available. To see if the chain is available to fit your tire size, please refer to the Truck Chain Fit Chart listed on pages 6-10.

## CABLE CHAINS

**AFFORDABLE TRACTION FOR HIGHWAY USE**



Stock No.	Wt./Pr.	Cross Chains per 1/2 Pair
1661	11	15
1663	13	12
1665	12	13
1669	13	14
1673	13	14
1675	15	12

This section gives a general description and picture of the Truck Chains we have available. To see if the chain is available to fit your tire size, please refer to the Truck Chain Fit Chart listed on pages 6-10.

# 10mm ALLOY SQUARE GRADER

- Superior Quality
- Improved Traction

## Loader and Grader Chain

- Designed for heavy-duty commercial use
- Highest quality alloy steel
- Popular ladder style



Tire Size			Stock No.	Weight/pr.
13.00-24/25	14.00-20/21	15.5-25	<b>2612SQ</b>	126
14.00-24	14.00-25		<b>2615SQ</b>	135
16.00-20/21	17.5-25		<b>2624SQ</b>	183
16.00-24	16.00-25		<b>2627SQ</b>	220
20.5-25			<b>2633SQ</b>	232
18.00-25	18.00-24	18.00-26	<b>2636SQ</b>	250
23.5-25			<b>2645SQ</b>	255

## GRADER & EQUIPMENT

### CHAINS FOR SNOW REMOVAL, GRADERS, LOADERS & SCRAPERS



Tire Size	Type OTR (Regular)			Cross Chains Per 1/2 Pair
	Tire Chain Stock No.	Wt./Pr.	Cross Chain Stock No.	
13.00-24/25; 14.00-20/21; 15.5-25	<b>2612G</b>	113	CC6630	14
14.00-24; 14.00-25	<b>2615G</b>	129		16
16.00-20/21; 17.5-25	<b>2624G</b>	157	CC6640	13
16.00-24; 16.00-25	<b>2627G</b>	179		15
20.5-25	<b>2633G</b>	194	CC6650	14
18.00-25; 18.00-24; 18.00-26	<b>2636G</b>	208		15
18.00-33	<b>2642G</b>	248		18
23.5-25	<b>2645G</b>	357	CC6660	15
21.00-24; 21.00-25	<b>2648G</b>	383		16
26.5-25	<b>2657G</b>	455	CC6670	17

# DUO TRACTOR CHAINS

**DESIGNED FOR OFF-ROAD USE ONLY**  
**CHAIN STAYS ON THE TREAD FOR SUPERIOR TRACTION**

Tire Size	Tire Chain Stock No.	Wt./Pr.	Cross Chain Stock No.	Cross Chains per 1/2 Pair
9.5-24; 9.5-28; 11.2-24	DUO214	106	DUO292	8
9.5-32; 11.2-28; 355/80-20	DUO226	117		9
11.2-34; 11.2-36	DUO224	142		11
9.5R40; 8.3R44	DUO228	155		12
9.5R44	DUO227	168		13
10.5/80-18; 12.5/80-18	DUO225	96	DUO293	6
12.4-24	DUO229	124		9
11.2-32; 12.4-28; 9.5-36; 9.5-38	DUO218	137		10
11.2-38; 12.4-36; 12.4-38;	DUO232	164		12
13.6-28; 320/85R-34; 13.9-36	DUO242	158	DUO294	11
13.6-36; 13.6-38; 11-38	DUO246	172		12
11.2R48; 12.4-40; 12.4-42	DUO247	185		13
13.6-24; 13.6-26; 14.9-24	DUO240	136	DUO295	9
14.9-26	DUO250	151		10
14.9-28; 14.9-30	DUO252	166		11
16.9-24	DUO260	157	DUO296	10
14.9-38; 15.5-38	DUO254	188		12
17.5L-24	DUO263	143	DUO297	8
16.9-26; 16.9-28	DUO262	165		10
16.9-30; 16.9-32	DUO266	180		11
16.9-34	DUO270	195		12
320/90-50; 12.4-52	DUO255	215		13
14.9-46; 420/80R-46; 12.4-54	DUO256	225		14
12.4-48	DUO259	243		15
18.4-16.1; 21.5L-16.1	DUO264	130	DUO298	7
18.4-24; 19.5L-24	DUO268	165		9
18.4-26; 18.4-28; 18.4-30	DUO271	190		10
18.4-34	DUO273	203		11
16.9-38; 18.4-38; 20.8-34	DUO272	220		12
18.4-42; 18.4-46	DUO277	258		14
21L24 20.5-25	DUO275	159	DUO299	8
20.8-38	DUO276	256		13
23.1-26; 23.1-28	DUO280	211	DUO302	10
23.1-30; 28L-26	DUO281	232		11
24.5-32; 23.1-34; 28.1-34	DUO282	253		12





# ROADMASTER

## DESIGNED FOR ON AND OFF ROAD SERVICE



Tire Size	Tire Chain Stock No.	Wt./Pr.	Cross Chain Stock No.	Cross Chains per 1/2 Pair
8.3-24	RM822	70	CC6434	11
9.5-16	RM829	58		9
9.5-24	RM832	77		12
11.2-24; 9.5-28	RM836	87	CC6445	12
11.2-28; 9.5-32	RM838	101		14
11.2-34; 11.2-36	RM846	123		17
13.6-16	RM850	79	CC7420	10
12.4-24;	RM852	94	CC6445	13
12.4-28;	RM856	108		15
13.6-24; 13.6-26	RM858	108	CC7420	14
13.6-28; 14.9-24	RM859	115		19
11.2-38; 12.4-36; 12.4-38	RM862	130	CC6445	18
13.6-38; 12.4-42; 13.6-36	RM866	148	CC7420	19
14.9-26; 14.9-28	RM869	125		16
14.9-38;	RM871	154		20
16.9-24; 17.5L-24	RM874	125	CC7426	15
16.9-26; 16.9-28 14.9-30	RM876	138		16
16.9-30	RM877	146		17
16.9-34; 15.5-38	RM879	155		18
16.9-38	RM880	172		20
18.4-16.1	RM881	132	CC9562	10
21.5-16; 21.5L-16.1	RM882	156		12
18.4-26; 19.5L24; 18.4-24	RM883	168		13
18.4-28	RM884	181		14
18.4-30; 21L-24	RM885	193		15
18.4-34	RM887	205		16
18.4-38	RM889	218		17
20.8-34	RM890	234	CC6650	17
23.1-26	RM891	213	CC9567	14
20.8-38	RM892	249	CC6650	18
23.1-30	RM893	243	CC9567	16
18.4-42	RM894	244	CC9562	19

## ATV



Tire Size	Stock No.	Wt./Pr.
20x11x8	ATV-100	11
22x11x8	ATV-101	13
25x12x9	ATV-102	15
25x13x9	ATV-103	18
26x12x12	ATV-104	22



# SNOW BLOWER & GARDEN TRACTOR

- Twist link hardened carbon steel
- Available in 2-link or 4-link spacing.
- 2 Link - Means 2 Links between Cross Chains, more traction. Most popular.
- 4 Link - Means 4 Links between Cross Chains, less traction. Less popular.



Tire Size	2 Link Spacing		4 Link Spacing	
	Stock No.	Weight/Pr.	Stock No.	Weight/Pr.
10/10.5x2.75; 10.25x3.25; 10x3.50	GT3301	3	-	-
12x3	GT3308	4	-	-
4.10/3.50x4; 3.40/3.00x5	GT7106	3	-	-
4.10/3.50x5; 4.10/3.50x6; 12x3.50x6; 12.25x3.50x6	GT3302	4	-	-
5.30/4.50x6	GT3309	8	-	-
13x5x6	GT7129	9	-	-
4.00/4.80x8	GT1301	11	-	-
5.00/5.70x8	GT3303	14	-	-
16x6.50x8; 15x6.00x6	GT3300	12	-	-
18x6.50x8	GT3312	13	-	-
18x8.50x8	GT3307	15	GT3311	10
18x9.50x8 18x9.50x9	GT3305	18	GT3306	11
20x10x8 20X10X10 19x9.50x8	GT7145	19	-	-
20x8.00x10 20x8x8	GT1308	19	GT5318	12
6x12; 23x7.50x12	GT5313	20	GT5312	14
8x12; 23x8.50x12	GT4300	22	GT4301	13
12x12; 26x12x12; 27x12x12	GT5308	29	GT5306	18
23x9.50x12; 23x10.50x12 24x10.50x12	GT5307	24	GT5303	14
8x15; 25x8.5x14; 27x8.50x15	GT1307	29	GT1309	18
27x9.50x15	GT5305	33	GT5304	20
29x12x15	GT5323	67	GT5316	41
31x15.5x15; 33x12.5x15	GT5324	99	GT9100	58
8x16 8.5x16.5	-	-	GT1310	19

## SNOW HOG TRACTOR CHAINS

Heavy Duty for Deep Lug Tires

Tire Size	Stock No.	Weight/Pr.
4.00/4.80x8	GT1301SH	13
16x6.50x8; 15x6.00x6	GT3300SH	14
4.10/3.50x5; 4.10/3.50x6; 12x3.50x6; 12.25x3.50x6	GT3302SH	6
13x5x6	GT7129SH	7
14.10x3.50x4; 3.40x3.00x5	GT7106SH	8

# ALLOY - FORKLIFT CHAINS

**“Hardness, Strength and Toughness”**  
**7mm Square Link Alloy**

- High performance cross chain
- German Quality
- Resistant to breakage
- Longer lifetime



**4-Link Spacing**

Tire Size	Stock No.	Weight / pair
6.50-10	<b>2208MFG-R-FL</b>	15
7.50-10; 25x8.50-14	<b>2210MFG-R-FL</b>	18
7.00-12; 27x8.50-15	<b>2213MFG-R-FL</b>	20
7.00-15; 28x9-15 28x9.5-15; 8.15-15	<b>2216MFG-R-FL</b>	22
7.50-15/32"	<b>2221MFG-R-FL</b>	25
23x10.5-12; 21x9x9	<b>2225MFG-R-FL</b>	18
8.25-15	<b>2228MFG-R-FL</b>	27
250-15; 27x10.5-15	<b>2229MFG-R-FL</b>	24
14-17.5	<b>3235MFG-R-FL</b>	46
300-15; 32x12.1x15	<b>3229MFG-R-FL</b>	38
15x19.5	<b>3265MFG-R-FL</b>	59

2-Link Spacing available by special order  
 8mm available upon request

## SKID STEER CHAINS



**4-Link Spacing - 7mm Ladder - Square Link Alloy**

Tire Size	Stock No.	Weight / pair
10x16.5	<b>2229-SS</b>	26
12x16.5	<b>3227-SS</b>	37
14x17.5	<b>3235-SS</b>	46
15x19.5	<b>3265-SS</b>	58

8mm available upon request



**Howy “H” Pattern - 8mm Alloy - Round Link**

Tire Size	Stock No.	Weight / pair
10x16.5	<b>2229H-SS</b>	64
12x16.5	<b>3227H-SS</b>	77
14x17.5	<b>3235H-SS</b>	106

# REPAIR PARTS, TOOLS & ACCESSORIES

Wire Diameter Reference Chart


Trade Size	Decimal Diameter	Fractional	Metric	Actual Min./Max.
# 1	.162	-	4.11mm	.160 / .163
1/0	.177	11/64	4.50mm	.174 / .177
2/0	.192	3/16	4.88mm	.189 / .193
3/0	.207	13/64	5.26mm	.205 / .208
4/0	.218	7/32	5.54mm	.210 / .213
.234	.234	15/64	5.94mm	.234 / .238
6/0	.281	9/32	7.14mm	.275 / .279
7/0	.312	5/16	7.92mm	.298 / .303
9/0	.375	3/8	9.53mm	.364 / .369
11/0	.437	7/16	11.10mm	.425 / .430
14/0	.531	17/32	13.49mm	.520 / .525

## Side Chain Fasteners

Stock No.	Type	Used With	Weight ea.
7015-308-04	W8	Passenger	.1
SL713	SL713	Light Truck	.4
LG713	LG713	Medium & Heavy Truck	.3
714F	714	Heavy Grader	.5
14923	Tension Chain Hook	Grip 4x4	.3




## Chain Repair Pliers



Stock No.	Type	Description	Weight ea.
7301	Small	Regular Passenger	1
7303	Large	Truck	3
7302	X-Large	All Truck / Tractor	7

## Tire Chain Adjusters

Stock No.	Type	Description	Weight ea.
29110	RA1	Passenger Car - Rubber	.5
29225	RA10	Light Truck - Rubber	.6
29229	RA20	Heavy Truck - Rubber	1.2





Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

**Shoe and boot chains, passenger-grip,  
passenger-square link, passenger-twist link,  
passenger-cable, truck-grip 4x4,  
truck-sprints, truck-highway service,  
truck-V-bar reinforced, truck-mud service,  
truck-wide base and dual mount,  
truck-cable, grader and equipment, rear tractor,  
ATV, lawn and garden tractor, snow blower,  
forklift, skid steer, accessories and repair tools.**

## ***2011 TIRE CHAIN CATALOG***

Please call for pricing.



**CEDAR RAPIDS TIRE**

4601 8th Avenue • Marion, IA 52302