


Tire Chains, Traction Accessories and Tools

**CEDAR RAPIDS TIRE**

# CATALOG



# TABLE OF CONTENTS

## 05

### Passenger Car Chains

<b>Fitment Chart</b> .....	<b>05-17</b>
Cable Ladder Style.....	31
Cable Volt V-Cable.....	31
Diamond Pattern Diamond Back .....	32
Diamond Pattern Grip .....	32
Diamond Pattern Olympia Sprints .....	32
<b>Fitment Chart</b> .....	<b>18-30</b>
Easysox .....	33
Quick Trak Low Profile .....	33
Square Link.....	33-34
Twist Link.....	34
V-Bar Link.....	35

## 36

### Truck Chains

<b>Fitment Chart - Single</b> .....	<b>36-51</b>
Aquiline Talon Single .....	101
Cable Ladder Pattern Single .....	101
Cable V-Trac.....	102
Diamond Pattern 4x4 Light/Medium .....	102
Diamond Back Single 3.7mm Pull Chain .....	102
<b>Fitment Chart - Single</b> .....	<b>52-67</b>
Diamond Back Single 3.7mm Rubber Adj.....	103
Diamond Back Single 5.5mm Pull Chain.....	103
Diamond Back Single 5.5mm Rubber Adj.....	103
Diamond Pattern Olympia Sprints Single.....	104
Easysox .....	104
<b>Fitment Chart - Single</b> .....	<b>67-84</b>
Highway Service Single Cam .....	105
Mud Service Single .....	106
Square Link Alloy Single.....	106
V-Bar Single .....	107
Wide Base Highway Service Cam .....	107
<b>Fitment Chart - Single</b> .....	<b>85-100</b>
Wide Base Highway Service Non-Cam .....	108
Wide Base Mud Service Non-Cam.....	109
Wide Base Square Alloy Cam.....	109
Wide Base Twisted Alloy Cam .....	109
Wide Base V-Bar .....	110

<b>Fitment Chart - Dual</b> .....	<b>111-121</b>
Aquiline Talon Dual .....	122
Highway Service Dual Cam .....	122
Mud Service Dual .....	123
Diamond Pattern Olympia Sprints Dual.....	123
V-Bar Dual .....	124

## 125

### Semi/Comm. Truck Chains

<b>Fitment Chart - Single</b> .....	<b>125-129</b>
Cable Ladder Pattern Single Cam .....	140
Hwy. Service Single Cam Carbon Steel.....	140
Hwy. Service Single Non-Cam Carbon Steel.....	140
Hwy. Service Single Cam Lightweight Alloy .....	141
Hwy. Service Single Cam Long Mileage Alloy .....	141
Mud Service Single Non-Cam.....	141
<b>Fitment Chart - Single</b> .....	<b>130-134</b>
Sq. Link Alloy Single Cam .....	142
Sq. Link Alloy Heavy Duty Single Cam .....	142
Sq. Link Alloy Heavy Duty Single Non-Cam .....	142
Sq. Link Alloy Twisted Single Cam .....	143
Studded Alloy 7mm Single Cam.....	143
Studded Alloy 7mm Single Non-Cam .....	143
<b>Fitment Chart - Single</b> .....	<b>135-139</b>
Studded Alloy 8mm Single Cam .....	143
Studded Alloy 8mm Single Non-Cam .....	143
V-Bar Single Cam .....	144
Wide Base Cable Cam .....	144
Wide Base Highway Service Non-Cam .....	144
Wide Base Square Link Alloy Cam .....	145
<b>Fitment Chart - Dual</b> .....	<b>146-149</b>
Cable Ladder Pattern Dual Cam .....	158
Hwy. Service Dual Cam Carbon Steel.....	158
Hwy. Service Dual Non-Cam Carbon Steel .....	158
Hwy. Service Dual Cam Lightweight Alloy .....	159
Hwy. Service Dual Cam Long Mileage Alloy.....	159
<b>Fitment Chart - Dual</b> .....	<b>150-153</b>
Mud Service Dual Non-Cam .....	159
Sq. Link Alloy Dual Cam .....	160
Sq. Link Alloy Heavy Duty Dual Cam .....	160

# TABLE OF CONTENTS

Sq. Link Alloy Heavy Duty Dual Non-Cam .....	160
Sq. Link Alloy Twisted Dual Cam .....	161
<b>Fitment Chart - Dual .....</b>	<b>154-157</b>
Studded Alloy 7mm Dual Cam .....	161
Studded Alloy 7mm Dual Non-Cam .....	161
Studded Alloy 8mm Dual Cam .....	161
Studded Alloy 8mm Dual Non-Cam .....	161
V-Bar Dual Cam .....	162

## 163 Grader Chains

<b>Fitment Chart .....</b>	<b>163</b>
Aquiline Talon .....	164
Diamond Pattern Alloy .....	164
Ladder Pattern Square Link Alloy .....	164
Ladder Pattern Twist Link .....	165

## 166 Tractor Chains

<b>Fitment Chart .....</b>	<b>166-173</b>
Aquiline MPC Square Link .....	174
Aquiline Talon Studded .....	174
Double Ring .....	174
Duo H Pattern 7mm .....	175
Duo H Pattern 10mm .....	175-176
Roadmaster Ladder Pattern 4 Link .....	176-177

## 178 Garden Tractor Chains

<b>Fitment Chart .....</b>	<b>178-179</b>
Twist 2-Link Ladder .....	180
Twist 4-Link Ladder .....	180

## 181 ATV Chains

Twist 2-Link Ladder .....	181
Twist 4-Link Ladder .....	181

## 182 Snow Blower Chains

<b>Fitment Chart .....</b>	<b>182</b>
Twist 2-Link Ladder .....	182

## 183 Forklift Chains

<b>Fitment Chart .....</b>	<b>183</b>
Forklift Square 2-Link .....	184
Forklift Square 2-Link .....	184

## 185 Skid Steer Chains

<b>Fitment Chart .....</b>	<b>185</b>
H-Pattern Round Link Alloy 8mm .....	185
Ladder Pattern Alloy 2-Link 7mm .....	186
Ladder Pattern Alloy 4-Link 7mm .....	186
Ladder Pattern Alloy 4-Link 10mm .....	186

## 187 Chain Adjusters

Spider Bungee Adjusters .....	187-188
Adjusters/Tensioners .....	189-190

# WARRANTY & RETURN POLICY

## Cedar Rapids Tire Warranty

**NOTE: Speeds over 30 MPH, improper fit, improper installation, and improper usage (see below) voids all Cedar Rapids Tire warranties.**

The products we sell are warranted free from defects in workmanship and material for thirty (30) days from the date of delivery. No other express warranty is given and no affirmation of seller, by words or action, shall constitute a warranty. The buyer's sole remedy for breach of warranty is limited exclusively to obtaining, at seller's discretion, either credit, repair, or replacement of any product sold hereunder by Cedar Rapids Tire. The product shall be returned to CRT within 30 days after delivery and within ten (10) days of discovery of alleged defect. CRT will inspect and identify the presence of defects if they exist. Buyer shall not be entitled to recover incidental or consequential damages. No material shall be returned without consent of the seller via and RGA (Returned Good Authorization).

Proper fitment and use of tire chains requires user attention to detail, and planning. Please be sure to follow the guidelines below when using tire chains:

- Take care in specifying the right size of chain or device for your vehicle. If you have any questions, please call and speak to one of our experienced representatives for guidance
- It is critical that you test fit your product in a clean and dry environment before use, as improper installation can damage ABS components, brake lines and the vehicle body
- Never drive with damaged or improperly installed traction devices
- Proper installation can require alteration of your device (chain), by cutting down to size using a bolt cutters and pliers. If you are not comfortable with doing so, please have a trained professional technician size the chain for you
- We strongly recommend adding adjusters, spider bungees or tighteners to your device where applicable as this will add improved fit and tightness to the application
- Even a perfect fit can cause slight cosmetic tire and wheel scuffs—low profile tire and wheel combinations have an increased risk of this type of marring
- Always be sure that the cross chain hooks are facing away from your tire side wall
- After installation for required use, drive short distances (1/4 mile) and re-inspect fitment often
- Avoid driving with tire chains and traction devices: on dry pavement, improperly inflated tires, speeds over 30 MPH, that have been damaged, or when towing another vehicle
- Never spin your tires—slowly accelerate and decelerate with caution
- Avoid hitting curbs when chains are installed
- **Always install and remove chains where you are safe from any oncoming traffic and using your hazard lights. The next driver may not be using tire chains!**

## Cedar Rapids Tire Return Policy

**We understand that returns are a part of business and we want to make the process fair for all involved parties.**

- Be sure to inspect your order confirmation, packing slips, and packaging for order accuracy
- Pre-fit your chains as soon as possible upon receipt
- Returns received within 30 days of purchase will be fully reimbursed as long as they are clean and unused—rusted or corroded products do not qualify
- Returns after the 30 day period are subject to a 25% re-stocking fee
- Return shipping for customer order and specification errors is the responsibility of the buyer
- Always call CRT to coordinate returns and receive your Returned Goods Authorization (RGA) number

# PASSENGER CAR CHAINS

This chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that specific size tire. To view pictures and descriptions of the different chain

styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual product codes may vary.

	Pg. 31	Pg. 31	Pg. 32	Pg. 32	Pg. 32
Tire Size	Cable Ladder Style	Cable Volt V-Cable	Diamond Pattern Diamond Back	Diamond Pattern Grip	Diamond Pattern Olympia Sprints
<b>12" Rim</b>					
145/80R12	1014				
155/80R12	1014	QV311		02-1510	
165/70R12	1014				
175/70R12	1014	QV311		02-1510	
<b>13" Rim</b>					
135/80R13		QV311	1505Q		
145/65R13	1014		1505Q		
145/70R13	1014		1505Q	02-1505	
145/80R13	1014	QV311	1510Q	02-1510	
155/60R13			1505Q		
155/65R13					
155/70R13	1014	QV311	1510Q	02-1510	
155/80R13	1014	QV315	1515Q	02-1515	
165/60R13	1014		1505Q	02-1510	
165/65R13	1018	QV311	1510Q	02-1510	
165/70R13	1014	QV311	1515Q	02-1515	
165/75R13	1014	QV315	1515Q		
165/80R13	1018	QV315	1520Q	02-1520	
175/50R13	1014				
175/60R13	1014	QV311	1510Q	02-1510	
175/65R13	1014	QV315	1515Q	02-1515	
175/70R13	1018	QV315	1520Q	02-1520	
175/75R13	1018	QV319	1525Q	02-1525	
175/80R13	1026	QV319	1525Q	02-1525	
185/70R13	1026	QV319	1525Q	02-1525	
185/55R13	1014			02-1510	
185/60R13	1018	QV315	1515Q	02-1515	
185/65R13	1018	QV315	1520Q	02-1520	
185/70R13	1026	QV319	1525Q	02-1525	
185/75R13	1026	QV323	1525Q		
185/80R13	1022	QV323	1530Q	02-1525	

# PASSENGER CAR CHAINS

	Pg. 31	Pg. 31	Pg. 32	Pg. 32	Pg. 32
Tire Size	Cable Ladder Style	Cable Volt V-Cable	Diamond Pattern Diamond Back	Diamond Pattern Grip	Diamond Pattern Olympia Sprints
<b>13" Rim</b>					
185/85R13	1030				
195/50R13	1018				
195/55R13	1018	QV315	1515Q		
195/60R13	1026	QV315	1520Q	02-1520	
195/65R13	1022	QV319	1525Q	02-1525	
195/70R13	1026	QV323	1530Q	02-1525	
195/75R13	1030		1525Q		
205/60R13	1026	QV319	1525Q	02-1525	
205/65R13	1026	QV323	1530Q		
205/70R13	1030	QV327	1535Q	02-1535	
215/50R13	1026		1515Q		
215/60R13	1026	QV323	1530Q		
215/65R13	1030				
225/60R13	1030	QV323	1535Q		
235/50R13	1034	QV323			
235/60R13	1034	QV327	1535Q		
245/50R13	1034	QV323			
<b>14" Rim</b>					
145/70R14	1014		1510Q		
145/80R14	1014			02-1515	
155/50R14	1014				
155/65R14	1014	QV311	1510Q	02-1510	
155/70R14	1018		1515Q	02-1515	
155/80R14	1018				
165/80R14	1018	QV319	1525Q	02-1525	
165/60R14	1014	QV311	1515Q	02-1510	
165/65R14	1018	QV315	1515Q	02-1515	
165/70R14	1018	QV315	1520Q	02-1520	
165/75R14	1018	QV319	1525Q	02-1525	
165/80R14	1018	QV319	1525Q	02-1525	
175/55R14	1014	QV311			
175/60R14	1018	QV315	1515Q	02-1515	
175/65R14	1018	QV315	1520Q	02-1520	
175/70R14	1026	QV319	1525Q	02-1525	
175/75R14	1022	QV319	1525Q	02-1530	118
175/80R14	1022	QV323		02-1530	118

# PASSENGER CAR CHAINS

	Pg. 31	Pg. 31	Pg. 32	Pg. 32	Pg. 32
Tire Size	Cable Ladder Style	Cable Volt V-Cable	Diamond Pattern Diamond Back	Diamond Pattern Grip	Diamond Pattern Olympia Sprints
<b>14" Rim</b>					
185/50R14	1014	QV311	1515Q		
185/55R14	1018	QV315	1515Q	02-1520	
185/60R14	1026	QV319	1520Q	02-1520	
185/65R14	1026	QV319	1525Q	02-1525	
185/70R14	1022	QV323	1530Q	02-1530	
185/75R14	1030	QV323	1530Q	02-1535	118
185/80R14	1030	QV331	1535Q	02-1535	119
195/50R14		QV315	1515Q		
195/55R14	1026	QV319	1525Q	02-1525	
195/60R14	1026	QV319	1525Q	02-1525	
195/65R14	1026	QV323	1530Q	02-1530	
195/70R14	1030	QV327	1535Q	02-1535	119
195/75R14	1030	QV323	1535Q	02-1545	119
195/80R14	1034				
200/70R14				02-1535	
205/50R14	1026	QV319			
205/55R14	1026	QV323	1525Q		
205/60R14	1026	QV323	1530Q	02-1530	
205/65R14	1030	QV327	1535Q	02-1535	
205/70R14	1030	QV329	1540Q	02-1540	122
205/75R14	1034	QV331	1540Q		122
205/80R14	1038				
215/50R14	1026	QV323			
215/55R14	1026	QV323			
215/60R14	1030	QV323	1535Q	02-1540	
215/65R14	1030	QV331	1540Q		
215/70R14	1034	QV335	1545Q	02-1555	
215/75R14	1034	QV335	1545Q	02-1550	
215/80R14	1038				
225/50R14		QV323			
225/55R14	1034	QV327	1535Q		
225/60R14	1034	QV327	1540Q	02-1540	
225/65R14	1034		1540Q		
225/70R14	1038	QV335	1545Q	02-1547	
225/75R14	1038	QV339	1550Q	02-1550	
225/80R14	1042				

# PASSENGER CAR CHAINS

	Pg. 31	Pg. 31	Pg. 32	Pg. 32	Pg. 32
Tire Size	Cable Ladder Style	Cable Volt V-Cable	Diamond Pattern Diamond Back	Diamond Pattern Grip	Diamond Pattern Olympia Sprints
<b>14" Rim</b>					
235/50R14		QV323			
235/60R14	1034	QV335	1545Q		
235/70R14	1038	QV339	1550Q		
235/75R14	1042				
245/50R14	1034	QV327	1540Q	02-1540	
245/60R14	1038	QV335	1547Q		
245/70R14	1042	QV339	1555Q		
255/50R14	1034	QV331			
255/55R14	1038	QV335			
255/60R14	1038	QV343	1550Q		
265/50R14	1038	QV335	1545Q		
265/60R14	1042	QV343			
275/60R14	1042	QV339			
27-8.50-14	1034				
6.00-14					
7.00-14	1030				
7.50-14	1038				
8.50-14	1034				
<b>15" Rim</b>					
135/80R15	1018				
145/65R15	1014	QV315		02-1510	
145/70R15	1018		1515Q		
145/80R15	1018				
155/60R15	1014	QV311		02-1510	
155/65R15	1018			02-1515	
155/70R15	1018	QV315	1520Q	02-1520	
155/80R15	1022	QV319		02-1525	
165/60R15	1018	QV315	1520Q		
165/65R15	1022	QV319	1525Q	02-1520	
165/70R15	1022	QV319	1525Q		
165/80R15	1022	QV323	1530Q		
175/55R15	1018	QV315	1520Q	02-1520	
175/60R15	1018	QV319	1525Q		
175/65R15		QV319	1525Q	02-1525	
175/70R15	1022	QV323	1530Q	02-1530	118
175/75R15	1022		1535Q		



# PASSENGER CAR CHAINS

	Pg. 31	Pg. 31	Pg. 32	Pg. 32	Pg. 32
Tire Size	Cable Ladder Style	Cable Volt V-Cable	Diamond Pattern Diamond Back	Diamond Pattern Grip	Diamond Pattern Olympia Sprints
<b>15" Rim</b>					
175/80R15	1022	QV329		02-1535	
180/65R15	1022				
185/50R15	1018				
185/55R15	1026	QV319	1525Q	02-1525	
185/60R15	1026	QV323	1525Q	02-1525	
185/65R15	1026	QV323	1530Q	02-1530	
185/70R15	1030	QV323	1535Q	02-1535	119
185/75R15	1030	QV331	1535Q	02-1535	
185/80R15	1034				
190/65R15	1030		1530Q		
195/45R15	1022	QV315	1520Q		
195/50R15	1026	QV319	1525Q	02-1525	
195/55R15	1026	QV323	1525Q	02-1530	
195/60R15	1030	QV327	1530Q	02-1530	
195/65R15	1030	QV329	1535Q	02-1535	
195/70R15	1034	QV329	1540Q	02-1540	122
195/75R15	1034	QV331	1540Q	02-1547	122
195/80R15	1034	QV335	1545Q	02-1547	
205/45R15	1026	QV319			
205/50R15	1030	QV323	1525Q	02-1530	
205/55R15	1034	QV327	1535Q	02-1530	
205/60R15	1030	QV331	1535Q	02-1535	
205/65R15	1034	QV329	1540Q	02-1540	122
205/70R15	1034	QV335	1545Q	02-1555	
205/75R15	1038	QV335	1547Q	02-1547	
205/80R15	1038			02-1550	
215/45R15	1026	QV323			
215/50R15	1030	QV323	1535Q	02-1530	
215/55R15	1034	QV327	1535Q		
215/60R15	1034	QV331	1540Q	02-1540	
215/65R15	1038	QV335	1545Q	02-1555	
215/70R15	1038	QV335	1550Q	02-1560	
215/75R15	1038	QV339	1550Q	02-1550	125A
215/80R15	1038	QV343			
215/85R15	1038	QV343			
220/45R15	1026	QV323			

# PASSENGER CAR CHAINS

	Pg. 31	Pg. 31	Pg. 32	Pg. 32	Pg. 32
Tire Size	Cable Ladder Style	Cable Volt V-Cable	Diamond Pattern Diamond Back	Diamond Pattern Grip	Diamond Pattern Olympia Sprints
<b>15" Rim</b>					
225/45R15	1030				
225/50R15	1030	QV327	1535Q	02-1535	
225/55R15	1034	QV327	1540Q	02-1540	
225/60R15	1038	QV331	1547Q	02-1555	
225/65R15	1038	QV339		02-1560	
225/70R15	1038	QV343	1553Q	02-1565	
225/75R15	1042	QV343	1555Q		
225/80R15	1042				
235/50R15	1034	QV327			
235/55R15	1034	QV335	1545Q		
235/60R15	1038	QV335	1550Q	02-1560	
235/65R15	1038	QV339	1555Q		
235/70R15	1042	QV343	1555Q		
235/75R15	1042	QV343	1555Q		
240/45R15	1038				
245/50R15	1038	QV331			
245/60R15	1042	QV339	1553Q	02-1570	
245/65R15	1046	QV343			
245/70R15	1042	QV343	1553Q		
255/45R15	1038				
255/50R15		QV335			
255/55R15	1042				
255/60R15	1042	QV343	1555Q		
255/65R15	1042	QV343	1555Q		
255/70R15	1046				
265/50R15	1042	QV339	1553Q		
265/60R15	1042		1555Q		
265/75R15	1046				
275/50R15	1042	QV339	1555Q		
275/60R15	1046		1555Q		
27-8.50-15	1038				
285/40R15	1038				
295/50R15	1046	QV339			
305/50R15					
7.00-15	1030				

# PASSENGER CAR CHAINS

	Pg. 31	Pg. 31	Pg. 32	Pg. 32	Pg. 32
Tire Size	Cable Ladder Style	Cable Volt V-Cable	Diamond Pattern Diamond Back	Diamond Pattern Grip	Diamond Pattern Olympia Sprints
<b>15.5" Rim</b>					
185/70R15.5	1030	QV331			
205/80R15.5	1034	QV339			
<b>16" Rim</b>					
155/80R16	1022				
165/75R16			1530Q		
175/60R16	1026	QV323	1525Q	02-1525	
175/55R16	1026	QV319	1525Q		
175/60R16	1026	QV323	1525Q	02-1525	
175/75R16	1022	QV331	1540Q		119
175/80R16	1030	QV331			
185/50R16	1026	QV319	1525Q		
185/55R16	1030	QV323	1535Q		
185/60R16	1030	QV327	1530Q	02-1535	
185/65R16	1030	QV329			
185/70R16	1030				
185/75R16	1030	QV335	1542Q	02-1547	122
185/80R16	1038				
195/50R16	1030	QV323	1530Q		
195/45R16	1030	QV319	1525Q	02-1525	
195/50R16	1030	QV323	1530Q		
195/55R16	1030	QV327	1540Q	02-1530	
195/60R16	1030	QV329	1535Q	02-1535	
195/65R16	1030	QV329	1542Q	02-1540	122
195/75R16	1038	QV339	1545Q	02-1550	
195/80R16	1038	QV339			
195/85R16	1042				
205/40R16	1026	QV323	1525Q		
205/45R16	1030	QV323	1525Q	02-1530	
205/50R16	1034	QV327	1535Q	02-1530	
205/55R16		QV331	1540Q		
205/60R16		QV331	1542Q		
205/65R16	1038	QV335	1547Q	02-1550	
205/70R16	1038	QV335	1547Q		
205/75R16	1038	QV343	1550Q	02-1550	
205/80R16	1042	QV343			
215/40R16	1030	QV323	1525Q		

# PASSENGER CAR CHAINS

	Pg. 31	Pg. 31	Pg. 32	Pg. 32	Pg. 32
Tire Size	Cable Ladder Style	Cable Volt V-Cable	Diamond Pattern Diamond Back	Diamond Pattern Grip	Diamond Pattern Olympia Sprints
<b>16" Rim</b>					
215/45R16	1034	QV323	1535Q	02-1530	
215/50R16	1034	QV331		02-1535	
215/55R16	1034	QV331	1545Q	02-1555	
215/60R16		QV335	1545Q		
215/65R16	1038	QV335	1550Q	02-1565	
215/70R16	1038	QV339	1550Q	02-1550	
215/75R16	1038	QV343			
215/80R16	1046	QV343			
215/85R16	1046				
220/60R16	1038	QV339			
225/40R16	1030				
225/45R16			1540Q		
225/50R16		QV335	1547Q		
225/55R16	1038	QV335	1547Q	02-1560	
225/60R16		QV339	1550Q		
225/65R16	1038	QV339	1553Q	02-1550	
225/70R16	1038	QV343	1555Q		
225/75R16	1042	QV343	1555Q		
235/50R16	1038	QV335	1545Q	02-1555	
235/55R16	1034	QV339		02-1560	
235/60R16	1042	QV339	1550Q	02-1570	
235/65R16	1038	QV343	1555Q		
235/70R16	1042				
235/75R16	1046				
245/45R16		QV331	1547Q		
245/50R16		QV339	1555Q		
245/55R16	1042	QV339	1553Q	02-1570	
245/60R16	1042	QV343	1555Q		
245/65R16		QV343			
245/70R16	1046				127
245/75R16	1046				
255/35R19	1042	QV343	1550Q		
255/45R16	1038	QV335			
255/50R16		QV343	1555Q		
255/55R16	1042	QV343	1555Q		
255/60R16	1042	QV343			

# PASSENGER CAR CHAINS

	Pg. 31	Pg. 31	Pg. 32	Pg. 32	Pg. 32
Tire Size	Cable Ladder Style	Cable Volt V-Cable	Diamond Pattern Diamond Back	Diamond Pattern Grip	Diamond Pattern Olympia Sprints
<b>16" Rim</b>					
255/65R16	1046				
255/70-16					
265/50R16	1042	QV343			
265/55R16					
275/70R16	1042				
6.00-16	1038				
6.50-16	1042				
<b>17" Rim</b>					
175/55R17	1022	QV323	1530Q		
195/45R17	1030	QV323			
205/40R17	1026	QV323	1530Q		
205/45R17		QV327	1535Q		
205/50R17		QV331	1545Q		
205/55R17	1034	QV335			
215/40R17	1030	QV327	1535Q		
215/45R17		QV331	1540Q		
215/50R17	1034	QV331	1547Q	02-1555	
215/55R17	1038	QV335	1545Q		
215/60R17	1042	QV339	1553Q		
215/65R17	1038	QV339	1555Q		
215/70R17	1042				
215/75R17	1046				
225/35R17	1026				
225/40R17	1030				
225/45R17	1038	QV335	1545Q	02-1540	
225/50R17	1038	QV335	1547Q	02-1560	
225/55R17	1038	QV339	1550Q	02-1570	
225/60R17	1046	QV339	1555Q		
225/65R17	1042	QV343	1555Q		
225/70R17	1042		1555Q		
235/40R17	1034	QV335	1540Q		
235/45R17		QV335	1545Q		
235/50R17	1042	QV339	1550Q	02-1565	
235/55R17	1042	QV343	1553Q	02-1570	
235/60R17	1042	QV343	1555Q		
235/65R17	1046		1555Q		

# PASSENGER CAR CHAINS

	Pg. 31	Pg. 31	Pg. 32	Pg. 32	Pg. 32
Tire Size	Cable Ladder Style	Cable Volt V-Cable	Diamond Pattern Diamond Back	Diamond Pattern Grip	Diamond Pattern Olympia Sprints
<b>17" Rim</b>					
235/60R17	1042	QV343	1555Q		
235/65R17	1046		1555Q		
235/70R17	1046				
245/35R17	1034				
245/40R17		QV335	1547Q		
245/45R17		QV343	1547Q		
245/50R17		QV339	1553Q		
245/55R17	1042	QV339	1555Q		
245/65R17	1046				
255/40R17	1038	QV335	1547Q	02-1560	
255/45R17		QV339	1553Q		
255/50R17		QV343	1555Q	1042	
255/55R17	1042				
265/40R17	1042	QV339	1550Q		
265/60R17	1042				
275/40R17	1042	QV343	1553Q		
275/55R17	1046				
285/35R17					
285/40R17	1042	QV339			
315/35R17	1042				
335/35R17					
<b>17.5" Rim</b>					
205/60R17.5	1030	QV335			
205/65R17.5	1034	QV343			
205/70R17.5	1042				
205/75R17.5	1042	QV343			
215/55R17.5	1034				
215/75R17.5	1046				
225/55R17.5					
<b>18" Rim</b>					
205/40R18	1030	QV327	1535Q		
205/55R18	1034	QV339			
215/35R18	1030	QV327	1535Q		
215/40R18	1034	QV331	1547Q		
215/45R18	1038	QV331	1547Q		
215/55R18	1042	QV339	1553Q		

# PASSENGER CAR CHAINS

	Pg. 31	Pg. 31	Pg. 32	Pg. 32	Pg. 32
Tire Size	Cable Ladder Style	Cable Volt V-Cable	Diamond Pattern Diamond Back	Diamond Pattern Grip	Diamond Pattern Olympia Sprints
<b>18" Rim</b>					
225/35R18	1034	QV329	1542Q		
225/40R18	1034	QV335	1547Q	02-1555	
225/45R18	1038	QV335	1550Q		
225/50R18	1042	QV339	1553Q		
225/55R18	1042	QV339	1553Q		
225/60R18	1046		1555Q		
225/65R18	1046				
235/35R18	1030	QV331	1542Q		
235/40R18	1038	QV335	1547Q	02-1560	
235/45R18	1042	QV339	1553Q		
235/50R18	1042	QV343	1553Q	02-1570	
235/55R18	1046				
235/60R18	1046				
235/65R18	1046				
245/35R18	1038	QV331	1545Q		
245/40R18	1038	QV339	1550Q		
245/45R18	1042	QV343	1550Q	02-1570	
245/50R18	1042	QV343	1555Q		
245/60R18	1046				
255/35R18	1038	QV335	1550Q		
255/40R18	1042	QV343	1553Q		
255/45R18	1042	QV343	1555Q		
255/50R18	1042	QV343			
255/55R18	1046				127
265/35R18	1042	QV339	1550Q		
265/40R18	1042	QV343	1553Q		
275/35R18	1046	QV343	1550Q		
275/40R18	1046	QV343	1555Q		
275/45R18	1046				
285/30R18	1046	QV335			
285/35R18	1046	QV339			
285/40R18	1046	QV343			
295/30R18	1046	QV339			
295/35R18	1046				

# PASSENGER CAR CHAINS

	Pg. 31	Pg. 31	Pg. 32	Pg. 32	Pg. 32
Tire Size	Cable Ladder Style	Cable Volt V-Cable	Diamond Pattern Diamond Back	Diamond Pattern Grip	Diamond Pattern Olympia Sprints
<b>19" Rim</b>					
215/35R19	1034	QV331	1542Q		
225/35R19	1038	QV323	1545Q		
225/40R19	1038	QV339	1545Q		
225/45R19	1042	QV339	1550Q		
225/50R19	1046				
235/35R19	1038	QV323	1547Q		
235/40R19	1042	QV339	1553Q		
235/45R19	1042	QV343	1555Q		
235/50R19	1046		1555Q		
235/55R19	1046		1555Q		
245/30R19	1038	QV331	1545Q		
245/35R19	1042	QV339	1550Q		
245/40R19	1042	QV339	1553Q		
245/45R19	1046	QV343	1555Q		
255/35R19	1042	QV343	1550Q		
255/40R19	1042	QV343	1555Q		
255/45R19	1046				
265/30R19	1042	QV339	1550Q		
265/35R19	1046	QV339	1555Q		
275/30R19	1042	QV343	1553Q		
275/35R19	1046	QV343	1555Q		
275/40R19	1046				
285/30R19					
285/35R19	1046	QV343			
295/30R19					
295/35R19					
<b>20" Rim</b>					
225/30R20	1038	QV335	1545Q		
225/35R20	1038	QV343	1550Q		
235/30R20	1038	QV339	1547Q		
235/35R20	1042	QV339	1550Q		
235/45R20		QV343	1555Q		
235/50R20	1046				
245/30R20	1042	QV339	1550Q		
245/35R20	1042	QV339	1550Q		
245/40R20	1046	QV343	1555Q		



# PASSENGER CAR CHAINS

	Pg. 31	Pg. 31	Pg. 32	Pg. 32	Pg. 32
Tire Size	Cable Ladder Style	Cable Volt V-Cable	Diamond Pattern Diamond Back	Diamond Pattern Grip	Diamond Pattern Olympia Sprints
<b>20" Rim</b>					
255/30R20	1042	QV343	1553Q		
255/35R20	1042	QV343	1555Q		
265/35R20	1046	QV343	1555Q		
275/30R20	1046		1555Q		
275/35R20	1046				
285/30R20					
295/30R20	1046				
295/40R20	1046				
<b>21" Rim</b>					
245/35R21	1046	QV343			
275/30R21					
<b>22" Rim</b>					
235/30R22	1046		1555Q		
245/30R22	1046				
255/30R22	1046				
<b>360</b>					
165/70R360	1018	QV315			
<b>365</b>					
165/70R365	1018	QV319			
185/65R365	1026	QV323			
185/70R365	1030	QV323			
200/60R365	1022	QV323			
<b>390</b>					
180/65R390	1026	QV319			
185/65R390	1026	QV323	1535Q		
190/65R390	1030	QV323	1535Q		
200/60R390	1030	QV327			
205/60R390	1030	QV329			
220/55R390	1034	QV331			
220/60R390	1030				
220/65R390	1038	QV335	1545Q		
<b>415</b>					
240/45R415		QV331			

# PASSENGER CAR CHAINS

	Pg. 33	Pg. 33	Pg. 33-34	Pg. 34	Pg. 35
Tire Size	Easysox	Quick Trak Low Profile	Square Link	Twist Link	V-Bar Link
<b>12" Rim</b>					
145/80R12				1110	
155/80R12			1114SL	1114	
165/70R12			1114SL	1114	
175/70R12			1114SL	1114	
<b>13" Rim</b>					
135/80R13				1110	1806
145/65R13					1810
145/70R13				1110	
145/80R13			1114SL	1114	1806
155/60R13					
155/65R13				1110	
155/70R13			1114SL	1114	1806
155/80R13	ES81		1114SL	1114	1817
165/60R13			1114SL	1114	1806
165/65R13			1114SL	1114	1806
165/70R13			1114SL	1114	1806
165/75R13			1114SL	1114	1817
165/80R13	ES72		1118SL	1118	1830
175/50R13			1114SL	1114	
175/60R13			1114SL	1114	1806
175/65R13			1114SL	1114	
175/70R13	ES81		1118SL	1118	1810
175/75R13	ES72		1118SL	1118	
175/80R13	ES77	P208	1122SL	1122	1830
185/70R13	ES72		1118SL	1118	1830
185/55R13			1114SL		
185/60R13			1118SL	1118	1810
185/65R13	ES81		1118SL	1118	
185/70R13	ES72		1118SL	1118	1830
185/75R13		P208	1126SL	1126	1830
185/80R13	ES78	P210	1122SL	1122	1830
185/85R13		P212	1130SL	1130	
195/50R13			1118SL		
195/55R13			1118SL		
195/60R13			1126SL	1126	1830
195/65R13	ES81		1122SL	1122	
195/70R13	ES72	P207	1126SL	1126	1830

# PASSENGER CAR CHAINS

	Pg. 33	Pg. 33	Pg. 33-34	Pg. 34	Pg. 35
Tire Size	Easysox	Quick Trak Low Profile	Square Link	Twist Link	V-Bar Link
<b>13" Rim</b>					
195/75R13		P209	1130SL	1130	
205/60R13	ES81		1126SL	1126	1830
205/65R13	ES76	P207	1130SL	1126	
205/70R13	ES77	P209	1130SL	1130	1830
215/50R13			1126SL	1126	1810
215/60R13	ES76		1126SL	1126	1830
215/65R13		P208	1130SL	1130	
225/60R13	ES76	P207	1130SL	1130	1830
235/50R13			1134SL	1134	1830
235/60R13	ES77	P208	1134SL	1134	1830
245/50R13			1134SL	1134	1830
<b>14" Rim</b>					
145/70R14			1114SL	1114	
145/80R14			1114SL		
155/50R14			1114SL		
155/65R14			1114SL	1114	
155/70R14	ES81		1118SL	1118	
155/80R14					
165/80R14	ES77	P209	1118SL	1118	1817
165/60R14			1114SL	1114	
165/65R14	ES81		1118SL	1118	1806
165/70R14	ES81		1118SL	1118	1817
165/75R14	ES76	P207	1118SL	1118	1817
165/80R14	ES77	P209	1118SL	1118	1817
175/55R14				1114	
175/60R14			1118SL	1118	1817
175/65R14	ES81		1118SL	1118	1817
175/70R14	ES72	P207	1126SL	1126	1817
175/75R14	ES77	P209	1122SL	1122	1830
175/80R14	ES73	P211	1122SL	1122	
185/50R14			1118SL	1114	1806
185/55R14			1118SL	1118	
185/60R14	ES81		1126SL	1126	1830
185/65R14	ES72	P207	1126SL	1126	1830
185/70R14	ES77	P209	1126SL	1126	1830
185/75R14	ES78	P211	1122SL	1122	1840
185/80R14	ES79	P212	1130SL	1130	1840

# PASSENGER CAR CHAINS

	Pg. 33	Pg. 33	Pg. 33-34	Pg. 34	Pg. 35
Tire Size	Easysox	Quick Trak Low Profile	Square Link	Twist Link	V-Bar Link
<b>14" Rim</b>					
195/50R14					
195/55R14	ES81		1126SL	1126	1817
195/60R14	ES72		1126SL	1126	1830
195/65R14	ES77	P208	1126SL	1126	1830
195/70R14	ES78	P210	1130SL	1130	1840
195/75R14	ES79	P212	1130SL	1130	1840
195/80R14			1134SL		
200/70R14					
205/50R14			1126SL	1126	
205/55R14	ES81		1126SL	1126	1830
205/60R14	ES72	P207	1126SL	1126	1830
205/65R14	ES77	P209	1130SL	1130	1840
205/70R14	ES73	P212	1130SL	1130	1840
205/75R14	ES79	P214	1134SL	1134	1840
205/80R14			1138SL		
215/50R14			1126SL	1126	
215/55R14			1126SL	1126	
215/60R14	ES77	P208	1130SL	1130	1840
215/65R14	ES73	P211	1130SL	1130	1840
215/70R14	ES79	P213	1134SL	1134	1854
215/75R14	ES75	P214	1134SL	1134	1854
215/80R14			1142SL		
225/50R14			1126SL		
225/55R14	ES76	P207	1134SL	1134	1830
225/60R14	ES78	P210	1130SL	1130	1854
225/65R14		P212	1134SL	1134	1854
225/70R14	ES74	P214	1138SL	1138	1854
225/75R14	ES75	P216	1138SL	1138	1850
225/80R14			1142SL		
235/50R14					
235/60R14	ES73	P211	1134SL	1134	1854
235/70R14	ES75	P216	1138SL	1138	1850
235/75R14			1138SL	1138	
245/50R14		P207	1134SL	1134	
245/60R14	ES79	P212	1138SL	1138	
245/70R14	ES80	P217	1142SL	1142	
255/50R14		P208	1134SL		

# PASSENGER CAR CHAINS

	Pg. 33	Pg. 33	Pg. 33-34	Pg. 34	Pg. 35
Tire Size	Easysox	Quick Trak Low Profile	Square Link	Twist Link	V-Bar Link
<b>14" Rim</b>					
255/55R14	ES73	P211	1138SL	1138	
255/60R14	ES79	P213	1138SL	1138	
265/50R14		P209	1138SL	1138	
265/60R14	ES80	P214	1142SL	1142	
275/60R14	ES80	P216	1142SL	1142	
27-8.50-14			1134SL	1134	
6.00-14			1122SL		
7.00-14			1130SL	1130	
7.50-14			1138SL		
8.50-14			1134SL		
<b>15" Rim</b>					
135/80R15			1118SL		
145/65R15				1114	
145/70R15	ES81		1118SL	1118	
145/80R15	ES77	P208	1118SL	1118	
155/60R15			1114SL	1114	
155/65R15			1118SL		
155/70R15	ES72	P207	1118SL	1118	
155/80R15	ES78	P210	1122SL	1122	1830
165/60R15	ES81		1118SL	1118	
165/65R15	ES72	P207	1122SL	1122	1817
165/70R15	ES77	P208	1122SL	1122	
165/80R15	ES73	P212	1122SL	1122	
175/55R15	ES81			1118	
175/60R15	ES72		1122	1118	
175/65R15	ES77	P208	1122SL	1122	
175/70R15	ES78	P210	1122SL	1122	
175/75R15	ES73	P212	1122SL	1122	
175/80R15	ES79	P213	1122SL		
180/65R15			1122SL	1122	
185/50R15			1118SL		
185/55R15	ES81		1126SL	1126	1817
185/60R15	ES72	P207	1126SL	1126	1830
185/65R15	ES77	P209	1126SL	1126	1830
185/70R15	ES73	P211	1130SL	1130	1840
185/75R15		P213	1130SL	1130	1830
185/80R15			1134SL		

# PASSENGER CAR CHAINS

	Pg. 33	Pg. 33	Pg. 33-34	Pg. 34	Pg. 35
Tire Size	Easysox	Quick Trak Low Profile	Square Link	Twist Link	V-Bar Link
<b>15" Rim</b>					
190/65R15	ES78	P210	1130SL	1130	1830
195/45R15			1122SL	1122	
195/50R15	ES81		1126SL	1126	1830
195/55R15	ES72	P207	1122SL	1122	1830
195/60R15	ES77	P209	1130SL	1130	1830
195/65R15	ES73	P211	1130SL	1130	1830
195/70R15	ES79	P212	1130SL	1130	1840
195/75R15	ES74	P214	1134SL	1134	1840
195/80R15	ES75	P216	1134SL	1134	1850
205/45R15				1126	
205/50R15	ES76		1130SL	1130	1830
205/55R15	ES77	P208	1134SL	1134	1830
205/60R15	ES78	P210	1134SL	1134	1840
205/65R15	ES79	P212	1134SL	1134	1854
205/70R15	ES74	P214	1134SL	1134	1850
205/75R15	ES75	P216	1138SL	1138	1850
205/80R15			1138SL		
215/45R15	ES81			1126	
215/50R15	ES76	P207	1130SL	1130	1830
215/55R15	ES77	P209	1134SL	1134	
215/60R15	ES73	P211	1134SL	1134	1840
215/65R15	ES79	P213	1134SL	1134	1854
215/70R15	ES74	P215	1138SL	1138	1850
215/75R15	ES80		1138SL	1138	1850
215/80R15	ES82		1142SL	1142	
215/85R15			1144SL	1138	
220/45R15			1126SL	1126	1830
225/45R15			1130SL		
225/50R15	ES77	P208	1134SL	1134	1830
225/55R15	ES78	P210	1134SL	1134	
225/60R15	ES79	P212	1138SL	1138	
225/65R15	ES74	P214	1138SL	1138	
225/70R15	ES75	P217	1138SL	1138	1850
225/75R15	ES80		1142SL	1142	1850
225/80R15	ES82		1142SL	1142	
235/50R15		P209		1138	
235/55R15	ES73	P211	1134SL	1134	

# PASSENGER CAR CHAINS

	Pg. 33	Pg. 33	Pg. 33-34	Pg. 34	Pg. 35
Tire Size	Easysox	Quick Trak Low Profile	Square Link	Twist Link	V-Bar Link
<b>15" Rim</b>					
235/60R15	ES79	P214	1138SL	1138	
235/65R15	ES75	P216	1138SL	1138	
235/70R15	ES83		1142SL	1142	
235/75R15	ES82		1142SL	1142	
240/45R15			1138SL		
245/50R15	ES78	P210	1138SL	1138	
245/60R15	ES74	P214	1142SL	1142	
245/65R15	ES80	P217	1142SL	1146	
245/70R15			1144SL	1142	
255/45R15			1138SL		
255/50R15	ES73	P211			
255/55R15			1142SL	1142	
255/60R15	ES75	P216	1142SL	1142	
255/65R15	ES83		1142SL	1142	
255/70R15	ES82		1144SL	1146	
265/50R15	ES79	P212	1142SL	1142	
265/60R15		P217	1142SL	1142	
265/75R15			1146SL	1146	
275/50R15		P212	1142SL	1142	
275/60R15	ES83		1144SL	1146	
27-8.50-15			1138SL	1138	
285/40R15		P208	1138SL	1138	
295/50R15	ES80	P215	1144SL	1146	
305/50R15		P216			
7.00-15			1134SL	1130	
<b>15.5" Rim</b>					
185/70R15.5	ES79			1130	
205/80R15.5				1138	
<b>16" Rim</b>					
155/80R16			1122SL	1122	
165/75R16	ES79	P212			
175/60R16	ES77	P209	1126SL	1122	
175/55R16	ES76	P207		1126	
175/60R16	ES77	P209	1126SL	1122	
175/75R16	ES74	P214	1122SL	1122	
175/80R16	ES75	P216	1134SL	1134	
185/50R16	ES72		1126SL	1126	

# PASSENGER CAR CHAINS

	Pg. 33	Pg. 33	Pg. 33-34	Pg. 34	Pg. 35
Tire Size	Easysox	Quick Trak Low Profile	Square Link	Twist Link	V-Bar Link
<b>16" Rim</b>					
185/55R16	ES77	P208	1126SL	1130	
185/60R16	ES78	P210	1130SL	1122	1830
185/65R16	ES79	P212		1134	1840
185/70R16			1130SL		
185/75R16	ES74	P216	1138SL	1130	
185/80R16			1138SL		
195/50R16	ES76	P207			
195/45R16	ES81		1130SL	1130	
195/50R16	ES76	P207			
195/55R16	ES77	P209	1130SL	1130	
195/60R16	ES73	P211	1130SL	1130	
195/65R16	ES79	P213	1130SL	1130	
195/75R16	ES80	P217		1138	1854
195/80R16			1142SL	1142	1854
195/85R16			1142SL		
205/40R16	ES81		1130SL	1126	
205/45R16	ES76		1130SL	1130	
205/50R16	ES77	P208	1134SL	1134	1830
205/55R16	ES78	P210			1830
205/60R16	ES79	P212			1840
205/65R16	ES74	P214	1138SL	1138	1854
205/70R16	ES75	P216	1138SL	1138	
205/75R16			1142SL	1138	1854
205/80R16			1142SL	1142	1850
215/40R16	ES81		1130SL	1130	
215/45R16	ES76	P209	1134SL	1134	
215/50R16	ES77	P209	1134SL	1134	
215/55R16	ES73	P212	1134SL	1134	
215/60R16	ES79	P214			1854
215/65R16	ES74	P216	1138SL	1138	1854
215/70R16	ES80		1138SL	1138	1854
215/75R16	ES82		1138SL	1138	
215/80R16			1144SL		1850
215/85R16			1146SL		
220/60R16		P214	1138SL	1138	1854
225/40R16			1134SL		
225/45R16	ES77	P209			



# PASSENGER CAR CHAINS

	Pg. 33	Pg. 33	Pg. 33-34	Pg. 34	Pg. 35
Tire Size	Easysox	Quick Trak Low Profile	Square Link	Twist Link	V-Bar Link
<b>16" Rim</b>					
225/50R16	ES78	P210			1840
225/55R16	ES79	P212	1138SL	1138	1854
225/60R16	ES74	P215			1854
225/65R16	ES80	P217	1138SL	1138	
225/70R16	ES82		1142SL	1146	
225/75R16	ES82		1142SL	1142	
235/50R16	ES73	P212	1134SL	1134	
235/55R16	ES79	P214	1134SL	1134	
235/60R16	ES75	P216	1142SL	1142	
235/65R16	ES80		1138SL	1138	
235/70R16			1144SL		
235/75R16			1144SL		
245/45R16	ES78	P210			
245/50R16	ES79	P212			
245/55R16	ES74	P214	1142SL	1142	
245/60R16	ES80	P217	1142SL	1142	
245/65R16		P212			
245/70R16			1144SL		
245/75R16			1144SL		
255/35R19	ES79	P213	1142SL	1142	
255/45R16	ES73	P211		1138	
255/50R16	ES79	P213			
255/55R16	ES75	P216	1142SL	1142	
255/60R16	ES83		1144SL		
255/65R16			1144SL		
255/70-16			1146SL		
265/50R16		P214	1142SL	1142	
265/55R16		P217			
275/70R16			1144SL		
6.00-16			1142SL		
6.50-16			1144SL		
<b>17" Rim</b>					
175/55R17	ES77			1122	
195/45R17	ES77	P208		1130	
205/40R17	ES76	P207	1130SL		
205/45R17	ES77	P209			
205/50R17	ES73	P211			

# PASSENGER CAR CHAINS

	Pg. 33	Pg. 33	Pg. 33-34	Pg. 34	Pg. 35
Tire Size	Easysox	Quick Trak Low Profile	Square Link	Twist Link	V-Bar Link
<b>17" Rim</b>					
205/55R17	ES79	P213	1134SL	1134	
215/40R17	ES77	P207	1134SL	1134	
215/45R17	ES78	P208			
215/50R17	ES79	P212	1138SL	1138	1840
215/55R17	ES74	P214	1138SL	1138	
215/60R17	ES75	P216	1142SL	1142	
215/65R17	ES80		1138SL	1138	
215/70R17	ES82		1142SL	1142	
215/75R17			1146SL		
225/35R17			1126SL		
225/40R17	ES77	P208	1130SL		
225/45R17	ES78	P210	1138SL	1138	
225/50R17	ES79	P213	1138SL	1138	
225/55R17	ES74	P215	1138SL	1138	
225/60R17	ES80	P217	1138SL	1142	
225/65R17	ES82		1142SL	1142	
225/70R17			1144SL	1146	
235/40R17	ES77	P209	1134SL	1134	
235/45R17	ES73	P212			
235/50R17	ES79	P214	1138SL	1142	
235/55R17	ES75	P216	1142SL	1142	
235/60R17	ES80		1142SL	1146	
235/65R17	ES82		1146SL	1146	
235/70R17			1146SL		
245/35R17			1134SL		
245/40R17	ES78	P210			
245/45R17	ES79	P212			
245/50R17	ES74	P215			
245/55R17	ES80	P217	1142SL	1142	
245/65R17	ES83		1144SL	1146	
255/40R17	ES73	P211	1142SL	1142	
255/45R17	ES79	P213			
255/50R17	ES75	P216	1142SL	1142	
255/55R17	ES83		1142SL		
265/40R17		P211	1144SL	1142	
265/60R17			1142SL		
275/40R17	ES79	P212	1142SL	1142	

# PASSENGER CAR CHAINS

	Pg. 33	Pg. 33	Pg. 33-34	Pg. 34	Pg. 35
Tire Size	Easysox	Quick Trak Low Profile	Square Link	Twist Link	V-Bar Link
<b>17" Rim</b>					
275/55R17			1146SL	1146	
285/35R17		P210			
285/40R17	ES80	P213	1142SL	1146	
315/35R17			1144SL		
335/35R17		P214			
<b>17.5" Rim</b>					
205/60R17.5	ES75	P216	1130SL	1138	
205/65R17.5	ES80		1134SL		
205/70R17.5			1142SL		
205/75R17.5			1144SL		1850
215/55R17.5			1134SL		
215/75R17.5					
225/55R17.5			1142SL		
<b>18" Rim</b>					
205/40R18	ES77	P209		1130	
205/55R18	ES75		1138SL	1138	
215/35R18	ES77	P208	1134SL	1130	
215/40R18	ES78	P210	1138SL	1134	
215/45R18	ES79	P212	1138SL	1138	
215/55R18	ES75	P216	1142SL	1142	
225/35R18	ES77	P208	1134SL	1134	
225/40R18	ES73	P211	1138SL	1138	
225/45R18	ES79	P213	1138SL	1138	
225/50R18	ES75	P215	1142SL	1142	
225/55R18	ES80		1142SL	1142	
225/60R18	ES82		1146SL	1146	
225/65R18			1146SL	1146	
235/35R18	ES77	P209	1134SL	1138	
235/40R18	ES79	P212	1142SL	1138	
235/45R18	ES74	P214	1142SL	1142	
235/50R18	ES75	P216	1142SL	1146	
235/55R18	ES80		1146SL	1146	
235/60R18	ES82		1146SL	1146	
235/65R18			1146SL	1146	
245/35R18	ES78	P210	1134SL	1138	
245/40R18	ES79	P212	1138SL	1138	
245/45R18	ES75	P215	1142SL	1142	

# PASSENGER CAR CHAINS

	Pg. 33	Pg. 33	Pg. 33-34	Pg. 34	Pg. 35
Tire Size	Easysox	Quick Trak Low Profile	Square Link	Twist Link	V-Bar Link
<b>18" Rim</b>					
245/50R18	ES80	P217	1144SL	1146	
245/60R18			1146SL		
255/35R18	ES73	P211	1142SL	1138	
255/40R18	ES79	P213	1142SL	1142	
255/45R18	ES75	P216	1144SL	1142	
255/50R18	ES83		1144SL		
255/55R18	ES82		1146SL	1146	
265/35R18	ES79	P212	1142SL	1142	
265/40R18	ES74	P214	1142SL	1142	
275/35R18	ES79	P212	1142SL	1146	
275/40R18	ES80	P215	1146SL	1146	
275/45R18	ES80		1146SL	1146	
285/30R18		P210	1146SL	1146	
285/35R18	ES80	P213	1146SL	1146	
285/40R18	ES80	P215	1146SL		
295/30R18		P211	1146SL		
295/35R18	ES80	P214	1146SL		
<b>19" Rim</b>					
215/35R19		P211	1134SL	1134	
225/35R19	ES79	P211	1134SL	1138	
225/40R19	ES79	P213	1134SL	1138	
225/45R19	ES75	P216	1138SL	1142	
225/50R19			1142SL	1146	
235/35R19	ES79	P212	1138SL	1138	
235/40R19	ES80	P214		1142	
235/45R19	ES75	P216	1142SL	1142	
235/50R19	ES83		1142SL	1146	
235/55R19	ES82		1146SL	1146	
245/30R19	ES78	P210	1134SL	1138	
245/35R19	ES75	P212	1142SL	1142	
245/40R19	ES75	P215	1142SL	1142	
245/45R19	ES80	P217	1142SL	1146	
255/35R19	ES79	P213	1142SL	1142	
255/40R19	ES75	P216	1144SL	1142	
255/45R19	ES83		1144SL	1146	
265/30R19		P211	1144SL	1142	
265/35R19	ES80	P214	1142SL	1146	

# PASSENGER CAR CHAINS

	Pg. 33	Pg. 33	Pg. 33-34	Pg. 34	Pg. 35
Tire Size	Easysox	Quick Trak Low Profile	Square Link	Twist Link	V-Bar Link
<b>19" Rim</b>					
275/30R19	ES79	P212	1142SL	1142	
275/35R19	ES80	P214	1146SL	1146	
275/40R19	ES80	P217-40R19	1146SL	1146	
285/30R19	ES80	P212			
285/35R19	ES80	P215	1146SL	1146	
295/30R19	ES80	P213			
295/35R19	ES80	P216			
<b>20" Rim</b>					
225/30R20	ES73	P212		1138	
225/35R20	ES79	P214	1138SL	1138	
235/30R20	ES79	P212	1138SL	1138	
235/35R20	ES80	P214	1142SL	1142	
235/45R20				1146	
235/50R20			1146SL		
245/30R20	ES79	P212	1142SL	1142	
245/35R20	ES75	P215	1142SL	1146	
245/40R20	ES80		1144SL	1146	
255/30R20	ES79	P213	1144SL	1142	
255/35R20	ES75	P216	1144SL	1142	
265/35R20	ES75	P216	1142SL	1146	
275/30R20	ES80	P214	1142SL	1146	
275/35R20	ES80	P217	1142SL	1146	
285/30R20	ES80	P215	1144SL		
295/30R20	ES80	P216	1146SL		
295/40R20			1146SL		
<b>21" Rim</b>					
245/35R21	ES75			1146	
275/30R21		P217			
<b>22" Rim</b>					
235/30R22	ES80	P217	1146SL	1146	
245/30R22	ES80		1146SL	1146	
255/30R22			1146SL	1146	
<b>360</b>					
165/70R360			1118SL	1118	
<b>365</b>					
165/70R365			1118SL	1118	

# PASSENGER CAR CHAINS

	Pg. 33	Pg. 33	Pg. 33-34	Pg. 34	Pg. 35
Tire Size	Easysox	Quick Trak Low Profile	Square Link	Twist Link	V-Bar Link
<b>365</b>					
185/65R365		P207	1126SL	1126	
185/70R365			1130SL	1130	
200/60R365				1122	
<b>390</b>					
180/65R390			1126SL	1126	
185/65R390			1126SL	1126	
190/65R390			1130SL	1130	
200/60R390			1130SL	1130	
205/60R390			1130SL		
220/55R390		P208	1134SL	1134	
220/60R390					
220/65R390		P208	1138SL	1138	
<b>415</b>					
240/45R415					

# PASSENGER CAR CHAINS



## CABLE LADDER

Galvanized case hardened steel rollers on cable cross members. DOT compliant and economical. Cables tire chains fit more applications, are lighter weight and offer

a smoother ride than link chains. Cable chains are also typically easier to install, remove and store.

Stock Number	Cross Chains Per 1/2 Pair	Cross Chain Width
1014	10	10.5"
1018	11	10.5"
1022	12	10.5"
1026	11	11.8"
1030	12	11.8"
1034	12	12.8"
1038	13	12.8"
1042	13	14.1"
1046	14	14.1"

## CABLE VOLT V-CABLE



Volt cable chains provide better traction than ladder style chains and longer wear, using alloy cross cables. The diagonal cross cable design provides a smooth ride and easy installation. Sold with rubber adjusters.

For snow/ice-covered highway use only. SAE "S" class clearance, includes rubber chain adjusters, not for use on trailers.

# PASSENGER CAR CHAINS



## DIAMOND PATTERN DIAMOND BACK

Diamond Back Square Link Alloy car chains are premium Non-Cam European style chains with a square link alloy construction. They feature a diamond pattern for excellent traction, with a smooth ride and longer wear. For snow/ice-covered highway use only. SAE "S" class clearance, includes chain adjusters, not

for use on trailers. Diamond pattern passenger tire chains are the best-selling tire chains product in North America. Consumers prefer diamond-pattern tire chains for their affordability, ease of installation, durability and smooth ride.

## DIAMOND PATTERN GRIP

Grip chains are made from high quality steel and are fast and easy to install, even in the middle of a snow storm. Diamond pattern passenger tire chains are the best-selling tire chains product in North America. Consumers

prefer diamond-pattern tire chains for their affordability, ease of installation, durability and smooth ride. Includes chain adjusters.



## DIAMOND PATTERN OLYMPIA SPRINTS

Olympia Sprints tire chains are made from German forged steel with assembly done in China. The link size varies depending on the model number and ranges from 4.5mm for the smaller tires and up to 7mm for the largest sizes. To install these chains, drape them over

the tire as centered as possible. Back up the tire 1/4 turn. Connect the ends. Secure the tensioning chain with the L-Bar. Weave the excess of tensioning chain in and around the other sections of the tensioning chain and secure it to a link that would result in more tension.



# PASSENGER CAR CHAINS



## EASYSOX

Designed for car tires with extremely low clearance, these traction socks offer grip while being easier to handle and store vs traditional tire chains. Can be applied to vehicles with extremely low clearance. Won't cause road damage. Easysox does not contain metal or plastic components that can damage your vehicle.

Easysox are easy to install, and will not tangle like link chains or cables. Easysox are an environmentally friendly traction alternative to chains and are legal. Easysox are environmentally friendly with no steelmaking or zinc plating is involved in the manufacturing process.

## QUICK TRACK LOW PROFILE



For cars with limited suspension clearance or lower profile tires. A popular chain for BMW, Mercedes Benz, Porsche, Audi, Lexus, Tesla and other high performance luxury autos, they're fast and easy to install, provide superb traction and have a low profile to keep clear of

your fenders and wheel wells. Limited clearance traction alternative, easy installation, snow covered highway use only, for vehicles that require less than SAE class "S" clearance. NOT INTENDED FOR USE ON TRAILERS



## SQUARE LINK

Square Link chains are made from high quality steel and are fast and easy to install. Square chain design provides superior grip and traction on snow and ice. Fit either

front- or rear-wheel-drive vehicles. Premium square link car snow chains are designed for highway use and are not intended for off-road applications.

# PASSENGER CAR CHAINS

## SQUARE LINK

Stock Number	Cross Chains Per 1/2 Pair	Cross Chain Width
1114SL	10	10.38"
1118SL	11	10.38"
1122SL	12	10.38"
1126SL	11	11.56"
1130SL	12	11.56"
1134SL	12	12.74"
1138SL	13	12.74"
1142SL	13	13.92"
1146SL	15	13.92"



## TWIST LINK

Twist Link chains are made from high quality steel and are fast and easy to install. Twisted chain design provides extra grip and traction. Fit either front- or rear-wheel-

drive vehicles. Standard twist link car snow chains are designed for highway use and are not intended for off-road applications.

Stock Number	Cross Chain Stock Number	Cross Chains Per 1/2 Pair
1114	CC5414	10
1118	CC5414	11
1122	CC5414	12
1126	CC5419	11
1130	CC5419	12
1134	CC5420	12
1138	CC5420	13
1142	CC5422	13
1146	CC5422	15

# PASSENGER CAR CHAINS



## V-BAR LINK

V-Bar Link chains are made from high quality carbon steel and are fast and easy to install. V-Bar tire chains are made with heavy duty carbon steel for increased durability. They feature v-bar cross chains that protrude,

offering extra traction on snow/ice covered roads and highways. For passenger vehicles that DO NOT require SAE class "S" low clearance tire chains. Fits either front or rear wheel drive vehicles. SAE class "U" and "W".

# TRUCK CHAINS – SINGLE

This chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that specific size tire. To view pictures and descriptions of the different chain

styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual product codes may vary.

	Pg. 101	Pg. 101	Pg. 102	Pg. 102	Pg. 102
Tire Size	Aquiline Talon Single	Cable Ladder Pattern Single	Cable V-Trac	Diamond Pattern 4x4 Light/Medium	Diamond Back Single 3.7mm Pull Chain Style
<b>12" Rim</b>					
250/75-12				21143	
<b>13" Rim</b>					
7.00-13					
<b>14" Rim</b>					
185/75-14					
195/75-14					
205/70-14					
205/75-14					
215/70-14					
215/75-14	3316ASCAM				
225/60-14					
225/70-14					
235/70-14					
245/70-14					
255/60-14					
265/60-14					
275/60-14					
27-8.50-14					
27-9.50-14					
28-8.50-14					
29-9.50-14					
6.00-14					
7.00-14					
<b>14.5" Rim</b>					
27-8.50-14.5					
7.00-14.5					
8.00-14.5					
9.00-14.5	3316ASCAM				
<b>15" Rim</b>					
10.00-15				21141	
11.00-15					

# TRUCK CHAINS – SINGLE

	Pg. 101	Pg. 101	Pg. 102	Pg. 102	Pg. 102
Tire Size	Aquiline Talon Single	Cable Ladder Pattern Single	Cable V-Trac	Diamond Pattern 4x4 Light/Medium	Diamond Back Single 3.7mm Pull Chain Style
<b>15" Rim</b>					
195/65-15					
195/75-15					
195/80-15					
205/75-15					
215/70-15					
215/75-15	3316ASCAM				
215/80-15					
225/70-15					
225/75-15	3316ASCAM				
225/80-15					
235/70-15	3316ASCAM	1661			2317LW
235/75-15	3319ASCAM	1665			2317LW
245/60-15					
245/70-15	3319ASCAM				
245/75-15	3319ASCAM				
245/85-15		1669			
250-15				21143	
255/60-15					
255/65-15					
255/70-15		1665			
255/75-15	3319ASCAM	1669		21141	
255/80-15					
255/85-15					
265/60-15					
265/65-15					
265/70-15		1665		21141	
265/75-15	3321ASCAM	1669		21157	
275/60-15	3319ASCAM	1665			
275/65-15					
275/70-15					
275/75-15					
27-9.50-15					
285/70-15					
28-8.50-15					
29-10.50-15					
295/50-15					

# TRUCK CHAINS – SINGLE

	Pg. 101	Pg. 101	Pg. 102	Pg. 102	Pg. 102
Tire Size	Aquiline Talon Single	Cable Ladder Pattern Single	Cable V-Trac	Diamond Pattern 4x4 Light/Medium	Diamond Back Single 3.7mm Pull Chain Style
<b>15" Rim</b>					
29-9.50-15					
30-10.50-15					
305/50-15					
305/75-15					
30-7.50-15					
30-9.50-15		1673			
31-10.50-15		1669		21141	
31-11.50-15				21157	
31-12.50-15		1675			
31-13.50-15					
31-15.50-15					
315/70-15					
31-9.50-15					
32-11.50-15		1675			
32-12.50-15					
32-12.5-15		1675			
325/60-15					
32-9.50-15					
33-10.50-15					
33-12.50-15					2335LW
33-13.50-15					
33-14.50-15					2337LW
33-14.5-15					
33-9.50-15	3328ASCAM	1669			
34-9.50-15		1673			
35-10.50-15					
35-12.50-15					
35-13.50-15					
35-14.00-15					
35-14.50-15					2337LW
35-15.50-15					
35-15.00-15					
355/65-15					
36-12.50-15					
36-13.50-15					
36-14.50-15					

# TRUCK CHAINS – SINGLE

	Pg. 101	Pg. 101	Pg. 102	Pg. 102	Pg. 102
Tire Size	Aquiline Talon Single	Cable Ladder Pattern Single	Cable V-Trac	Diamond Pattern 4x4 Light/Medium	Diamond Back Single 3.7mm Pull Chain Style
<b>15" Rim</b>					
36-14.00-15					
37-12.50-15					
37-14.50-15					
38-12.50-15					
38-14.50-15					
6.70-15					
7.00-15	3319ASCAM			21143	
7.50-15	3319ASCAM				
8.25-15	3328ASCAM				
9.00-15				21141	
<b>15.5" Rim</b>					
185/70-15.5					
<b>16" Rim</b>					
15-16					
195/75-16					
195/85-16					
205/75-16					
205/80-16				21143	
215/65-16					
215/70-16					
215/75-16					
215/80-16	3319ASCAM				
215/85-16	3319ASCAM	1665			
225/50-16					
225/70-16	3316ASCAM	1661			2317LW
225/75-16	3319ASCAM	1665			2317LW
225/80-16					
225/85-16		1669			2317LW
235/60-16					
235/65-16					2317LW
235/70-16		1665			
235/75-16	3319ASCAM	1665			
235/80-16	3319ASCAM			21141	
235/85-16	3328ASCAM	1669		21157	
245/60-16					
245/65-16					

# TRUCK CHAINS – SINGLE

	Pg. 101	Pg. 101	Pg. 102	Pg. 102	Pg. 102
Tire Size	Aquiline Talon Single	Cable Ladder Pattern Single	Cable V-Trac	Diamond Pattern 4x4 Light/Medium	Diamond Back Single 3.7mm Pull Chain Style
<b>16" Rim</b>					
245/70-16		1665			
245/75-16	3321ASCAM	1669		21141	
245/85-16		1663			
255/60-16					2317LW
255/65-16		1665		21141	
255/70-16		1669		21141	
255/75-16					
255/85-16	3328ASCAM	1675			
265/50-16					
265/55-16					
265/60-16					
265/65-16					
265/70-16	3328ASCAM	1663		21157	
265/75-16	3328ASCAM	1675			
265/85-16		1675			
275/55-16					
275/60-16					
275/65-16					
275/70-16	3328ASCAM	1675		21157	
275/75-16					
275/85-16					
285/60-16					
285/65-16					
285/70-16					
285/75-16	3328ASCAM	1675			2328LW
295/65-16					
295/75-16					
29-9.50-16					
305/70-16					2335LW
305/85-16					
30-9.50-16					
31-10.50-16					
31-11.50-16	3328ASCAM				
315/70-16					
315/75-16					2337LW
32-11.50-16					



# TRUCK CHAINS – SINGLE

	Pg. 101	Pg. 101	Pg. 102	Pg. 102	Pg. 102
Tire Size	Aquiline Talon Single	Cable Ladder Pattern Single	Cable V-Trac	Diamond Pattern 4x4 Light/Medium	Diamond Back Single 3.7mm Pull Chain Style
<b>16" Rim</b>					
33-13.50-16					
34-9.00-16					
35-12.50-16					
35-13.50-16					
36.5-14.00-16					
36-13.50-16					
365/65-16					
38-15.00-16					
6.50-16	3316ASCAM	1661			
7.00-16	3319ASCAM				
7.50-16	3328ASCAM	1669		21141	
8.25-16					
8.75-16					
9.00-16					
<b>16.5" Rim</b>					
10-16.5		1669		21157	
12-16.5		1675			
14.5-16.5					
30-9.50-16.5					
31-10.50-16.5					
31-11.50-16.5		1675			
32-11.50-16.5					
32-12.50-16.5					
32-14.50-16.5					
33-10.50-16.5					
33-12.50-16.5					2335LW
35-12.50-16.5					
35-14.00-16.5					
36-12.50-16.5					
36-13.50-16.5					
36-14.00-16.5					
37-12.50-16.5					
37-14.50-16.5					
38.5-15.00-16.5					
38.5-16.00-16.5					
38-15.50-16.5					

# TRUCK CHAINS – SINGLE

	Pg. 101	Pg. 101	Pg. 102	Pg. 102	Pg. 102
Tire Size	Aquiline Talon Single	Cable Ladder Pattern Single	Cable V-Trac	Diamond Pattern 4x4 Light/Medium	Diamond Back Single 3.7mm Pull Chain Style
<b>16.5" Rim</b>					
39.5-15.00-16.5					
40-17.00-16.5					
44-18.50-16.5					
8.00-16.5	3316ASCAM	1661			
8.50-16.5					
8.75-16.5	3319ASCAM				
9.50-16.5	3321ASCAM	1669			
<b>17" Rim</b>					
215/80-17					
225/65-17					2317LW
225/70-17					2317LW
225/75-17					
235/55-17	3319ASCAM				
235/60-17	3316ASCAM	1665			2317LW
235/65-17		1665			
235/70-17					
235/75-17	3321ASCAM			21141	
235/80-17					
235/85-17					
245/60-17					2317LW
245/65-17					
245/70-17					
245/75-17	3328ASCAM				
245/85-17					
255/50-17					
255/55-17					2317LW
255/60-17	3319ASCAM	1673		21141	
255/65-17				21141	
255/70-17	3328ASCAM				
255/75-17	3328ASCAM				
255/80-17					
255/85-17					
265/55-17					
265/60-17					
265/65-17				21157	
265/70-17	3328ASCAM	1663			

# TRUCK CHAINS – SINGLE

	Pg. 101	Pg. 101	Pg. 102	Pg. 102	Pg. 102
Tire Size	Aquiline Talon Single	Cable Ladder Pattern Single	Cable V-Trac	Diamond Pattern 4x4 Light/Medium	Diamond Back Single 3.7mm Pull Chain Style
<b>17" Rim</b>					
265/75-17					
265/85-17					
275/50-17					
275/55-17	3319ASCAM				
275/60-17	3328ASCAM	1673			
275/65-17					
275/70-17					2328LW
275/80-17					
285/60-17				21157	
285/65-17					
285/70-17	3328ASCAM				2328LW
285/75-17					
295/70-17					2337LW
305/60-17					
305/65-17					2335LW
305/70-17					
31-10.50-17					
315/70-17					
325/70-17					
33-12.50-17					2335LW
345/55-17					
35-12.50-17					
37-12.50-17					
37-13.50-17					
7.00-17	3321ASCAM	1669			
7.50-17		1663			
8.25-17					
8.75-17					
<b>17.5" Rim</b>					
10-17.5					
11-17.5					
14-17.5					
205/60-17.5					
205/65-17.5					
205/70-17.5					
205/75-17.5					

# TRUCK CHAINS – SINGLE

	Pg. 101	Pg. 101	Pg. 102	Pg. 102	Pg. 102
Tire Size	Aquiline Talon Single	Cable Ladder Pattern Single	Cable V-Trac	Diamond Pattern 4x4 Light/Medium	Diamond Back Single 3.7mm Pull Chain Style
<b>17.5" Rim</b>					
215/70-17.5		1673			
215/75-17.5	3321ASCAM	1673			
225/55-17.5					
225/70-17.5	3321ASCAM	1663			2317LW
225/75-17.5				21141	
235/70-17.5					
235/75-17.5				21157	
245/70-17.5	3328ASCAM			21157	
245/75-17.5					
255/40-17.5					
255/55-17.5					
255/65-17.5					
275/70-17.5					
285/60-17.5					
295/75-17.5					
7.50-17.5					
8.00-17.5	3319ASCAM			21141	
8.50-17.5	3319ASCAM				
9.00-17.5					
9.5-17.5					
9-17.5					
<b>18" Rim</b>					
10.00-18					
10.50-18					
215/75-18					
225/55-18					2317LW
225/65-18	3319ASCAM				
225/70-18					
235/50-18	3319ASCAM				
235/55-18					2317LW
235/60-18	3319ASCAM				2317LW
235/65-18	3319ASCAM				
235/70-18					
235/80-18					
245/55-18					
245/60-18					

# TRUCK CHAINS – SINGLE

	Pg. 101	Pg. 101	Pg. 102	Pg. 102	Pg. 102
Tire Size	Aquiline Talon Single	Cable Ladder Pattern Single	Cable V-Trac	Diamond Pattern 4x4 Light/Medium	Diamond Back Single 3.7mm Pull Chain Style
<b>18" Rim</b>					
245/70-18					
245/75-18					
255/45-18	3319ASCAM				
255/55-18		1665			
255/60-18	3321ASCAM			21141	
255/65-18					
255/70-18	3328ASCAM				
265/50-18					
265/55-18					
265/60-18					
265/65-18					
265/70-18	3328ASCAM				2328LW
265/75-18					
275/45-18					
275/55-18					
275/60-18	3328ASCAM				
275/65-18	3328ASCAM				2328LW
275/70-18					
275/75-18					
285/50-18					
285/55-18					
285/60-18		1675			
285/65-18					2328LW
285/70-18					
285/75-18					
285/80-18					
295/45-18					
295/60-18					
295/65-18					
295/70-18					
305/55-18					
305/60-18					
305/65-18					
305/70-18					
315/60-18					
325/50-18					

# TRUCK CHAINS – SINGLE

	Pg. 101	Pg. 101	Pg. 102	Pg. 102	Pg. 102
Tire Size	Aquiline Talon Single	Cable Ladder Pattern Single	Cable V-Trac	Diamond Pattern 4x4 Light/Medium	Diamond Back Single 3.7mm Pull Chain Style
<b>18" Rim</b>					
325/60-18					
325/65-18					
33-12.50-18					2335LW
35-10.50-18					
35-12.50-18					
37-12.50-18					
37-13.50-18					
6.00-18					
7.00-18					
7.50-18					
9.00-18					
<b>18.5" Rim</b>					
255/65-18.5					
<b>19" Rim</b>					
225/55-19					
225/60-19					
235/50-19					
235/55-19					
245/50-19					
245/55-19					
255/50-19					
255/55-19				21141	
255/60-19					
255/65-19					
265/50-19					
275/45-19					
275/55-19					
275/65-19					
285/45-19					
285/55-19					
285/60-19					
<b>19" Rim</b>					
16.5-19.5			2155V		
19.5-19.5			3171V		
225/70-19.5	3321ASCAM				
245/70-19.5	3328ASCAM	1675			

# TRUCK CHAINS – SINGLE

	Pg. 101	Pg. 101	Pg. 102	Pg. 102	Pg. 102
Tire Size	Aquiline Talon Single	Cable Ladder Pattern Single	Cable V-Trac	Diamond Pattern 4x4 Light/Medium	Diamond Back Single 3.7mm Pull Chain Style
<b>19.5" Rim</b>					
255/70-19.5					
265/70-19.5					
285/70-19.5					
285/75-19.5					
305/70-19.5					
445/65-19.5					
8.00-19.5		1663			
9.5-19.5					
<b>20" Rim</b>					
10.00-20	3345ASCAM		2145V		
10.5-20					
11.00-20	3351ASCAM		2149V		
11.50-20					
12.00-20	3352ASCAM		2155V		
12.4-20					
12/80-20					
13.00-20					
13/80-20					
14.00-20					
225/55-20					
225/70-20					
225/75-20					
235/45-20					
235/55-20					
245/45-20					
245/50-20					
245/60-20					
255/40-20					
255/45-20					
255/50-20				21141	
255/55-20					
255/60-20					
265/40-20					
265/45-20					
265/50-20	3321ASCAM				
265/60-20					

# TRUCK CHAINS – SINGLE

	Pg. 101	Pg. 101	Pg. 102	Pg. 102	Pg. 102
Tire Size	Aquiline Talon Single	Cable Ladder Pattern Single	Cable V-Trac	Diamond Pattern 4x4 Light/Medium	Diamond Back Single 3.7mm Pull Chain Style
<b>20" Rim</b>					
265/65-20					
275/40-20					
275/45-20	3321ASCAM				
275/50-20					
275/55-20					2328LW
275/60-20		2037C			
275/65-20					
285/50-20					2328LW
285/55-20					
285/60-20					
285/65-20					
295/40-20					
295/45-20	3328ASCAM				
295/50-20					
295/60-20					
295/65-20					
305/45-20					
305/50-20					2328LW
305/55-20					
315/35-20					
315/60-20					
325/50-20					
325/60-20					
33-12.50-20					2335LW
35-12.50-20					
35-13.50-20					
355/80-20					
365/80-20			2155V		
365/85-20					
37-12.50-20					
37-13.50-20					
400/70-20					
6.50-20					
7.00-20					
7.50-20					
8.00-20					



# TRUCK CHAINS – SINGLE

	Pg. 101	Pg. 101	Pg. 102	Pg. 102	Pg. 102
Tire Size	Aquiline Talon Single	Cable Ladder Pattern Single	Cable V-Trac	Diamond Pattern 4x4 Light/Medium	Diamond Back Single 3.7mm Pull Chain Style
<b>20" Rim</b>					
8.25-20					
9.00-20					
<b>21" Rim</b>					
265/45-21					
<b>22" Rim</b>					
10.00-22	3350ASCAM		2149V		
11.00-22	3355ASCAM		2155V		
255/35-22					
265/35-22					
265/40-22					
265/45-22					
275/45-22					
285/35-22					
285/40-22					
285/45-22					2328LW
285/50-22					
295/30-22					
305/40-22					2328LW
305/45-22					2335LW
305/50-22					
325/40-22					2328LW
325/50-22					
<b>22.5" Rim</b>					
10-22.5					
11-22.5	3346ASCAM		2145V		
12.50-22.5			2149V		
12-22.5	3351ASCAM		2149V		
13-22.5					
15.00-22.5			2155V		
18-22.5			3171V		
225/70-22.5					
235/75-22.5					
235/80-22.5					
245/70-22.5					
245/75-22.5					

# TRUCK CHAINS – SINGLE

	Pg. 101	Pg. 101	Pg. 102	Pg. 102	Pg. 102
Tire Size	Aquiline Talon Single	Cable Ladder Pattern Single	Cable V-Trac	Diamond Pattern 4x4 Light/Medium	Diamond Back Single 3.7mm Pull Chain Style
<b>22.5" Rim</b>					
245/80-22.5					
255/70-22.5					
255/75-22.5					
255/80-22.5					
265/75-22.5			2145V		
265/80-22.5					
275/70-22.5			2145V		
275/75-22.5			2145V		
275/80-22.5	3345ASCAM				
275/85-22.5			2145V		
285/65-22.5					
285/70-22.5			2145V		
285/75-22.5			2145V		
285/80-22.5					
295/70-22.5					
295/75-22.5			2145V		
295/80-22.5			2149V		
305/60-22.5					
305/70-22.5					
305/80-22.5					
315/60-22.5					
315/70-22.5					
315/75-22.5					
315/80-22.5	3352ASCAM		2149V		
365/70-22.5					
365/80-22.5			2155V		
385/65-22.5			2155V		
425/55-22.5					
425/65-22.5					
425/70-22.5					
445/50-22.5			3171V		
445/55-22.5					
445/65-22.5			3171V		
455/50-22.5					
455/55-22.5			3171V		
7.50-22.5					

# TRUCK CHAINS – SINGLE

	Pg. 101	Pg. 101	Pg. 102	Pg. 102	Pg. 102
Tire Size	Aquiline Talon Single	Cable Ladder Pattern Single	Cable V-Trac	Diamond Pattern 4x4 Light/Medium	Diamond Back Single 3.7mm Pull Chain Style
<b>22.5" Rim</b>					
8.25-22.5					
9-22.5					
<b>24" Rim</b>					
10.00-24					
11.00-24			2149V		
12.00-24			2149V		
14.00-24					
20--24					
285/40-24					
295/30-24					
295/40-24					2337LW
305/35-24					
37-13.50-24					
<b>24.5" Rim</b>					
11-24.5	3350ASCAM		2149V		
12.00-24.5	3355ASCAM		2149V		
275/80-24.5			2145V		
285/70-24.5					
285/75-24.5			2145V		
285/80-24.5			2149V		
295/75-24.5					
305/75-24.5			2149V		
315/75-24.5			2155V		

# TRUCK CHAINS – SINGLE

	Pg. 103	Pg. 103	Pg. 103	Pg. 104	Pg. 104
Tire Size	Diamond Back Single 3.7mm Rubber Adjuster Style	Diamond Back Single 5.5mm Pull Chain Style	Diamond Back Single 5.5mm Rubber Adjuster Style	Diamond Pattern Olympia Sprints Single	Easysox
<b>12" Rim</b>					
250/75-12					
<b>13" Rim</b>					
7.00-13					
<b>14" Rim</b>					
185/75-14					
195/75-14					
205/70-14					
205/75-14					
215/70-14					
215/75-14					
225/60-14	2319LW		2519Q		
225/70-14					
235/70-14					
245/70-14					
255/60-14					
265/60-14					
275/60-14					
27-8.50-14					
27-9.50-14					
28-8.50-14					
29-9.50-14	2319LW		2519Q		
6.00-14					
7.00-14					
<b>14.5" Rim</b>					
27-8.50-14.5					
7.00-14.5					
8.00-14.5					
9.00-14.5					
<b>15" Rim</b>					
10.00-15					
11.00-15					
195/65-15					
195/75-15					
195/80-15					
205/75-15					

# TRUCK CHAINS – SINGLE

	Pg. 103	Pg. 103	Pg. 103	Pg. 104	Pg. 104
Tire Size	Diamond Back Single 3.7mm Rubber Adjuster Style	Diamond Back Single 5.5mm Pull Chain Style	Diamond Back Single 5.5mm Rubber Adjuster Style	Diamond Pattern Olympia Sprints Single	Easysox
<b>15" Rim</b>					
215/70-15					
215/75-15		2515Q		125	
215/80-15					
225/70-15		2515Q		125	
225/75-15		2515Q			
225/80-15					
235/70-15		2517Q			
235/75-15		2517Q			
245/60-15					
245/70-15	2319LW		2519Q		
245/75-15	2321LW		2521Q		
245/85-15	2329LW		2529Q		
250-15					
255/60-15					
255/65-15	2329LW		2529Q		
255/70-15	2319LW		2519Q	127	
255/75-15	2327LW		2527Q		
255/80-15					
255/85-15					
265/60-15					
265/65-15					
265/70-15	2319LW		2519Q	127	
265/75-15	2319LW		2519Q		
275/60-15	2319LW		2519Q		
275/65-15					
275/70-15					
275/75-15	2321LW		2521Q		
27-9.50-15					
285/70-15	2329LW		2529Q		
28-8.50-15					
29-10.50-15					
295/50-15					
29-9.50-15	2319LW		2519Q		
30-10.50-15					
305/50-15					
305/75-15	2319LW		2519Q		

# TRUCK CHAINS – SINGLE

	Pg. 103	Pg. 103	Pg. 103	Pg. 104	Pg. 104
Tire Size	Diamond Back Single 3.7mm Rubber Adjuster Style	Diamond Back Single 5.5mm Pull Chain Style	Diamond Back Single 5.5mm Rubber Adjuster Style	Diamond Pattern Olympia Sprints Single	Easysox
<b>15" Rim</b>					
30-7.50-15					
30-9.50-15	2319LW		2519Q	127	
31-10.50-15	2329LW		2529Q		
31-11.50-15	2329LW		2529Q		
31-12.50-15	2314LW		2514Q		
31-13.50-15					
31-15.50-15					
315/70-15					
31-9.50-15	2319LW		2519Q		
32-11.50-15	2314LW		2514Q		
32-12.50-15	2314LW		2514Q		
32-12.5-15					
325/60-15	2319LW		2519Q		
32-9.50-15	2319LW		2519Q		
33-10.50-15	2314LW		2514Q		
33-12.50-15		2536Q		136	
33-13.50-15					
33-14.50-15					
33-14.5-15					
33-9.50-15	2314LW		2514Q		
34-9.50-15					
35-10.50-15	2314LW		2514Q		
35-12.50-15		2539Q			
35-13.50-15		2539Q			
35-14.00-15					
35-14.50-15					
35-15.50-15					
35-15.00-15					
355/65-15	2314LW		2514Q		
36-12.50-15					
36-13.50-15					
36-14.50-15					
36-14.00-15					
37-12.50-15		2539Q			
37-14.50-15					
38-12.50-15					

# TRUCK CHAINS – SINGLE

	Pg. 103	Pg. 103	Pg. 103	Pg. 104	Pg. 104
Tire Size	Diamond Back Single 3.7mm Rubber Adjuster Style	Diamond Back Single 5.5mm Pull Chain Style	Diamond Back Single 5.5mm Rubber Adjuster Style	Diamond Pattern Olympia Sprints Single	Easysox
<b>15" Rim</b>					
38-14.50-15					
6.70-15					
7.00-15					
7.50-15				127	
8.25-15					
9.00-15				127	
<b>15.5" Rim</b>					
185/70-15.5					
<b>16" Rim</b>					
15-16					
195/75-16					
195/85-16					
205/75-16					
205/80-16					
215/65-16					
215/70-16		2515Q		125	
215/75-16		2515Q			
215/80-16					
215/85-16	2319LW		2519Q	127	
225/50-16					
225/70-16		2517Q			
225/75-16		2517Q			
225/80-16					
225/85-16		2517Q			
235/60-16					
235/65-16		2517Q			
235/70-16	2319LW		2519Q		
235/75-16	2319LW		2519Q	127	
235/80-16	2319LW		2519Q		
235/85-16	2321LW		2521Q		
245/60-16					
245/65-16	2319LW		2519Q		
245/70-16	2319LW		2519Q		
245/75-16	2329LW		2529Q		
245/85-16					

# TRUCK CHAINS – SINGLE

	Pg. 103	Pg. 103	Pg. 103	Pg. 104	Pg. 104
Tire Size	Diamond Back Single 3.7mm Rubber Adjuster Style	Diamond Back Single 5.5mm Pull Chain Style	Diamond Back Single 5.5mm Rubber Adjuster Style	Diamond Pattern Olympia Sprints Single	Easysox
<b>16" Rim</b>					
255/60-16		2517Q			
255/65-16	2319LW		2519Q	127	
255/70-16	2319LW		2519Q		
255/75-16	2321LW		2521Q		
255/85-16	2314LW		2514Q		
265/50-16					
265/55-16	2321LW		2521Q		
265/60-16					
265/65-16	2319LW		2519Q		
265/70-16	2329LW		2529Q		
265/75-16	2321LW		2521Q		
265/85-16	2319LW		2519Q		
275/55-16	2319LW		2519Q		
275/60-16	2319LW		2519Q		
275/65-16	2321LW		2521Q		
275/70-16	2321LW		2521Q		
275/75-16					
275/85-16					
285/60-16					
285/65-16					
285/70-16					
285/75-16		2533Q			
295/65-16	2314LW		2514Q		
295/75-16	2321LW		2521Q		
29-9.50-16	2319LW		2519Q		
305/70-16		2536Q			
305/85-16	2327LW		2527Q		
30-9.50-16					
31-10.50-16					
31-11.50-16					
315/70-16					
315/75-16		2536Q			
32-11.50-16					
33-13.50-16		2533Q			
34-9.00-16					
35-12.50-16		2539Q			



# TRUCK CHAINS – SINGLE

	Pg. 103	Pg. 103	Pg. 103	Pg. 104	Pg. 104
Tire Size	Diamond Back Single 3.7mm Rubber Adjuster Style	Diamond Back Single 5.5mm Pull Chain Style	Diamond Back Single 5.5mm Rubber Adjuster Style	Diamond Pattern Olympia Sprints Single	Easysox
<b>16" Rim</b>					
35-13.50-16		2539Q			
36.5-14.00-16					
36-13.50-16					
365/65-16		2539Q			
38-15.00-16					
6.50-16					
7.00-16				127	
7.50-16	2319LW		2519Q		
8.25-16					
8.75-16					
9.00-16					
<b>16.5" Rim</b>					
10-16.5					
12-16.5	2327LW		2527Q		
14.5-16.5					
30-9.50-16.5	2319LW		2519Q		
31-10.50-16.5	2319LW		2519Q		
31-11.50-16.5	2329LW		2529Q		
32-11.50-16.5	2327LW		2527Q		
32-12.50-16.5	2314LW		2514Q		
32-14.50-16.5					
33-10.50-16.5					
33-12.50-16.5		2536Q			
35-12.50-16.5		2539Q			
35-14.00-16.5					
36-12.50-16.5					
36-13.50-16.5					
36-14.00-16.5					
37-12.50-16.5		2539Q			
37-14.50-16.5					
38.5-15.00-16.5					
38.5-16.00-16.5					
38-15.50-16.5					
39.5-15.00-16.5					
40-17.00-16.5					

# TRUCK CHAINS – SINGLE

	Pg. 103	Pg. 103	Pg. 103	Pg. 104	Pg. 104
Tire Size	Diamond Back Single 3.7mm Rubber Adjuster Style	Diamond Back Single 5.5mm Pull Chain Style	Diamond Back Single 5.5mm Rubber Adjuster Style	Diamond Pattern Olympia Sprints Single	Easysox
<b>16.5" Rim</b>					
44-18.50-16.5					
8.00-16.5					
8.50-16.5					
8.75-16.5		2515Q			
9.50-16.5	2319LW		2519Q		
<b>17" Rim</b>					
215/80-17					
225/65-17					
225/70-17		2517Q			
225/75-17	2319LW		2519Q		
235/55-17					
235/60-17					
235/65-17	2319LW		2519Q		
235/70-17	2319LW		2519Q		
235/75-17	2321LW		2521Q		
235/80-17	2319LW		2519Q		
235/85-17					
245/60-17		2517Q			
245/65-17	2319LW		2519Q		
245/70-17	2321LW		2521Q		
245/75-17	2321LW		2521Q		
245/85-17					
255/50-17					
255/55-17		2517Q			
255/60-17	2319LW		2519Q		
255/65-17	2319LW		2519Q		
255/70-17	2321LW		2521Q		
255/75-17	2327LW		2527Q		
255/80-17	2314LW		2514Q		
255/85-17					
265/55-17	2319LW		2519Q		
265/60-17	2319LW		2519Q		
265/65-17	2321LW		2521Q		
265/70-17	2314LW		2521Q		
265/75-17	2321LW		2521Q		

# TRUCK CHAINS – SINGLE

	Pg. 103	Pg. 103	Pg. 103	Pg. 104	Pg. 104
Tire Size	Diamond Back Single 3.7mm Rubber Adjuster Style	Diamond Back Single 5.5mm Pull Chain Style	Diamond Back Single 5.5mm Rubber Adjuster Style	Diamond Pattern Olympia Sprints Single	Easysox
<b>17" Rim</b>					
265/85-17					
275/50-17	2319LW		2519Q		
275/55-17	2319LW		2519Q		
275/60-17	2329LW		2529Q		
275/65-17	2314LW		2514Q		
275/70-17		2533Q			
275/80-17					
285/60-17	2327LW		2527Q		
285/65-17	2314LW		2514Q		
285/70-17		2533Q			
285/75-17		2536Q			
295/70-17		2536Q			
305/60-17					
305/65-17		2536Q			
305/70-17		2536Q			
31-10.50-17					
315/70-17		2536Q			
325/70-17	2329LW		2529Q		
33-12.50-17		2536Q			
345/55-17					
35-12.50-17		2539Q			
37-12.50-17		2539Q			
37-13.50-17					
7.00-17					
7.50-17					
8.25-17					
8.75-17					
<b>17.5" Rim</b>					
10-17.5					
11-17.5					
14-17.5					
205/60-17.5					
205/65-17.5					
205/70-17.5					
205/75-17.5	2329LW		2529Q		

# TRUCK CHAINS – SINGLE

	Pg. 103	Pg. 103	Pg. 103	Pg. 104	Pg. 104
Tire Size	Diamond Back Single 3.7mm Rubber Adjuster Style	Diamond Back Single 5.5mm Pull Chain Style	Diamond Back Single 5.5mm Rubber Adjuster Style	Diamond Pattern Olympia Sprints Single	Easysox
<b>17.5" Rim</b>					
215/70-17.5		2515Q			
215/75-17.5	2319LW		2519Q	127	
225/55-17.5					
225/70-17.5		2517Q			
225/75-17.5	2321LW		2521Q		
235/70-17.5					
235/75-17.5	2314LW		2514Q		
245/70-17.5	2321LW		2521Q		
245/75-17.5					
255/40-17.5					
255/55-17.5					
255/65-17.5					
275/70-17.5	2319LW		2519Q		
285/60-17.5					
295/75-17.5					
7.50-17.5					
8.00-17.5					
8.50-17.5					
9.00-17.5					
9.5-17.5					ES195
9-17.5					
<b>18" Rim</b>					
10.00-18					
10.50-18					
215/75-18					
225/55-18		2517Q			
225/65-18	2319LW		2519Q		
225/70-18					
235/50-18					
235/55-18		2517Q			
235/60-18		2517Q			
235/65-18	2319LW		2519Q		
235/70-18					
235/80-18	2321LW		2521Q		
245/55-18	2319LW		2519Q		

# TRUCK CHAINS – SINGLE

	Pg. 103	Pg. 103	Pg. 103	Pg. 104	Pg. 104
Tire Size	Diamond Back Single 3.7mm Rubber Adjuster Style	Diamond Back Single 5.5mm Pull Chain Style	Diamond Back Single 5.5mm Rubber Adjuster Style	Diamond Pattern Olympia Sprints Single	Easysox
<b>18" Rim</b>					
245/60-18	2319LW		2519Q		
245/70-18					
245/75-18					
255/45-18					
255/55-18	2319LW		2519Q		
255/60-18	2321LW		2521Q		
255/65-18	2321LW		2521Q		
255/70-18	2327LW		2527Q		
265/50-18					
265/55-18	2319LW		2519Q		
265/60-18	2321LW		2521Q		
265/65-18	2327LW		2527Q		
265/70-18		2533Q			
265/75-18					
275/45-18	2319LW		2519Q		
275/55-18	2321LW		2521Q		
275/60-18	2327LW		2527Q		
275/65-18		2533Q			
275/70-18		2536Q			
275/75-18					
285/50-18	2329LW		2529Q		
285/55-18	2327LW		2527Q		
285/60-18	2327LW		2527Q		
285/65-18		2533Q			
285/70-18		2536Q			
285/75-18		2536Q			
285/80-18					
295/45-18	2329LW		2529Q		
295/60-18					
295/65-18		2536Q			
295/70-18		2536Q			
305/55-18					
305/60-18		2536Q			
305/65-18					
305/70-18		2539Q			

# TRUCK CHAINS – SINGLE

	Pg. 103	Pg. 103	Pg. 103	Pg. 104	Pg. 104
Tire Size	Diamond Back Single 3.7mm Rubber Adjuster Style	Diamond Back Single 5.5mm Pull Chain Style	Diamond Back Single 5.5mm Rubber Adjuster Style	Diamond Pattern Olympia Sprints Single	Easysox
<b>18" Rim</b>					
315/60-18					
325/50-18					
325/60-18		2536Q			
325/65-18					
33-12.50-18		2536Q			
35-10.50-18					
35-12.50-18		2539Q			
37-12.50-18		2539Q			
37-13.50-18					
6.00-18					
7.00-18					
7.50-18					
9.00-18					
<b>18.5" Rim</b>					
255/65-18.5					
<b>19" Rim</b>					
225/55-19	2319LW	2517Q			
225/60-19					
235/50-19	2319LW				
235/55-19	2319LW		2519Q		
245/50-19	2319LW		2519Q		
245/55-19	2319LW		2519Q		
255/50-19	2329LW		2529Q	127	
255/55-19	2321LW		2521Q		
255/60-19	2321LW		2521Q		
255/65-19	2327LW		2527Q		
265/50-19	2329LW		2529Q		
275/45-19	2319LW		2519Q		
275/55-19	2327LW		2527Q		
275/65-19					
285/45-19	2329LW		2529Q		
285/55-19					
285/60-19					

# TRUCK CHAINS – SINGLE

	Pg. 103	Pg. 103	Pg. 103	Pg. 104	Pg. 104
Tire Size	Diamond Back Single 3.7mm Rubber Adjuster Style	Diamond Back Single 5.5mm Pull Chain Style	Diamond Back Single 5.5mm Rubber Adjuster Style	Diamond Pattern Olympia Sprints Single	Easysox
<b>19.5" Rim</b>					
16.5-19.5					
19.5-19.5					
225/70-19.5	2321LW		2521Q		
245/70-19.5	2314LW		2514Q		ES188
255/70-19.5					
265/70-19.5	2329LW		2529Q	136	ES188
285/70-19.5	2327LW		2527Q		ES195
285/75-19.5					
305/70-19.5	2314LW		2514Q		ES199
445/65-19.5					
8.00-19.5	2314LW		2514Q		
9.5-19.5					
<b>20" Rim</b>					
10.00-20				TN310	ES225
10.5-20				310	
11.00-20				TN320	ES245
11.50-20					
12.00-20				TN330	ES245
12.4-20				TN310	
12/80-20				TN310	
13.00-20					
13/80-20					
14.00-20					
225/55-20					
225/70-20					
225/75-20					
235/45-20	2319LW				
235/55-20	2319LW		2519Q		
245/45-20	2319LW		2519Q		
245/50-20	2321LW		2521Q		
245/60-20					
255/40-20					
255/45-20	2319LW		2519Q		
255/50-20	2321LW		2521Q		
255/55-20	2321LW		2521Q		

# TRUCK CHAINS – SINGLE

	Pg. 103	Pg. 103	Pg. 103	Pg. 104	Pg. 104
Tire Size	Diamond Back Single 3.7mm Rubber Adjuster Style	Diamond Back Single 5.5mm Pull Chain Style	Diamond Back Single 5.5mm Rubber Adjuster Style	Diamond Pattern Olympia Sprints Single	Easysox
<b>20" Rim</b>					
255/60-20					
265/40-20					
265/45-20	2319LW		2519Q		
265/50-20	2327LW		2527Q		
265/60-20		2533Q			
265/65-20					
275/40-20	2321LW		2521Q		
275/45-20	2321LW		2521Q		
275/50-20			2527Q		
275/55-20		2533Q			
275/60-20		2533Q			
275/65-20		2536Q			
285/50-20		2533Q			
285/55-20		2536Q			
285/60-20		2536Q			
285/65-20		2536Q			
295/40-20	2321LW		2521Q		
295/45-20	2327LW		2527Q		
295/50-20					
295/60-20					
295/65-20					
305/45-20	2314LW		2514Q		
305/50-20		2536Q			
305/55-20		2536Q			
315/35-20	2321LW		2521Q		
315/60-20					
325/50-20					
325/60-20		2539Q			
33-12.50-20		2536Q			
35-12.50-20		2539Q			
35-13.50-20		2539Q			
355/80-20					
365/80-20					
365/85-20				147	
37-12.50-20		2539Q			



# TRUCK CHAINS – SINGLE

	Pg. 103	Pg. 103	Pg. 103	Pg. 104	Pg. 104
Tire Size	Diamond Back Single 3.7mm Rubber Adjuster Style	Diamond Back Single 5.5mm Pull Chain Style	Diamond Back Single 5.5mm Rubber Adjuster Style	Diamond Pattern Olympia Sprints Single	Easysox
<b>20" Rim</b>					
37-13.50-20					
400/70-20					
6.50-20					
7.00-20					
7.50-20					ES199
8.00-20					
8.25-20					ES205
9.00-20				142	ES205
<b>21" Rim</b>					
265/45-21	2321LW		2521Q		
<b>22" Rim</b>					
10.00-22				144	
11.00-22				TN330	
255/35-22	2319LW		2519Q		
265/35-22	2321LW		2521Q		
265/40-22	2321LW		2521Q		
265/45-22	2327LW		2527Q		
275/45-22	2314LW		2514Q		
285/35-22	2327LW		2527Q		
285/40-22	2327LW		2527Q		
285/45-22		2533Q			
285/50-22		2536Q			
295/30-22					
305/40-22					
305/45-22		2536Q			
305/50-22					
325/40-22					
325/50-22		2539Q			
<b>22.5" Rim</b>					
10-22.5				142	ES205
11-22.5				TN310	ES225
12.50-22.5				144	
12-22.5				144	ES245
13-22.5				146	
15.00-22.5					

# TRUCK CHAINS – SINGLE

	Pg. 103	Pg. 103	Pg. 103	Pg. 104	Pg. 104
Tire Size	Diamond Back Single 3.7mm Rubber Adjuster Style	Diamond Back Single 5.5mm Pull Chain Style	Diamond Back Single 5.5mm Rubber Adjuster Style	Diamond Pattern Olympia Sprints Single	Easysox
<b>22.5" Rim</b>					
18-22.5					
225/70-22.5					
235/75-22.5					
235/80-22.5					ES199
245/70-22.5					
245/75-22.5					ES199
245/80-22.5					
255/70-22.5					ES199
255/75-22.5					
255/80-22.5					ES205
265/75-22.5					ES205
265/80-22.5					
275/70-22.5					ES199
275/75-22.5					
275/80-22.5				TN310	ES205
275/85-22.5					
285/65-22.5					
285/70-22.5					
285/75-22.5					ES205
285/80-22.5					ES225
295/70-22.5				142	ES205
295/75-22.5				1430	ES205
295/80-22.5				1430	ES225
305/60-22.5				142	
305/70-22.5				TN310	ES205
305/80-22.5					
315/60-22.5				142	
315/70-22.5				1430	ES205
315/75-22.5				TN320	
315/80-22.5				TN320	ES245
365/70-22.5					
365/80-22.5					
385/65-22.5					
425/55-22.5					
425/65-22.5					

# TRUCK CHAINS – SINGLE

	Pg. 103	Pg. 103	Pg. 103	Pg. 104	Pg. 104
Tire Size	Diamond Back Single 3.7mm Rubber Adjuster Style	Diamond Back Single 5.5mm Pull Chain Style	Diamond Back Single 5.5mm Rubber Adjuster Style	Diamond Pattern Olympia Sprints Single	Easysox
<b>22.5" Rim</b>					
425/70-22.5					
445/50-22.5					ES445
445/55-22.5					
445/65-22.5					
455/50-22.5					
455/55-22.5					
7.50-22.5					
8.25-22.5					
9-22.5					ES205
<b>24" Rim</b>					
10.00-24				TN330	
11.00-24					
12.00-24					
14.00-24					
20--24					
285/40-24		2536Q			
295/30-24	2314LW		2514Q		
295/40-24		2536Q			
305/35-24		2536Q			
37-13.50-24					
<b>24.5" Rim</b>					
11-24.5				144	ES245
12.00-24.5				146	
275/80-24.5				1430	ES225
285/70-24.5					
285/75-24.5				1430	ES225
285/80-24.5				144	
295/75-24.5					ES225
305/75-24.5				TN320	
315/75-24.5				TN320	

# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>12" Rim</b>					
250/75-12					
<b>13" Rim</b>					
7.00-13	2201CAM				
<b>14" Rim</b>					
185/75-14	2201CAM				
195/75-14	2209CAM		AS2209CAM	2809CAM	
205/70-14	2209CAM		AS2209CAM	2809CAM	
205/75-14	2209CAM		AS2209CAM	2809CAM	
215/70-14	2209CAM		AS2209CAM	2809CAM	
215/75-14	2216R		AS2216CAM	2816CAM	
225/60-14	2209CAM		AS2209CAM	2809CAM	
225/70-14	2216R	2433M	AS2216CAM	2816CAM	
235/70-14	2229CAM	2433M	AS2229CAM	2829CAM	
245/70-14	2229CAM	2435M	AS2229CAM	2829CAM	
255/60-14	2229CAM	2433M	AS2229CAM	2829CAM	
265/60-14	2229CAM		AS2229CAM	2829CAM	
275/60-14	2229CAM		AS2229CAM	2829CAM	
27-8.50-14	2216CAM	2433M	AS2216CAM	2816CAM	
27-9.50-14	2216CAM	2433M	AS2216CAM	2816CAM	
28-8.50-14	2209CAM	2433M	AS2209CAM	2809CAM	
29-9.50-14	2216R	2433M	AS2216CAM	2816CAM	
6.00-14	2201CAM				
7.00-14	2209CAM		AS2209CAM	2809CAM	
<b>14.5" Rim</b>					
27-8.50-14.5	2216CAM	2433M	AS2216CAM	2816CAM	
7.00-14.5	2209CAM		AS2209CAM	2809CAM	
8.00-14.5	2216CAM		AS2216CAM	2816CAM	
9.00-14.5	2216CAM		AS2216CAM	2816CAM	
<b>15" Rim</b>					
10.00-15	2239CAM	2441M		2839CAM	
11.00-15	2228CAM	2441M	AS2228CAM		
195/65-15	2201CAM				
195/75-15	2209CAM	2433M	AS2209CAM	2809CAM	
195/80-15	2209CAM	2433M	AS2209CAM	2809CAM	
205/75-15	2209CAM	2433M	AS2209CAM	2809CAM	
215/70-15	2209CAM	2433M	AS2209CAM	2809CAM	

# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>15" Rim</b>					
215/75-15	2216R	2433M	AS2216CAM	2816CAM	
215/80-15	2216CAM	2435M		2816CAM	
225/70-15	2216R	2433M	AS2216CAM	2816CAM	
225/75-15	2216R	2435M	AS2216CAM	2816CAM	
225/80-15	2216CAM		AS2216CAM	2816CAM	
235/70-15	2216R	2435M	AS2216CAM	2816CAM	
235/75-15	2216R	2435M	AS2219CAM	2816CAM	
245/60-15	2216R	2435M	AS2216CAM	2816CAM	
245/70-15			AS2219CAM		
245/75-15	2219CAM	2437M	AS2219CAM	2819CAM	
245/85-15	2228CAM	2441M	AS2228CAM	2828CAM	3228QC
250-15					
255/60-15	2229CAM	2435M	AS2229CAM	2829CAM	
255/65-15	2229CAM	2435M	AS2229CAM	2829CAM	
255/70-15	2229CAM	2437M	AS2229CAM	2829CAM	
255/75-15	2229CAM	2439M	AS2228CAM	2829CAM	3228QC
255/80-15		2439M			
255/85-15	2228CAM	2439M	AS2228CAM	2828CAM	
265/60-15	2229CAM		AS2229CAM	2829CAM	
265/65-15	2229CAM		AS2229CAM	2829CAM	
265/70-15	2221CAM	2439M	AS2221CAM	2821CAM	
265/75-15	2221CAM	2439M	AS2221CAM	2821CAM	3210QC
275/60-15	2229CAM	2437M	AS2229CAM	2829CAM	
275/65-15		2439M			
275/70-15		2439M			
275/75-15	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
27-9.50-15	2229CAM	2433M	AS2229CAM	2829CAM	
285/70-15	2228CAM	2439M	AS2228CAM	2828CAM	
28-8.50-15	2216R	2433M	AS2229CAM	2816CAM	
29-10.50-15					
295/50-15	2229CAM		AS2229CAM	2829CAM	
29-9.50-15	2229CAM		AS2229CAM	2829CAM	
30-10.50-15		2437M			
305/50-15	2229CAM		AS2216CAM	2829CAM	
305/75-15	2226CAM				3229QC
30-7.50-15	2229CAM	2435M	AS2229CAM	2829CAM	

# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>15" Rim</b>					
30-9.50-15	2229CAM	2437M	AS2229CAM	2829CAM	
31-10.50-15	2227CAM	2437M		2827CAM	3210QC
31-11.50-15	2228CAM	2439M	AS2228CAM		3227QC
31-12.50-15					3229QC
31-13.50-15					
31-15.50-15					
315/70-15					
31-9.50-15					3227QC
32-11.50-15	2228CAM	2439M	AS2228CAM	2828CAM	3229QC
32-12.50-15					3229QC
32-12.5-15					
325/60-15					3229QC
32-9.50-15					3227QC
33-10.50-15	2228CAM		AS2228CAM	2828CAM	3229QC
33-12.50-15					3229QC
33-13.50-15					3229QC
33-14.50-15	2226CAM				
33-14.5-15			AS2226CAM		
33-9.50-15	2227CAM			2827CAM	3210QC
34-9.50-15					
35-10.50-15	2226CAM		AS2226CAM		3227QC
35-12.50-15	2226CAM		AS2226CAM		3231QC
35-13.50-15	2226CAM		AS2226CAM		3231QC
35-14.00-15	2226CAM		AS2226CAM		
35-14.50-15					3235QC
35-15.50-15					
35-15.00-15					
355/65-15					
36-12.50-15	2226CAM		AS2226CAM		3235QC
36-13.50-15	2226CAM		AS2226CAM		
36-14.50-15					
36-14.00-15					
37-12.50-15					3235QC
37-14.50-15					
38-12.50-15					
38-14.50-15					

# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>15" Rim</b>					
6.70-15	2216CAM		AS2216CAM	2816CAM	
7.00-15	2216R	2435M	AS2219CAM	2816CAM	
7.50-15	2219CAM	2435M	AS2219CAM	2819CAM	
8.25-15	2228CAM	2441M	AS2228CAM	2828CAM	
9.00-15	2237CAM	2435M	AS2237CAM	2837CAM	
<b>15.5" Rim</b>					
185/70-15.5	2209CAM		AS2209CAM	2809CAM	
<b>16" Rim</b>					
15-16		2437M			
195/75-16	2216R	2433M	AS2216CAM	2816CAM	
195/85-16	2216CAM	2435M	AS2216CAM	2816CAM	
205/75-16	2216R	2433M	AS2216CAM	2816CAM	
205/80-16	2229CAM	2433M	AS2229CAM	2829CAM	
215/65-16	2216R	2435M	AS2216CAM	2816CAM	
215/70-16	2216R	2435M	AS2216CAM	2816CAM	
215/75-16	2216R	2435M	AS2216CAM	2816CAM	
215/80-16	2219CAM	2435M	AS2219CAM	2819CAM	
215/85-16	2219CAM	2435M	AS2219CAM	2819CAM	
225/50-16	2209CAM		AS2209CAM	2809CAM	
225/70-16	2216R	2435M	AS2216CAM	2816CAM	
225/75-16	2219CAM	2435M	AS2219CAM	2819CAM	
225/80-16	2219CAM	2435M	AS2219CAM	2819CAM	
225/85-16	2228CAM	2437M	AS2228CAM	2828CAM	
235/60-16	2216R	2433M	AS2216CAM	2816CAM	
235/65-16	2216CAM	2435M	AS2216CAM	2829CAM	
235/70-16	2229CAM	2435M	AS2229CAM	2829CAM	
235/75-16	2219CAM	2435M	AS2219CAM	2819CAM	
235/80-16	2219CAM	2437M	AS2219CAM	2819CAM	
235/85-16	2221CAM	2437M	AS2221CAM	2821CAM	
245/60-16	2229CAM	2435M	AS2229CAM	2829CAM	
245/65-16	2229CAM	2435M	AS2229CAM		
245/70-16	2229CAM	2435M	AS2229CAM	2829CAM	
245/75-16	2221CAM	2437M	AS2221CAM-2C1	2821CAM	
245/85-16	2228CAM	2437M	AS2228CAM	2828CAM	3228QC
255/60-16	2229CAM		AS2229CAM	2829CAM	
255/65-16	2229CAM	2435M	AS2229CAM	2829CAM	

# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>16" Rim</b>					
255/70-16	2229CAM	2437M	AS2221CAM	2829CAM	
255/75-16	2216R	2437M	AS2228CAM	2816CAM	3228QC
255/85-16	2228CAM	2437M	AS2228CAM	2828CAM	3228QC
265/50-16	2229CAM		AS2229CAM	2829CAM	
265/55-16	2229CAM		AS2229CAM	2829CAM	
265/60-16	2229CAM		AS2229CAM	2829CAM	3210QC
265/65-16	2229CAM	2437M	AS2229CAM	2829CAM	
265/70-16	2228CAM	2441M	AS2228CAM	2828CAM	3210QC
265/75-16	2228CAM	2439M	AS2228CAM	2828CAM	3210QC
265/85-16	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
275/55-16	2229CAM		AS2229CAM		
275/60-16	2227CAM	2437M			3210QC
275/65-16		2439M	AS2228CAM	2828CAM	3228QC
275/70-16	2228CAM		AS2228CAM	2828CAM	3228QC
275/75-16	2228CAM		AS2228CAM	2828CAM	3228QC
275/85-16					3228QC
285/60-16	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
285/65-16		2439M			
285/70-16	2228CAM		AS2228CAM	2828CAM	3229QC
285/75-16	2228CAM		AS2228CAM	2828CAM	3228QC
295/65-16					3229QC
295/75-16					3229QC
29-9.50-16	2216CAM	2435M	AS2216CAM	2816CAM	
305/70-16	2228CAM	2441M	AS2228CAM	2828CAM	3228QC
305/85-16					
30-9.50-16	2229CAM	2437M	AS2229CAM	2829CAM	
31-10.50-16					
31-11.50-16	2229CAM	2439M		2829CAM	
315/70-16	2226CAM	2441M			3231QC
315/75-16	2226CAM	2441M			3231QC
32-11.50-16					
33-13.50-16					3229QC
34-9.00-16					
35-12.50-16					3231QC
35-13.50-16					3231QC
36.5-14.00-16					



# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>16" Rim</b>					
36-13.50-16					
365/65-16					
38-15.00-16					
6.50-16	2216R	2433M	AS2216CAM	2816CAM	
7.00-16	2219CAM	2435M	AS2219CAM	2819CAM	
7.50-16	2221CAM	2437M	AS2221CAM	2821CAM	
8.25-16	2228CAM		AS2228CAM	2828CAM	
8.75-16	2237CAM	2435M	AS2237CAM	2837CAM	
9.00-16	2237CAM		AS2237CAM	2837CAM	
<b>16.5" Rim</b>					
10-16.5	2229CAM	2435M		2829CAM	3210QC
12-16.5					3229QC
14.5-16.5				2816CAM	
30-9.50-16.5		2435M	AS2229CAM		
31-10.50-16.5	2227CAM			2827CAM	3210QC
31-11.50-16.5					3227QC
32-11.50-16.5					3227QC
32-12.50-16.5					3229QC
32-14.50-16.5					
33-10.50-16.5					
33-12.50-16.5					3229QC
35-12.50-16.5	2226CAM		AS2226CAM		3231QC
35-14.00-16.5	2226CAM		AS2226CAM		
36-12.50-16.5	2226CAM		AS2226CAM		3235QC
36-13.50-16.5	2226CAM		AS2226CAM		
36-14.00-16.5	2226CAM		AS2226CAM		
37-12.50-16.5					3235QC
37-14.50-16.5					
38.5-15.00-16.5	2226CAM		AS2226CAM		
38.5-16.00-16.5					
38-15.50-16.5	2226CAM		AS2226CAM		
39.5-15.00-16.5					
40-17.00-16.5					
44-18.50-16.5					
8.00-16.5	2216R		AS2216CAM	2816CAM	
8.50-16.5	2216CAM		AS2216CAM	2816CAM	

# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>16.5" Rim</b>					
8.75-16.5	2219CAM	2435M	AS2219CAM	2819CAM	
9.50-16.5	2221CAM	2437M	AS2221CAM	2821CAM	
<b>17" Rim</b>					
215/80-17	2221CAM	2435M	AS2221CAM	2821CAM	
225/65-17					
225/70-17	2219CAM	2435M	AS2229CAM		
225/75-17	2219CAM	2437M	AS2219CAM	2819CAM	
235/55-17	2219CAM	2433M	AS2229CAM	2819CAM	
235/60-17	2219CAM	2435M	AS2219CAM	2819CAM	
235/65-17	2216R	2435M	AS2229CAM	2816CAM	
235/70-17	2219CAM	2437M	AS2219CAM	2819CAM	
235/75-17		2439M		2821CAM	3210QC
235/80-17	2221CAM	2439M	AS2221CAM	2821CAM	
235/85-17	2221CAM	2439M	AS2221CAM	2821CAM	
245/60-17	2219CAM	2435M	AS2219CAM	2819CAM	
245/65-17	2229CAM	2437M	AS2229CAM	2829CAM	
245/70-17	2214CAM	2437M		2814CAM	3210QC
245/75-17	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
245/85-17	2237CAM		AS2228CAM	2828CAM	3228QC
255/50-17	2229CAM	2435M	AS2229CAM		
255/55-17	2229CAM	2435M	AS2219CAM	2829CAM	
255/60-17	2229CAM	2435M	AS2229CAM		
255/65-17	2227CAM	2437M		2827CAM	3210QC
255/70-17	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
255/75-17	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
255/80-17	2228CAM		AS2228CAM	2837CAM	
255/85-17	2237CAM		AS2237CAM	2837CAM	
265/55-17	2228CAM		AS2228CAM	2827CAM	3210QC
265/60-17	2227CAM	2439M		2827CAM	3210QC
265/65-17	2227CAM			2827CAM	3210QC
265/70-17	2228CAM	2439M	AS2228CAM	2828CAM	3210QC
265/75-17	2228CAM	2441M	AS2228CAM	2828CAM	3228QC
265/85-17	2226CAM	2441M	AS2226CAM		
275/50-17	2229CAM		AS2228CAM		3210QC
275/55-17	2229CAM		AS2228CAM		3210QC
275/60-17	2228CAM	2439M	AS2228CAM	2828CAM	3228QC

# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>17" Rim</b>					
275/65-17	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
275/70-17	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
275/80-17	2228CAM		AS2228CAM		3231QC
285/60-17	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
285/65-17	2228CAM		AS2228CAM		3227QC
285/70-17	2228CAM		AS2228CAM	2828CAM	3228QC
285/75-17					3229QC
295/70-17					3229QC
305/60-17					3235QC
305/65-17					3229QC
305/70-17	2226CAM		AS2226CAM		3229QC
31-10.50-17					
315/70-17	2226CAM				3231QC
325/70-17			AS2226CAM	2826CAM	3231QC
33-12.50-17					3229QC
345/55-17					3227QC
35-12.50-17					3231QC
37-12.50-17					3235QC
37-13.50-17					3235QC
7.00-17	2221CAM	2437M	AS2221CAM	2821CAM	
7.50-17	2214CAM	2439M		2814CAM	
8.25-17	2237CAM				
8.75-17			AS2237CAM		
<b>17.5" Rim</b>					
10-17.5	2228CAM	2439M	AS2228CAM	2828CAM	
11-17.5	2239CAM		AS2239CAM	2839CAM	
14-17.5					
205/60-17.5	2209CAM	2433M	AS2209CAM	2809CAM	
205/65-17.5	2216CAM	2433M	AS2216CAM	2816CAM	
205/70-17.5	2216CAM	2435M	AS2216CAM	2816CAM	
205/75-17.5	2219CAM	2433M	AS2219CAM	2819CAM	
215/70-17.5	2219CAM	2435M	AS2219CAM	2819CAM	
215/75-17.5	2219CAM	2437M	AS2219CAM	2819CAM	
225/55-17.5	2216CAM	2433M	AS2216CAM	2816CAM	
225/70-17.5	2214CAM	2439M	AS2221CAM	2814CAM	
225/75-17.5	2221CAM	2437M	AS2221CAM	2821CAM	

# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>17.5" Rim</b>					
235/70-17.5	2221CAM		AS2221CAM	2821CAM	
235/75-17.5	2228CAM	2441M	AS2228CAM	2828CAM	3228QC
245/70-17.5	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
245/75-17.5	2219CAM	2439M	AS2228CAM	2819CAM	
255/40-17.5	2216CAM	2433M	AS2216CAM	2816CAM	
255/55-17.5	2229CAM	2435M	AS2229CAM		
255/65-17.5	2229CAM	2437M	AS2229CAM		
275/70-17.5	2228CAM		AS2228CAM	2828CAM	3228QC
285/60-17.5	2228CAM		AS2228CAM		
295/75-17.5				2826CAM	
7.50-17.5	2216CAM	2433M	AS2216CAM	2816CAM	
8.00-17.5	2219CAM		AS2219CAM	2819CAM	
8.50-17.5	2219CAM	2441M	AS2219CAM	2819CAM	
9.00-17.5		2437M			
9.5-17.5					
9-17.5	2237CAM				
<b>18" Rim</b>					
10.00-18	2237CAM		AS2237CAM	2837CAM	
10.50-18	2229CAM		AS2229CAM		
215/75-18	2219CAM	2437M	AS2219CAM	2819CAM	
225/55-18	2229CAM	2435M	AS2229CAM		
225/65-18			AS2229CAM		
225/70-18	2221CAM		AS2221CAM	2821CAM	
235/50-18					
235/55-18	2229CAM		AS2229CAM		
235/60-18	2229CAM	2435M	AS2229CAM		
235/65-18	2229CAM	2439M	AS2229CAM		
235/70-18	2221CAM	2437M	AS2221CAM	2821CAM	
235/80-18	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
245/55-18	2229CAM	2435M	AS2229CAM		
245/60-18	2229CAM	2437M	AS2229CAM		
245/70-18	2228CAM		AS2228CAM	2828CAM	
245/75-18	2228CAM		AS2228CAM	2828CAM	3228QC
255/45-18					
255/55-18	2229CAM	2437M	AS2229CAM	2829CAM	
255/60-18	2227CAM	2437M		2827CAM	3210QC

# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>18" Rim</b>					
255/65-18	2229CAM	2437M	AS2229CAM		3210QC
255/70-18	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
265/50-18	2229CAM		AS2229CAM		
265/55-18	2227CAM			2827CAM	3210QC
265/60-18	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
265/65-18	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
265/70-18	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
265/75-18					3229QC
275/45-18	2229CAM		AS2229CAM		
275/55-18	2227CAM			2827CAM	3210QC
275/60-18	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
275/65-18	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
275/70-18	2228CAM		AS2228CAM	2828CAM	3228QC
275/75-18	2226CAM		AS2226CAM		3229QC
285/50-18	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
285/55-18	2228CAM		AS2228CAM	2827CAM	3210QC
285/60-18	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
285/65-18	2228CAM		AS2228CAM	2828CAM	3228QC
285/70-18	2226CAM		AS2226CAM		3231QC
285/75-18					3231QC
285/80-18					
295/45-18	2227CAM	2439M		2827CAM	3210QC
295/60-18					3227QC
295/65-18					3229QC
295/70-18	2226CAM		AS2226CAM		3231QC
305/55-18					3229QC
305/60-18					3231QC
305/65-18					3231QC
305/70-18					3231QC
315/60-18					
325/50-18					
325/60-18					3231QC
325/65-18					3231QC
33-12.50-18					3229QC
35-10.50-18					
35-12.50-18					3231QC

# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>18" Rim</b>					
37-12.50-18					3235QC
37-13.50-18					3235QC
6.00-18	2219CAM	2435M	AS2219CAM	2819CAM	
7.00-18				2814CAM	
7.50-18	2233CAM			2833CAM	
9.00-18	2237CAM		AS2237CAM	2837CAM	
<b>18.5" Rim</b>					
255/65-18.5	2228CAM	2439M	AS2228CAM		
<b>19" Rim</b>					
225/55-19	2216CAM		AS2216CAM	2816CAM	
225/60-19	2221CAM	2435M	AS2221CAM	2821CAM	
235/50-19	2216CAM	2435M	AS2216CAM	2816CAM	
235/55-19	2219CAM	2435M	AS2219CAM	2819CAM	
245/50-19	2229CAM	2435M	AS2229CAM		
245/55-19	2229CAM	2437M	AS2229CAM		3210QC
255/50-19	2229CAM	2435M	AS2229CAM		
255/55-19	2227CAM	2437M		2827CAM	3210QC
255/60-19	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
255/65-19	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
265/50-19	2229CAM	2437M	AS2229CAM		3210QC
275/45-19	2229CAM		AS2229CAM		
275/55-19	2228CAM	2439M	AS2228CAM	2828CAM	
275/65-19	2228CAM			2828CAM	3228QC
285/45-19	2227CAM			2827CAM	3210QC
285/55-19	2228CAM	2439M	AS2228CAM	2828CAM	3228QC
285/60-19					3229QC
<b>19.5" Rim</b>					
16.5-19.5					
19.5-19.5					
225/70-19.5	2221CAM	2439M	AS2221CAM	2821CAM	
245/70-19.5	2233CAM	2439M		2828CAM	3228QC
255/70-19.5				2828CAM	
265/70-19.5	2241CAM			2841CAM	
285/70-19.5					
285/75-19.5				2839CAM	
305/70-19.5		2441M		2839CAM	

# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>19.5" Rim</b>					
445/65-19.5					
8.00-19.5	2214CAM	2439M	AS2221CAM	2814CAM	
9.5-19.5					
<b>20" Rim</b>					
10.00-20	2245CAM	2448M		2845CAM	
10.5-20	2241CAM			2841CAM	
11.00-20	2251CAM	2452M		2851CAM	
11.50-20				2851CAM	
12.00-20	2255CAM	2486M			
12.4-20					
12/80-20					
13.00-20	2257R				
13/80-20	2255CAM	2486M			
14.00-20	2271CAM				
225/55-20	2229CAM	2435M			
225/70-20		2437M			
225/75-20				2828CAM	3228QC
235/45-20					
235/55-20	2229CAM				3210QC
245/45-20		2435M			
245/50-20	2229CAM			2827CAM	3210QC
245/60-20				2828CAM	3228QC
255/40-20	2229CAM	2435M			
255/45-20	2229CAM				
255/50-20	2227CAM			2827CAM	3210QC
255/55-20		2439M		2828CAM	3228QC
255/60-20		2439M		2828CAM	3228QC
265/40-20	2229CAM				
265/45-20	2229CAM	2437M			3210QC
265/50-20	2227CAM	2439M		2827CAM	3210QC
265/60-20				2828CAM	3228QC
265/65-20					3227QC
275/40-20	2227CAM			2827CAM	3210QC
275/45-20	2229CAM	2439M			
275/50-20		2439M		2828CAM	3228QC
275/55-20				2828CAM	3228QC

# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>20" Rim</b>					
445/65-19.5					
8.00-19.5	2214CAM	2439M	AS2221CAM	2814CAM	
9.5-19.5					
8.00-19.5	2214CAM	2439M	AS2221CAM	2814CAM	
10.00-20	2245CAM	2448M		2845CAM	
10.5-20	2241CAM			2841CAM	
11.00-20	2251CAM	2452M		2851CAM	
11.50-20				2851CAM	
12.00-20	2255CAM	2486M			
12.4-20					
12/80-20					
13.00-20	2257R				
13/80-20	2255CAM	2486M			
14.00-20	2271CAM				
225/55-20	2229CAM	2435M			
225/70-20		2437M			
225/75-20				2828CAM	3228QC
235/45-20					
235/55-20	2229CAM				3210QC
245/45-20		2435M			
245/50-20	2229CAM			2827CAM	3210QC
245/60-20				2828CAM	3228QC
255/40-20	2229CAM	2435M			
255/45-20	2229CAM				
255/50-20	2227CAM			2827CAM	3210QC
255/55-20		2439M		2828CAM	3228QC
255/60-20		2439M		2828CAM	3228QC
265/40-20	2229CAM				
265/45-20	2229CAM	2437M			3210QC
265/50-20	2227CAM	2439M		2827CAM	3210QC
265/60-20				2828CAM	3228QC
265/65-20					3227QC
275/40-20	2227CAM			2827CAM	3210QC
275/45-20	2229CAM	2439M			
275/50-20		2439M		2828CAM	3228QC
275/55-20				2828CAM	3228QC



# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>20" Rim</b>					
275/60-20				2828CAM	3228QC
275/65-20					3231QC
285/50-20		2439M		2828CAM	3228QC
285/55-20				2828CAM	3228QC
285/60-20					3228QC
285/65-20			AS2226CAM	2826CAM	3231QC
295/40-20					3228QC
295/45-20					3228QC
295/50-20					3228QC
295/60-20					3229QC
295/65-20					3231QC
305/45-20					3229QC
305/50-20					3228QC
305/55-20					3231QC
315/35-20					
315/60-20					3231QC
325/50-20					3231QC
325/60-20					3235QC
33-12.50-20					3229QC
35-12.50-20					3231QC
35-13.50-20					3231QC
355/80-20					
365/80-20	2257CAM				
365/85-20					
37-12.50-20					3235QC
37-13.50-20					3235QC
400/70-20					
6.50-20		2437M			
7.00-20	2233CAM				
7.50-20	2237CAM	2441M			
8.00-20		2437M		2839CAM	
8.25-20	2239CAM	2441M		2839CAM	
9.00-20	2241CAM	2445M		2841CAM	
<b>21" Rim</b>					
265/45-21	2227CAM			2827CAM	3210QC

# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>22" Rim</b>					
10.00-22	2249CAM	2452M		2849CAM	
11.00-22	2255CAM	2486M			
255/35-22	2229CAM	2435M			
265/35-22					
265/40-22	2227CAM			2827CAM	3210QC
265/45-22					3228QC
275/45-22					
285/35-22				2828CAM	3228QC
285/40-22			AS2228CAM	2828CAM	3228QC
285/45-22					3228QC
285/50-22					3228QC
295/30-22					3228QC
305/40-22					3228QC
305/45-22					3228QC
305/50-22					3231QC
325/40-22	2228CAM				3228QC
325/50-22					3235QC
<b>22.5" Rim</b>					
10-22.5	2241CAM	2445M		2841CAM	
11-22.5	2245CAM	2448M		2845CAM	
12.50-22.5					
12-22.5	2251CAM	2452M		2851CAM	
13-22.5					
15.00-22.5					
18-22.5					
225/70-22.5	2237CAM	2441M			
235/75-22.5		2441M			
235/80-22.5	2237CAM	2441M		2839CAM	
245/70-22.5	2239CAM	2441M		2839CAM	
245/75-22.5	2239CAM	2441M		2839CAM	
245/80-22.5	2239CAM	2441M		2839CAM	
255/70-22.5	2239CAM	2441M		2839CAM	
255/75-22.5				2841CAM	
255/80-22.5	2239CAM	2441M		2839CAM	
265/75-22.5	2241CAM	2445M		2841CAM	
265/80-22.5					

# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>22.5" Rim</b>					
275/70-22.5	2245CAM	2448M		2845CAM	
275/75-22.5				2847CAM	
275/80-22.5	2245CAM	2452M		2845CAM	
275/85-22.5				2849CAM	
285/65-22.5				2839CAM	
285/70-22.5				2847CAM	
285/75-22.5	2247CAM			2847CAM	
285/80-22.5					
295/70-22.5				2847CAM	
295/75-22.5	2247CAM	2452M		2847CAM	
295/80-22.5	2251CAM	2470M		2851CAM	
305/60-22.5					
305/70-22.5				2847CAM	
305/80-22.5				2851CAM	
315/60-22.5					
315/70-22.5					
315/75-22.5	2251CAM		AS2251CAM	2851CAM	
315/80-22.5	2255CAM	2486M			
365/70-22.5					
365/80-22.5					
385/65-22.5					
425/55-22.5					
425/65-22.5					
425/70-22.5					
445/50-22.5					
445/55-22.5					
445/65-22.5					
455/50-22.5					
455/55-22.5					
7.50-22.5				2839CAM	
8.25-22.5				2839CAM	
9-22.5	2239CAM	2441M		2839CAM	
<b>24" Rim</b>					
10.00-24					
11.00-24	2253CAM	2470M			
12.00-24					

# TRUCK CHAINS – SINGLE

	Pg. 105	Pg. 106	Pg. 106	Pg. 107	Pg. 107
Tire Size	Highway Service Single Cam	Mud Service Single	Square Link Alloy Single	V-Bar Single	Wide Base Highway Service Cam
<b>24" Rim</b>					
14.00-24	2273R				
20--24	2271R				
285/40-24					3229QC
295/30-24					
295/40-24					3231QC
305/35-24					3231QC
37-13.50-24					3235QC
<b>24.5" Rim</b>					
11-24.5	2249CAM	2452M		2849CAM	
12.00-24.5	2255CAM	2486M			
275/80-24.5	2247CAM	2452M		2847CAM	
285/70-24.5				2847CAM	
285/75-24.5	2247CAM	2452M		2847CAM	
285/80-24.5	2249CAM			2849CAM	
295/75-24.5					
305/75-24.5	2255CAM				
315/75-24.5	2255CAM				

# TRUCK CHAINS – SINGLE

	Pg. 108	Pg. 109	Pg. 109	Pg. 109	Pg. 110
Tire Size	Wide Base Highway Service Non-Cam	Wide Base Mud Service Non-Cam	Wide Base Square Link Alloy Cam	Wide Base Twisted Square Link Alloy Cam	Wide Base V-Bar
<b>12" Rim</b>					
250/75-12					
<b>13" Rim</b>					
7.00-13					
<b>14" Rim</b>					
185/75-14					
195/75-14					
205/70-14					
205/75-14					
215/70-14					
215/75-14					
225/60-14					
225/70-14					
235/70-14					
245/70-14					
255/60-14					
265/60-14					
275/60-14					
27-8.50-14					
27-9.50-14					
28-8.50-14					
29-9.50-14					
6.00-14					
7.00-14					
<b>14.5" Rim</b>					
27-8.50-14.5					
7.00-14.5					
8.00-14.5					
9.00-14.5					
<b>15" Rim</b>					
10.00-15	3210R				
11.00-15					
195/65-15					
195/75-15					
195/80-15					
205/75-15					

# TRUCK CHAINS – SINGLE

	Pg. 108	Pg. 109	Pg. 109	Pg. 109	Pg. 110
Tire Size	Wide Base Highway Service Non-Cam	Wide Base Mud Service Non-Cam	Wide Base Square Link Alloy Cam	Wide Base Twisted Square Link Alloy Cam	Wide Base V-Bar
<b>15" Rim</b>					
215/70-15					
215/75-15					
215/80-15					
225/70-15					
225/75-15					
225/80-15					
235/70-15					
235/75-15					
245/60-15					
245/70-15					
245/75-15					
245/85-15	3228R		3128SLC	3128SLCTWIST	3828QC
250-15					
255/60-15					
255/65-15					
255/70-15					
255/75-15	3228R		3128SLC	3128SLCTWIST	3828QC
255/80-15					
255/85-15					
265/60-15					
265/65-15					
265/70-15	3210R				
265/75-15	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
275/60-15					
275/65-15					
275/70-15					
275/75-15	3228R	3428HH	3128SLC	3128SLCTWIST	3828QC
27-9.50-15					
285/70-15					
28-8.50-15					
29-10.50-15	3210R				
295/50-15					
29-9.50-15					
30-10.50-15					
305/50-15					
305/75-15	3231I	3429HH	3129SLC	3129SLCTWIST	3829QC

# TRUCK CHAINS – SINGLE

	Pg. 108	Pg. 109	Pg. 109	Pg. 109	Pg. 110
Tire Size	Wide Base Highway Service Non-Cam	Wide Base Mud Service Non-Cam	Wide Base Square Link Alloy Cam	Wide Base Twisted Square Link Alloy Cam	Wide Base V-Bar
<b>15" Rim</b>					
30-7.50-15					
30-9.50-15					
31-10.50-15	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
31-11.50-15	3227R	3427HH	3127SLC	3127SLCTWIST	3827QC
31-12.50-15	3227R	3429HH	3129SLC	3129SLCTWIST	3829QC
31-13.50-15	3229R				
31-15.50-15	3237R				
315/70-15	3229R				
31-9.50-15	3227R	3427HH	3127SLC	3127SLCTWIST	3827QC
32-11.50-15	3227R	3429HH	3129SLC	3129SLCTWIST	
32-12.50-15	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
32-12.5-15					
325/60-15	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
32-9.50-15	3227R	3427HH	3127SLC	3127SLCTWIST	3827QC
33-10.50-15	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
33-12.50-15	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
33-13.50-15	3227R	3429HH	3129SLC	3129SLCTWIST	3829QC
33-14.50-15	3229R				
33-14.5-15					
33-9.50-15	3227R	3410HH	3110SLC	3110SLCTWIST	3810QC
34-9.50-15	3227R				
35-10.50-15	3227R	3427HH	3127SLC	3127SLCTWIST	3827QC
35-12.50-15	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
35-13.50-15	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
35-14.00-15	3235R				
35-14.50-15	3249R	3435HH	3135SLC	3135SLCTWIST	3835QC
35-15.50-15	3237R				
35-15.00-15	3237R				
355/65-15					
36-12.50-15	3235R	3435HH	3135SLC	3135SLCTWIST	3835QC
36-13.50-15					
36-14.50-15	3237R				
36-14.00-15	3251R				
37-12.50-15	3235R	3435HH	3135SLC	3135SLCTWIST	3835QC
37-14.50-15	3251R				
38-12.50-15	3259R				

# TRUCK CHAINS – SINGLE

	Pg. 108	Pg. 109	Pg. 109	Pg. 109	Pg. 110
Tire Size	Wide Base Highway Service Non-Cam	Wide Base Mud Service Non-Cam	Wide Base Square Link Alloy Cam	Wide Base Twisted Square Link Alloy Cam	Wide Base V-Bar
<b>15" Rim</b>					
38-14.50-15	3259R				
6.70-15					
7.00-15	3237R				
7.50-15	3251R				
8.25-15					
9.00-15					
<b>15.5" Rim</b>					
185/70-15.5					
<b>16" Rim</b>					
15-16					
195/75-16					
195/85-16					
205/75-16					
205/80-16					
215/65-16					
215/70-16					
215/75-16					
215/80-16					
215/85-16					
225/50-16					
225/70-16					
225/75-16					
225/80-16					
225/85-16					
235/60-16					
235/65-16					
235/70-16					
235/75-16					
235/80-16					
235/85-16					
245/60-16					
245/65-16					
245/70-16					
245/75-16					
245/85-16	3228R		3128SLC	3128SLCTWIST	3828QC



# TRUCK CHAINS – SINGLE

	Pg. 108	Pg. 109	Pg. 109	Pg. 109	Pg. 110
Tire Size	Wide Base Highway Service Non-Cam	Wide Base Mud Service Non-Cam	Wide Base Square Link Alloy Cam	Wide Base Twisted Square Link Alloy Cam	Wide Base V-Bar
<b>16" Rim</b>					
255/60-16					
255/65-16					
255/70-16					
255/75-16	3228R		3128SLC	3128SLCTWIST	3828QC
255/85-16	3228R		3128SLC	3128SLCTWIST	3828QC
265/50-16					
265/55-16					
265/60-16	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
265/65-16					
265/70-16	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
265/75-16	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
265/85-16	3228R		3128SLC	3128SLCTWIST	3828QC
275/55-16					
275/60-16	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
275/65-16	3228R		3128SLC	3128SLCTWIST	3828QC
275/70-16	3210R	3428HH	3128SLC	3128SLCTWIST	3828QC
275/75-16	3228R		3128SLC	3128SLCTWIST	3828QC
275/85-16	3228R	3428HH	3128SLC	3128SLCTWIST	3828QC
285/60-16	3228R	3427HH	3128SLC	3128SLCTWIST	3828QC
285/65-16					
285/70-16	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
285/75-16	3229R	3429HH	3128SLC	3128SLCTWIST	3828QC
295/65-16	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
295/75-16	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
29-9.50-16					
305/70-16	3229R		3128SLC	3128SLCTWIST	3828QC
305/85-16	3229R				
30-9.50-16					
31-10.50-16	3210R				
31-11.50-16					
315/70-16	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
315/75-16	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
32-11.50-16	3227R				
33-13.50-16	3227R	3429HH	3129SLC	3129SLCTWIST	3829QC
34-9.00-16	3227R				
35-12.50-16	3235R	3431HH	3131SLC	3131SLCTWIST	3831QC

# TRUCK CHAINS – SINGLE

	Pg. 108	Pg. 109	Pg. 109	Pg. 109	Pg. 110
Tire Size	Wide Base Highway Service Non-Cam	Wide Base Mud Service Non-Cam	Wide Base Square Link Alloy Cam	Wide Base Twisted Square Link Alloy Cam	Wide Base V-Bar
<b>16" Rim</b>					
35-13.50-16	3229R	3431HH	3131SLC	3131SLCTWIST	3831QC
36.5-14.00-16	3235R				
36-13.50-16	3235R				
365/65-16					
38-15.00-16	3265R				
6.50-16	3237R				
7.00-16					
7.50-16	3251R				
8.25-16					
8.75-16					
9.00-16					
<b>16.5" Rim</b>					
10-16.5	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
12-16.5	3227R	3429HH	3129SLC	3129SLCTWIST	3829QC
14.5-16.5					
30-9.50-16.5	3210R				
31-10.50-16.5	3227R	3410HH	3110SLC	3110SLCTWIST	3810QC
31-11.50-16.5	3227R	3427HH	3127SLC	3127SLCTWIST	3827QC
32-11.50-16.5	3227R	3427HH	3127SLC	3127SLCTWIST	3827QC
32-12.50-16.5	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
32-14.50-16.5	3251R				
33-10.50-16.5	3227R				
33-12.50-16.5	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
35-12.50-16.5	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
35-14.00-16.5	3231I				
36-12.50-16.5	3235R	3435HH	3135SLC	3135SLCTWIST	3835QC
36-13.50-16.5					
36-14.00-16.5	3235R				
37-12.50-16.5	3235R	3435HH	3135SLC	3135SLCTWIST	3835QC
37-14.50-16.5	3251R				
38.5-15.00-16.5	3235R				
38.5-16.00-16.5	3249R				
38-15.50-16.5					
39.5-15.00-16.5	3251R				
40-17.00-16.5	3251R				

# TRUCK CHAINS – SINGLE

	Pg. 108	Pg. 109	Pg. 109	Pg. 109	Pg. 110
Tire Size	Wide Base Highway Service Non-Cam	Wide Base Mud Service Non-Cam	Wide Base Square Link Alloy Cam	Wide Base Twisted Square Link Alloy Cam	Wide Base V-Bar
<b>16.5" Rim</b>					
44-18.50-16.5	3269R				
8.00-16.5					
8.50-16.5					
8.75-16.5					
9.50-16.5					
<b>17" Rim</b>					
215/80-17					
225/65-17					
225/70-17					
225/75-17					
235/55-17					
235/60-17					
235/65-17					
235/70-17					
235/75-17	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
235/80-17					
235/85-17					
245/60-17					
245/65-17					
245/70-17	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
245/75-17	3228R		3128SLC	3128SLCTWIST	3828QC
245/85-17	3228R		3128SLC	3128SLCTWIST	3828QC
255/50-17					
255/55-17					
255/60-17	3210R				
255/65-17	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
255/70-17	3228R		3128SLC	3128SLCTWIST	3828QC
255/75-17	3228R		3128SLC	3128SLCTWIST	3828QC
255/80-17					
255/85-17					
265/55-17	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
265/60-17	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
265/65-17	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
265/70-17	3210R	3427HH	3110SLC	3110SLCTWIST	3810QC
265/75-17	3228R		3128SLC	3128SLCTWIST	3828QC

# TRUCK CHAINS – SINGLE

	Pg. 108	Pg. 109	Pg. 109	Pg. 109	Pg. 110
Tire Size	Wide Base Highway Service Non-Cam	Wide Base Mud Service Non-Cam	Wide Base Square Link Alloy Cam	Wide Base Twisted Square Link Alloy Cam	Wide Base V-Bar
<b>17" Rim</b>					
265/85-17	3231I				
275/50-17	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
275/55-17	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
275/60-17	3228R	3427HH	3128SLC	3128SLCTWIST	3828QC
275/65-17	3228R		3128SLC	3128SLCTWIST	3828QC
275/70-17	3229R	3427HH	3128SLC	3128SLCTWIST	3828QC
275/80-17	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
285/60-17	3227R		3128SLC	3128SLCTWIST	3828QC
285/65-17	3227R	3427HH	3127SLC	3127SLCTWIST	3827QC
285/70-17	3229R	3428HH	3128SLC	3128SLCTWIST	3828QC
285/75-17	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
295/70-17	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
305/60-17	3235R	3435HH	3135SLC	3135SLCTWIST	3835QC
305/65-17	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
305/70-17	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
31-10.50-17	3210R				
315/70-17	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
325/70-17	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
33-12.50-17	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
345/55-17	3227R	3427HH	3127SLC	3127SLCTWIST	3827QC
35-12.50-17	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
37-12.50-17	3235R	3435HH	3135SLC	3135SLCTWIST	3835QC
37-13.50-17	3235R	3435HH	3135SLC	3135SLCTWIST	3835QC
7.00-17	3251R				
7.50-17	3265R				
8.25-17					
8.75-17					
<b>17.5" Rim</b>					
10-17.5					
11-17.5					
14-17.5	3235R				
205/60-17.5					
205/65-17.5					
205/70-17.5					
205/75-17.5					

# TRUCK CHAINS – SINGLE

	Pg. 108	Pg. 109	Pg. 109	Pg. 109	Pg. 110
Tire Size	Wide Base Highway Service Non-Cam	Wide Base Mud Service Non-Cam	Wide Base Square Link Alloy Cam	Wide Base Twisted Square Link Alloy Cam	Wide Base V-Bar
<b>17.5" Rim</b>					
215/70-17.5					
215/75-17.5					
225/55-17.5					
225/70-17.5					
225/75-17.5					
235/70-17.5					
235/75-17.5	3210R		3128SLC	3128SLCTWIST	3828QC
245/70-17.5	3228R		3128SLC	3128SLCTWIST	3828QC
245/75-17.5					
255/40-17.5					
255/55-17.5					
255/65-17.5					
275/70-17.5	3228R	3428HH	3128SLC	3128SLCTWIST	3828QC
285/60-17.5					
295/75-17.5					
7.50-17.5					
8.00-17.5					
8.50-17.5					
9.00-17.5					
9.5-17.5					
9-17.5					
<b>18" Rim</b>					
10.00-18					
10.50-18					
215/75-18					
225/55-18					
225/65-18					
225/70-18					
235/50-18					
235/55-18					
235/60-18					
235/65-18					
235/70-18					
235/80-18	3228R		3128SLC	3128SLCTWIST	3828QC
245/55-18					

# TRUCK CHAINS – SINGLE

	Pg. 108	Pg. 109	Pg. 109	Pg. 109	Pg. 110
Tire Size	Wide Base Highway Service Non-Cam	Wide Base Mud Service Non-Cam	Wide Base Square Link Alloy Cam	Wide Base Twisted Square Link Alloy Cam	Wide Base V-Bar
<b>18" Rim</b>					
245/60-18					
245/70-18	3228R		3128SLC	3128SLCTWIST	3828QC
245/75-18	3228R		3128SLC	3128SLCTWIST	3828QC
255/45-18					
255/55-18					
255/60-18	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
255/65-18	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
255/70-18	3228R		3128SLC	3128SLCTWIST	3828QC
265/50-18					
265/55-18	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
265/60-18	3227R		3128SLC	3128SLCTWIST	3828QC
265/65-18	3228R	3428HH	3128SLC	3128SLCTWIST	3828QC
265/70-18	3228R		3128SLC	3128SLCTWIST	3828QC
265/75-18	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
275/45-18					
275/55-18	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
275/60-18	3228R		3128SLC	3128SLCTWIST	3828QC
275/65-18	3228R	3428HH	3128SLC	3128SLCTWIST	3828QC
275/70-18	3235R	3428HH	3128SLC	3128SLCTWIST	3828QC
275/75-18	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
285/50-18	3228R	3427HH	3128SLC	3128SLCTWIST	3828QC
285/55-18	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
285/60-18	3227R		3128SLC	3128SLCTWIST	3828QC
285/65-18	3229R	3429HH	3128SLC	3128SLCTWIST	3828QC
285/70-18	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
285/75-18	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
285/80-18	3231I				
295/45-18	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
295/60-18	3227R	3427HH	3127SLC	3127SLCTWIST	3827QC
295/65-18	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
295/70-18	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
305/55-18	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
305/60-18	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
305/65-18	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
305/70-18	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC

# TRUCK CHAINS – SINGLE

	Pg. 108	Pg. 109	Pg. 109	Pg. 109	Pg. 110
Tire Size	Wide Base Highway Service Non-Cam	Wide Base Mud Service Non-Cam	Wide Base Square Link Alloy Cam	Wide Base Twisted Square Link Alloy Cam	Wide Base V-Bar
<b>18" Rim</b>					
315/60-18	3231I				
325/50-18	3231I				
325/60-18	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
325/65-18	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
33-12.50-18	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
35-10.50-18	3235R				
35-12.50-18	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
37-12.50-18	3235R	3435HH	3135SLC	3135SLCTWIST	3835QC
37-13.50-18	3235R	3435HH	3135SLC	3135SLCTWIST	3835QC
6.00-18					
7.00-18					
7.50-18					
9.00-18					
<b>18.5" Rim</b>					
255/65-18.5					
<b>19" Rim</b>					
225/55-19					
225/60-19					
235/50-19					
235/55-19					
245/50-19					
245/55-19	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
255/50-19					
255/55-19	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
255/60-19	3228R		3128SLC	3128SLCTWIST	3828QC
255/65-19	3228R		3128SLC	3128SLCTWIST	3828QC
265/50-19	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
275/45-19					
275/55-19	3228R		3128SLC	3128SLCTWIST	3828QC
275/65-19	3228R		3128SLC	3128SLCTWIST	3828QC
285/45-19	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
285/55-19	3228R		3128SLC	3128SLCTWIST	3828QC
285/60-19	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC

# TRUCK CHAINS – SINGLE

	Pg. 108	Pg. 109	Pg. 109	Pg. 109	Pg. 110
Tire Size	Wide Base Highway Service Non-Cam	Wide Base Mud Service Non-Cam	Wide Base Square Link Alloy Cam	Wide Base Twisted Square Link Alloy Cam	Wide Base V-Bar
<b>19.5" Rim</b>					
16.5-19.5					
19.5-19.5					
225/70-19.5					
245/70-19.5			3128SLC	3128SLCTWIST	3828QC
255/70-19.5					
265/70-19.5					
285/70-19.5	3235R				
285/75-19.5					
305/70-19.5					
445/65-19.5	3271R				
8.00-19.5	3259R				
9.5-19.5	3261R				
<b>20" Rim</b>					
10.00-20					
10.5-20					
11.00-20					
11.50-20					
12.00-20					
12.4-20					
12/80-20					
13.00-20					
13/80-20					
14.00-20					
225/55-20					
225/70-20					
225/75-20			3128SLC	3128SLCTWIST	3828QC
235/45-20					
235/55-20		3410HH	3110SLC	3110SLCTWIST	3810QC
245/45-20					
245/50-20		3410HH	3110SLC	3110SLCTWIST	3810QC
245/60-20			3128SLC	3128SLCTWIST	3828QC
255/40-20					
255/45-20					
255/50-20		3410HH	3110SLC	3110SLCTWIST	3810QC
255/55-20			3128SLC	3128SLCTWIST	3828QC



# TRUCK CHAINS – SINGLE

	Pg. 108	Pg. 109	Pg. 109	Pg. 109	Pg. 110
Tire Size	Wide Base Highway Service Non-Cam	Wide Base Mud Service Non-Cam	Wide Base Square Link Alloy Cam	Wide Base Twisted Square Link Alloy Cam	Wide Base V-Bar
<b>20" Rim</b>					
255/60-20			3128SLC	3128SLCTWIST	3828QC
265/40-20					
265/45-20	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
265/50-20	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
265/60-20	3228R	3428HH	3128SLC	3128SLCTWIST	3828QC
265/65-20	3227R	3427HH	3127SLC	3127SLCTWIST	3827QC
275/40-20	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
275/45-20		3427HH			
275/50-20	3228R		3128SLC	3128SLCTWIST	3828QC
275/55-20	3229R	3428HH	3128SLC	3128SLCTWIST	3828QC
275/60-20	3227R		3128SLC	3128SLCTWIST	3828QC
275/65-20	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
285/50-20	3228R	3428HH	3128SLC	3128SLCTWIST	3828QC
285/55-20	3228R	3428HH	3128SLC	3128SLCTWIST	3828QC
285/60-20	3228R		3128SLC	3128SLCTWIST	3828QC
285/65-20	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
295/40-20	3228R		3128SLC	3128SLCTWIST	3828QC
295/45-20	3228R	3427HH	3128SLC	3128SLCTWIST	3828QC
295/50-20	3228R	3428HH	3128SLC	3128SLCTWIST	3828QC
295/60-20	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
295/65-20	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
305/45-20	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
305/50-20	3228R	3429HH	3128SLC	3128SLCTWIST	3828QC
305/55-20	3229R	3431HH	3131SLC	3131SLCTWIST	3831QC
315/35-20					
315/60-20	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
325/50-20	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
325/60-20	3235R	3435HH	3135SLC	3135SLCTWIST	3835QC
33-12.50-20	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
35-12.50-20	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
35-13.50-20	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
355/80-20	3255R				
365/80-20					
365/85-20					
37-12.50-20	3235R	3435HH	3135SLC	3135SLCTWIST	3835QC

# TRUCK CHAINS – SINGLE

	Pg. 108	Pg. 109	Pg. 109	Pg. 109	Pg. 110
Tire Size	Wide Base Highway Service Non-Cam	Wide Base Mud Service Non-Cam	Wide Base Square Link Alloy Cam	Wide Base Twisted Square Link Alloy Cam	Wide Base V-Bar
<b>20" Rim</b>					
37-13.50-20	3235R	3435HH	3135SLC	3135SLCTWIST	3835QC
400/70-20	3255R				
6.50-20					
7.00-20	3265R				
7.50-20	3267R				
8.00-20					
8.25-20	3269R				
9.00-20	3273R				
<b>21" Rim</b>					
265/45-21	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
<b>22" Rim</b>					
10.00-22					
11.00-22					
255/35-22					
265/35-22					
265/40-22	3210R	3410HH	3110SLC	3110SLCTWIST	3810QC
265/45-22	3228R		3128SLC	3128SLCTWIST	3828QC
275/45-22					
285/35-22	3228R		3128SLC	3128SLCTWIST	3828QC
285/40-22	3228R		3128SLC	3128SLCTWIST	3828QC
285/45-22	3228R		3128SLC	3128SLCTWIST	3828QC
285/50-22	3228R	3428HH	3128SLC	3128SLCTWIST	3828QC
295/30-22	3228R		3128SLC	3128SLCTWIST	3828QC
305/40-22	3228R	3428HH	3128SLC	3128SLCTWIST	3828QC
305/45-22	3228R	3429HH	3128SLC	3128SLCTWIST	3828QC
305/50-22	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
325/40-22	3228R		3128SLC	3128SLCTWIST	3828QC
325/50-22	3235R	3435HH	3135SLC	3135SLCTWIST	3835QC
<b>22.5" Rim</b>					
10-22.5					
11-22.5					
12.50-22.5					
12-22.5					
13-22.5					
15.00-22.5					

# TRUCK CHAINS – SINGLE

	Pg. 108	Pg. 109	Pg. 109	Pg. 109	Pg. 110
Tire Size	Wide Base Highway Service Non-Cam	Wide Base Mud Service Non-Cam	Wide Base Square Link Alloy Cam	Wide Base Twisted Square Link Alloy Cam	Wide Base V-Bar
<b>22.5" Rim</b>					
18-22.5					
225/70-22.5					
235/75-22.5					
235/80-22.5					
245/70-22.5					
245/75-22.5					
245/80-22.5					
255/70-22.5					
255/75-22.5					
255/80-22.5					
265/75-22.5					
265/80-22.5	3255R				
275/70-22.5					
275/75-22.5					
275/80-22.5					
275/85-22.5					
285/65-22.5					
285/70-22.5					
285/75-22.5					
285/80-22.5					
295/70-22.5	3277R				
295/75-22.5					
295/80-22.5					
305/60-22.5					
305/70-22.5	3277R				
305/80-22.5	3277R				
315/60-22.5					
315/70-22.5					
315/75-22.5					
315/80-22.5	3277R				
365/70-22.5	3255R				
365/80-22.5					
385/65-22.5	3255R				
425/55-22.5	3271R				
425/65-22.5	3271R				

# TRUCK CHAINS – SINGLE

	Pg. 108	Pg. 109	Pg. 109	Pg. 109	Pg. 110
Tire Size	Wide Base Highway Service Non-Cam	Wide Base Mud Service Non-Cam	Wide Base Square Link Alloy Cam	Wide Base Twisted Square Link Alloy Cam	Wide Base V-Bar
<b>22.5" Rim</b>					
425/70-22.5	3271R				
445/50-22.5	3269R				
445/55-22.5	3271R				
445/65-22.5	3261R				
455/50-22.5	3271R				
455/55-22.5	3269R				
7.50-22.5					
8.25-22.5					
9-22.5	3269R				
<b>24" Rim</b>					
10.00-24					
11.00-24					
12.00-24					
14.00-24					
20--24					
285/40-24	3229R	3429HH	3129SLC	3129SLCTWIST	3829QC
295/30-24					
295/40-24	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
305/35-24	3231I	3431HH	3131SLC	3131SLCTWIST	3831QC
37-13.50-24	3235R	3435HH	3135SLC	3135SLCTWIST	3835QC
<b>24.5" Rim</b>					
11-24.5					
12.00-24.5					
275/80-24.5					
285/70-24.5					
285/75-24.5					
285/80-24.5					
295/75-24.5					
305/75-24.5	3277R				
315/75-24.5	3277R				

# TRUCK CHAINS – SINGLE



## AQUILINE TALON

Aquiline® Talon Single Truck Chains are manufactured from a specially designed alloy steel that is then case hardened for added durability. Robotically fused studs provide the ultimate in off-road traction.

Aquiline® Talon Truck Chains feature easy to use boomer style side chain fasteners and heavy duty cross chain hooks. Single model with cams.

## CABLE LADDER PATTERN



Ladder style cable tire chains fit more applications, are lighter weight and offer a smoother ride than link chains.

Cable chains are also typically easier to install, remove and store.

Stock Number	Cross Chains Per 1/2 Pair
1661	15
1663	12
1665	13
1669	14
1673	14
1675	12

# TRUCK CHAINS – SINGLE



## CABLE V-TRAC

V-Trac style cable tire chains fit more applications, are lighter weight and offer a smoother ride than link chains.

Cable chains are also typically easier to install, remove and store.

## DIAMOND PATTERN 4X4 LIGHT/MEDIUM



Long-life snow chain for normal and moderately heavy use. Reversible chain with square links for good traction. Suitable for a wide range of applications, such as snow clearance, forest work, fork-lift trucks - especially recommended for light and medium vehicles. These chains also stand up to heavier use, have a reversible

chain mesh, have high-grip square links, are simple and easy to fit/remove, have a long service life, are high-grade steel and hardened for greater wear-resistance, and have a high-grip track pattern chain mesh. Lifting or moving the vehicle will be required to properly install these chains.



## DIAMOND BACK SINGLE 3.7MM PULL CHAIN

Lightweight Diamond Back square link alloy diamond pattern light truck tire chains feature a pull chain tightening system for easy installation. Constructed

of alloy steel with a square link design. For use with light trucks, SUVs, vans and RVs on snow/ice covered highways only. Not for intended use on trailers.

# TRUCK CHAINS – SINGLE



## DIAMOND BACK SINGLE 3.7MM RUBBER ADJUSTER

Lightweight Diamond Back square link alloy diamond pattern light truck tire chains feature a pull chain tightening system for easy installation. Constructed

of alloy steel with a square link design. For use with light trucks, SUVs, vans and RVs on snow/ice covered highways only. Not for intended use on trailers.

## DIAMOND BACK SINGLE 5.5MM PULL CHAIN



Lightweight Diamond Back square link alloy diamond pattern light truck tire chains feature a pull chain tightening system for easy installation. Constructed

of alloy steel with a square link design. For use with light trucks, SUVs, vans and RVs on snow/ice covered highways only. Not for intended use on trailers.



## DIAMOND BACK SINGLE 5.5MM RUBBER ADJUSTER

Lightweight Diamond Back square link alloy diamond pattern light truck tire chains feature a pull chain tightening system for easy installation. Constructed

of alloy steel with a square link design. For use with light trucks, SUVs, vans and RVs on snow/ice covered highways only. Not for intended use on trailers.

# TRUCK CHAINS – SINGLE



## DIAMOND PATTERN OLYMPIA SPRINTS

Olympia Sprint single tire chains are a commercial grade chain suitable for light trucks and heavy duty trucks (big rigs, SUVs, and trailers). They are made from German forged steel and assembled in China. The bag has the Erlau name on it which is a subsidiary of RUD Chain. The link size ranges from 4.5mm for the smaller tires and up to 7mm for the largest sizes. To install these

chains, drape them over the tire as centered as possible. Back up the tire 1/4 turn. Connect the ends. Secure the tensioning chain with the L-Bar. Weave the excess of the tensioning chain in and around the other sections of the tensioning chain and secure it to a link somewhere that would result in more tension.

## EASYSOX



Need traction where chains won't fit? Quality Chain created the Easysox traction device. Designed for truck tires with extremely low clearance, these traction socks offer grip while being easier to handle and store vs traditional tire chains. No more worrying about chain damage to your wheel wells! Easysox does not contain

metal or plastic components that can damage your vehicle. Easysox are easy to install, and are legal. Easysox are an environmentally friendly traction alternative. No steelmaking or zinc plating is involved in the manufacturing process.



# TRUCK CHAINS – SINGLE



## HIGHWAY SERVICE SINGLE CAM

Highway service chains have a standard ladder style cross chain design and are built to current NACM

specifications. All-steel construction and case-hardened cross chains provide excellent durability.

Stock Number	Cross Chain Stock Number	Cross Chains Per 1/2 Pair
2214CAM	CC6221	15
2216CAM	CC6221	12
2219CAM	CC6221	13
2221CAM	CC6221	14
2228CAM	CC6225	14
2229CAM	CC6225	12
2233CAM	CC6251	11
2237CAM	CC6251	12
2239CAM	CC6251	13
2241CAM	CC6251	14
2245CAM	CC6251	15
2247CAM	CC6253	14
2249CAM	CC6253	15
2251CAM	CC6260	14
2253CAM	CC6260	16
2255CAM	CC6263	14
2257CAM	CC6263	16
2271CAM	CC6266	16
2273CAM	CC6266	18

# TRUCK CHAINS – SINGLE



## MUD SERVICE SINGLE

Tire chains designed for use in the mud have a special design that helps with cleanout. Heavy duty construction designed for off-road use. Features

durable case-hardened alloy steel cross chains and extra heavy cross chain hooks for long life and dependable performance.

Stock Number	Cross Chain Stock Number	Cross Chains Per 1/2 Pair
2433M	CC6256	8
2435M	CC6256	9
2437M	CC6256	10
2439M	CC6260	10
2441M	CC6434	11
2445M	CC6434	12
2448M	CC6434	13
2452M	CC6434	14
2470M	CC6438	15
2486M	CC6438	14

## SQUARE LINK ALLOY SINGLE



Alloy square link cam style chain. For highway and off road use. Strong alloy, long mileage highway service.

# TRUCK CHAINS – SINGLE



## V-BAR SINGLE

Reinforced V-bar truck chains are an excellent choice for off-road conditions. The reinforced cross members provide superior traction in mud, deep snow and ice. V-bar reinforced truck chains are manufactured to

current NACM specifications. Single V-bar truck tire chains are used on light trucks and trailers.

Stock Number	Cross Chain Stock Number	Cross Chains Per 1/2 Pair
2814CAM	CC6821	15
2816CAM	CC6821	12
2819CAM	CC6821	13
2821CAM	CC6821	14
2828CAM	CC6825	14
2829CAM	CC6825	12
2839CAM	CC6822	13
2841CAM	CC6822	14
2845CAM	CC6822	15
2847CAM	CC6853	14
2849CAM	CC6853	15
2851CAM	CC6860	14

## WIDE BASE HIGHWAY SERVICE CAM



Highway service chains have a standard ladder style cross chain design and are built to current NACM

specifications. All-steel construction and case-hardened cross chains provide excellent durability.

# TRUCK CHAINS – SINGLE



## WIDE BASE HIGHWAY SERVICE NON-CAM

Designed for full-sized 4-wheel drive trucks, and super-single tires. These wide base chains have a standard ladder-style cross chain design and are built to current

NACM specifications. All-steel construction and case-hardened cross chains provide excellent durability.

Stock Number	Cross Chain Stock Number	Cross Chains Per 1/2 Pair
3210R	CC6225	13
3227R	CC6253	10
3229R	CC6259	10
3235R	CC6259	12
3237R	CC6265	9
3249R	CC6267	9
3251R	CC6267	10
3255R	CC7213	14
3257R	CC7213	15
3259R	CC7214	11
3261R	CC7214	16
3265R	CC7215	11
3267R	CC7215	12
3269R	CC7215	13
3271R	CC7215	14
3273R	CC7216	12
3275R	CC7216	13
3277R	CC7216	14

# TRUCK CHAINS – SINGLE



## WIDE BASE MUD SERVICE NON-CAM

Used in highway and off-road applications. Chains are sold in pairs. One pair will service one axle consisting of two wide base truck tires OR two pair of dualed standard width truck tires. Wide base mud service non-cam

chains are designed for most 4-wheel drive vehicles and super single tires—they have heavy duty 10mm cross chains and extra heavy hooks.

## WIDE BASE SQUARE LINK ALLOY CAM



Designed for full-sized 4-wheel drive trucks, and super-single tires. Alloy steel construction for increased durability and longevity. Sold in pairs (2 chains). One pair

services one axle consisting of two wide base truck tires OR two pair of dualed standard width truck tires.



## WIDE BASE TWISTED SQUARE LINK ALLOY CAM

Designed for full-sized 4-wheel drive trucks, and super-single tires. Alloy steel construction for increased durability and longevity. These chains feature a twisted square link design. This provides a smoother ride than a

regular square link chain can. Sold in pairs (2 chains). One pair services one axle consisting of two wide base truck tires OR two pair of dualed standard width truck tires.

# TRUCK CHAINS – SINGLE



## WIDE BASE V-BAR

Designed for full-sized 4-wheel drive trucks, and super-single tires. These wide base chains have a standard ladder-style cross chain design and are built to current NACM specifications. All-steel construction and case-hardened cross chains provide excellent durability. Wide Base V-bar truck tire chains are for highway use. The

reinforced cross members provide superior traction in deep snow and ice. Not intended for offroad use. Wide Base V-bar reinforced CAM style truck chains are manufactured to current NACM specifications. Not for use on plows, forklifts, or tow trucks.

Stock Number	Cross Chain Stock Number	Cross Chains Per 1/2 Pair
2814CAM	CC6821	15
2816CAM	CC6821	12
2819CAM	CC6821	13
2821CAM	CC6821	14
2828CAM	CC6825	14
2829CAM	CC6825	12
2839CAM	CC6822	13
2841CAM	CC6822	14
2845CAM	CC6822	15
2847CAM	CC6853	14
2849CAM	CC6853	15
2851CAM	CC6860	14

# TRUCK CHAINS – DUAL

This chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that specific size tire. To view pictures and descriptions of the different chain

styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual product codes may vary.

	Pg. 122	Pg. 122	Pg. 123	Pg. 123	Pg. 124
Tire Size	Aquiline Talon Dual	Highway Service Dual Cam	Mud Service Dual	Diamond Pattern Olympia Sprints Dual	V-Bar Dual
<b>14" Rim</b>					
195/75-14		4209CAM			
205/70-14		4209CAM			
205/75-14		4209CAM			
215/70-14		4209CAM			
215/75-14	5316ASCAM	4216CAM			
225/60-14		4209CAM			
225/70-14		4216CAM	4412M		
235/70-14		4229CAM	4412M		
245/70-14		4229CAM			
255/60-14		4229CAM	4412M		
265/60-14		4229CAM			
275/60-14		4229CAM			
27-8.50-14		4211CAM	4412M		
27-9.50-14		4216CAM	4412M		
28-8.50-14		4209CAM	4412M		
29-9.50-14		4216CAM	4412M		
7.00-14		4209CAM			
<b>14.5" Rim</b>					
27-8.50-14.5		4216CAM	4412M		
7.00-14.5		4209CAM			
8.00-14.5		4216CAM			
9.00-14.5	5316ASCAM	4216CAM			
<b>15" Rim</b>					
10.00-15		4241CAM	4435M		4839CAM
11.00-15		4228CAM			
195/75-15		4209CAM	4412M		
195/80-15		4209CAM	4412M		
205/75-15		4209CAM	4412M		
215/70-15		4209CAM			
215/75-15	5316ASCAM	4216CAM	4412M		
215/80-15		4216CAM			

# TRUCK CHAINS – DUAL

	Pg. 122	Pg. 122	Pg. 123	Pg. 123	Pg. 124
Tire Size	Aquiline Talon Dual	Highway Service Dual Cam	Mud Service Dual	Diamond Pattern Olympia Sprints Dual	V-Bar Dual
<b>15" Rim</b>					
225/70-15		4216CAM			
225/75-15	5316ASCAM	4216CAM			
225/80-15		4216CAM			
235/70-15	5316ASCAM	4216CAM			
235/75-15	5319ASCAM	4219CAM			
245/60-15		4216CAM			
245/70-15	5319ASCAM	4219CAM			
245/75-15	5319ASCAM	4219CAM			4819CAM
245/85-15		4228CAM			
255/60-15		4229CAM			
255/65-15		4229CAM			
255/70-15		4229CAM	4412M		
255/75-15	5319ASCAM	4228CAM			
255/85-15		4228CAM			
265/60-15		4229CAM			
265/65-15		4229CAM			
265/70-15		4221CAM			
265/75-15	5321ASCAM	4221CAM			
275/60-15	5319ASCAM	4229CAM	4412M		
275/75-15		4228CAM			
27-9.50-15		4229CAM	4412M		
285/70-15		4228CAM			
28-8.50-15		4229CAM	4412M		
295/50-15		4229CAM			
29-9.50-15		4229CAM			
305/50-15		4229CAM			
305/75-15		4226CAM			
30-7.50-15		4229CAM			
30-9.50-15		4229CAM	4412M		
31-10.50-15					
31-11.50-15		4228CAM			
32-11.50-15		4228CAM			
33-10.50-15		4228CAM			
33-14.50-15		4226CAM			
33-9.50-15					



# TRUCK CHAINS – DUAL

	Pg. 122	Pg. 122	Pg. 123	Pg. 123	Pg. 124
Tire Size	Aquiline Talon Dual	Highway Service Dual Cam	Mud Service Dual	Diamond Pattern Olympia Sprints Dual	V-Bar Dual
<b>15" Rim</b>					
35-10.50-15		4226CAM			
35-12.50-15		4226CAM			
35-13.50-15		4226CAM			
35-14.00-15		4226CAM			
36-12.50-15		4226CAM			
36-13.50-15		4226CAM			
6.70-15		4216CAM			
7.00-15	5319ASCAM	4219CAM			4819CAM
7.50-15	5319ASCAM	4219CAM			4819CAM
8.25-15		4237CAM			
9.00-15		4237CAM			
<b>15.5" Rim</b>					
185/70-15.5		4209CAM			
<b>16" Rim</b>					
195/75-16		4216CAM	4412M		
195/85-16		4216CAM			
205/75-16		4216CAM	4412M		
205/80-16		4229CAM	4412M		
215/65-16		4216CAM			
215/70-16		4216CAM			
215/75-16		4216CAM			
215/80-16	5319ASCAM	4219CAM			4819CAM
215/85-16	5319ASCAM	4219CAM			4819CAM
225/50-16		4209CAM			
225/70-16	5316ASCAM	4216CAM			
225/75-16	5319ASCAM	4219CAM			4819CAM
225/80-16		4219CAM			
225/85-16		4228CAM			
235/60-16		4216CAM	4412M		
235/65-16		4229CAM			
235/70-16		4229CAM			
235/75-16	5319ASCAM	4219CAM			4819CAM
235/80-16	5319ASCAM	4219CAM			
235/85-16		4221CAM	4412M		4821CAM
245/60-16		4229CAM			

# TRUCK CHAINS – DUAL

	Pg. 122	Pg. 122	Pg. 123	Pg. 123	Pg. 124
Tire Size	Aquiline Talon Dual	Highway Service Dual Cam	Mud Service Dual	Diamond Pattern Olympia Sprints Dual	V-Bar Dual
<b>16" Rim</b>					
245/65-16		4229CAM			
245/70-16		4229CAM			
245/75-16	5321ASCAM	4221CAM			4821CAM
245/85-16		4228CAM			
255/60-16		4229CAM			
255/65-16		4229CAM			
255/70-16					
255/75-16		4228CAM			
255/85-16		4228CAM			
265/50-16		4229CAM			
265/55-16		4229CAM			
265/60-16		4229CAM			
265/65-16		4229CAM			
265/70-16		4228CAM			
265/75-16		4228CAM			
265/85-16		4228CAM			
275/55-16		4229CAM			
275/60-16					
275/65-16					
275/70-16		4228CAM			
275/75-16					
285/60-16		4228CAM			
285/70-16		4228CAM			
285/75-16		4228CAM			
29-9.50-16		4216CAM			
305/70-16		4229CAM			
30-9.50-16		4229CAM			
315/70-16		4226CAM			
315/75-16		4226CAM			
6.50-16	5316ASCAM	4216CAM			
7.00-16	5319ASCAM	4219CAM			4819CAM
7.50-16		4221CAM	4412M		4821CAM
8.25-16		4228CAM			
8.75-16		4237CAM			
9.00-16		4237CAM			

# TRUCK CHAINS – DUAL

	Pg. 122	Pg. 122	Pg. 123	Pg. 123	Pg. 124
Tire Size	Aquiline Talon Dual	Highway Service Dual Cam	Mud Service Dual	Diamond Pattern Olympia Sprints Dual	V-Bar Dual
<b>16.5" Rim</b>					
10-16.5					
30-9.50-16.5					
35-12.50-16.5		4226CAM			
35-14.00-16.5		4226CAM			
36-12.50-16.5		4226CAM			
36-13.50-16.5		4226CAM			
36-14.00-16.5		4226CAM			
38.5-15.00-16.5		4226CAM			
38-15.50-16.5		4226CAM			
8.00-16.5	5316ASCAM	4216CAM	4412M		
8.50-16.5		4216CAM	4412M		
8.75-16.5	5319ASCAM	4219CAM			4819CAM
9.50-16.5	5321ASCAM	4221CAM			4821CAM
<b>17" Rim</b>					
215/80-17					
225/70-17		4229CAM			
225/75-17		4219CAM			
235/55-17	5319ASCAM	4219CAM	4412M		4819CAM
235/60-17	5316ASCAM	4219CAM			
235/65-17		4211CAM			
235/70-17		4219CAM			4819CAM
235/75-17	5321ASCAM				
235/80-17		4228CAM			
235/85-17		4228CAM			
245/60-17		4219CAM			
245/65-17					
245/70-17					
245/75-17					
245/85-17		4237CAM			
255/50-17		4229CAM			
255/55-17		4229CAM			
255/60-17	5319ASCAM	4229CAM			
255/65-17					
255/70-17		4228CAM			
255/75-17		4228CAM			

# TRUCK CHAINS – DUAL

	Pg. 122	Pg. 122	Pg. 123	Pg. 123	Pg. 124
Tire Size	Aquiline Talon Dual	Highway Service Dual Cam	Mud Service Dual	Diamond Pattern Olympia Sprints Dual	V-Bar Dual
<b>17" Rim</b>					
255/80-17		4228CAM			
255/85-17		4237CAM			
265/55-17		4228CAM			
265/60-17					
265/65-17					
265/70-17		4228CAM			
265/75-17		4228CAM			
265/85-17		4226CAM			
275/50-17		4229CAM			
275/55-17	5319ASCAM	4229CAM			
275/60-17		4228CAM			
275/65-17		4228CAM			
275/70-17		4228CAM			
275/80-17		4228CAM			
285/60-17		4228CAM			
285/65-17		4228CAM			
285/70-17					
305/70-17		4226CAM			
315/70-17		4226CAM			
7.00-17	5321ASCAM	4221CAM	4412M		4821CAM
8.25-17		4237CAM			
<b>17.5" Rim</b>					
10-17.5		4228CAM			
11-17.5		4239CAM			4839CAM
205/60-17.5		4209CAM	4412M		
205/65-17.5		4216CAM	4412M		
205/70-17.5		4216CAM			
205/75-17.5		4219CAM	4412M		
215/70-17.5	5319ASCAM	4219CAM			4819CAM
215/75-17.5	5321ASCAM	4221CAM	4412M		4821CAM
225/55-17.5		4216CAM	4412M		
225/70-17.5	5321ASCAM				
225/75-17.5		4221CAM			
235/70-17.5					
235/75-17.5					

# TRUCK CHAINS – DUAL

	Pg. 122	Pg. 122	Pg. 123	Pg. 123	Pg. 124
Tire Size	Aquiline Talon Dual	Highway Service Dual Cam	Mud Service Dual	Diamond Pattern Olympia Sprints Dual	V-Bar Dual
<b>17.5" Rim</b>					
245/70-17.5		4228CAM			
245/75-17.5		4228CAM			
255/40-17.5		4412M			
255/55-17.5		4229CAM			
255/65-17.5		4229CAM			
255/70-17.5		4221CAM			
275/70-17.5					
285/60-17.5		4228CAM			
7.50-17.5		4216CAM	4412M		
8.00-17.5	5319ASCAM	4219CAM			
8.50-17.5	5319ASCAM	4219CAM			4819CAM
<b>18" Rim</b>					
10.00-18		4237CAM			
10.50-18		4229CAM			
215/75-18		4219CAM			
225/55-18					
225/65-18	5319ASCAM				
225/70-18					
235/50-18	5319ASCAM				
235/55-18					
235/60-18	5319ASCAM	4229CAM			
235/65-18	5319ASCAM				
235/70-18					
235/80-18		4228CAM			
245/55-18		4229CAM			
245/60-18					
245/70-18					
245/75-18					
255/45-18	5319ASCAM				
255/55-18		4229CAM			
255/60-18	5321ASCAM				
255/65-18		4229CAM			
255/70-18		4228CAM			
265/50-18		4229CAM			
265/55-18					

# TRUCK CHAINS – DUAL

	Pg. 122	Pg. 122	Pg. 123	Pg. 123	Pg. 124
Tire Size	Aquiline Talon Dual	Highway Service Dual Cam	Mud Service Dual	Diamond Pattern Olympia Sprints Dual	V-Bar Dual
<b>18" Rim</b>					
265/60-18					
265/65-18		4228CAM			
265/70-18		4228CAM			
275/45-18					
275/55-18					
275/60-18		4228CAM			
275/65-18		4228CAM			
275/70-18					
275/75-18		4226CAM			
285/50-18		4228CAM			
285/55-18		4228CAM			
285/60-18		4228CAM			
285/65-18					
285/70-18		4226CAM			
295/45-18					
295/70-18		4226CAM			
6.00-18		4219CAM			
7.50-18		4233CAM			
9.00-18		4237CAM			
<b>18.5" Rim</b>					
255/65-18.5		4228CAM			
<b>19" Rim</b>					
225/55-19		4216CAM			
225/60-19		4221CAM			
235/50-19		4216CAM			
235/55-19		4219CAM			
245/50-19					
245/55-19		4229CAM			
255/50-19		4229CAM			
255/55-19					
255/60-19		4228CAM			
255/65-19		4228CAM			
265/50-19		4229CAM			
275/45-19		4229CAM			
275/55-19		4228CAM			

# TRUCK CHAINS – DUAL

	Pg. 122	Pg. 122	Pg. 123	Pg. 123	Pg. 124
Tire Size	Aquiline Talon Dual	Highway Service Dual Cam	Mud Service Dual	Diamond Pattern Olympia Sprints Dual	V-Bar Dual
<b>19" Rim</b>					
285/45-19					
285/55-19		4228CAM			
<b>19.5" Rim</b>					
225/70-19.5	5321ASCAM	4221CAM			4821CAM
255/70-19.5		4237CAM			
265/70-19.5		4241CAM			4841CAM
265/75-19.5		4237CAM			
275/70-19.5		4237CAM			
285/75-19.5		4239CAM			4839CAM
305/70-19.5		4239CAM			4839CAM
<b>20" Rim</b>					
10.00-20	5345ASCAM	4245CAM	4448M	TND310	4845CAM
10.5-20		4241CAM			4841CAM
11.00-20		4251CAM	4461M	TND320	4851CAM
11.50-20					4851CAM
12.4-20				TND310	
13/80-20					4855CAM
235/55-20		4229CAM			
245/45-20		4229CAM			
255/40-20		4229CAM			
255/55-20		4228CAM			
255/60-20		4228CAM			
265/40-20		4229CAM			
265/45-20		4229CAM			
265/50-20	5321ASCAM				
265/60-20		4228CAM			
275/45-20	5321ASCAM				
275/50-20		4228CAM			
275/60-20		4226CAM			
285/50-20		4228CAM			
285/65-20		4226CAM			
7.50-20		4237CAM	4435M		
8.00-20		4239CAM			4839CAM
8.25-20		4239CAM	4435M		4839CAM
9.00-20		4241CAM	4437M		4841CAM

# TRUCK CHAINS – DUAL

	Pg. 122	Pg. 122	Pg. 123	Pg. 123	Pg. 124
Tire Size	Aquiline Talon Dual	Highway Service Dual Cam	Mud Service Dual	Diamond Pattern Olympia Sprints Dual	V-Bar Dual
<b>22" Rim</b>					
10.00-22	5349ASCAM	4249CAM	4461M		4849CAM
285/45-22		4226CAM			
305/45-22		4226CAM			
325/40-22		4226CAM			
<b>22.5" Rim</b>					
10-22.5		4241CAM	4437M		4841CAM
11-22.5	5345ASCAM	4245CAM	4448M	TND310	4845CAM
12-22.5		4251CAM	4461M	TND320	4851CAM
235/80-22.5		4239CAM			4839CAM
245/70-22.5		4239CAM			4839CAM
245/75-22.5		4239CAM	4435M		4839CAM
245/80-22.5		4239CAM			4839CAM
255/70-22.5		4239CAM	4435M		4839CAM
255/75-22.5		4241CAM			4839CAM
255/80-22.5		4239CAM			4839CAM
265/75-22.5		4241CAM	4437M		4841CAM
275/70-22.5		4245CAM	4448M		4845CAM
275/75-22.5		4247CAM			4847CAM
275/80-22.5		4245CAM	4437M	TND310	4845CAM
275/85-22.5		4249CAM			4849CAM
285/65-22.5		4239CAM			
285/70-22.5		4247CAM			4847CAM
285/75-22.5		4247CAM		TND310	4847CAM
295/70-22.5		4247CAM			4847CAM
295/75-22.5		4247CAM	4461M		4847CAM
295/80-22.5		4251CAM			4851CAM
305/70-22.5		4247CAM		TND310	4847CAM
305/80-22.5					4851CAM
305/85-22.5					4855CAM
315/70-22.5				TND310	
315/75-22.5		4251CAM		TND320	4851CAM
315/80-22.5				TND320	4855CAM
7.50-22.5		4239CAM			4839CAM
8.25-22.5		4239CAM			4839CAM
9-22.5		4239CAM	4435M		4839CAM



# TRUCK CHAINS – DUAL

	Pg. 122	Pg. 122	Pg. 123	Pg. 123	Pg. 124
Tire Size	Aquiline Talon Dual	Highway Service Dual Cam	Mud Service Dual	Diamond Pattern Olympia Sprints Dual	V-Bar Dual
<b>24" Rim</b>					
315/35-24		4226CAM			
<b>24.5" Rim</b>					
11-24.5	5349ASCAM	4249CAM	4461M		4849CAM
22.5-24.5		4247R			
275/80-24.5		4247CAM	4461M		4847CAM
285/70-24.5		4247CAM			
285/75-24.5		4247CAM	4461M		4847CAM
285/80-24.5		4249CAM			4849CAM
305/75-24.5				TND320	
315/75-24.5				TND320	

# TRUCK CHAINS – DUAL



## AQUILINE TALON DUAL

Aquiline® Talon Dual Truck Chains are manufactured from a specially designed alloy steel that is then case hardened for added durability. Robotically fused studs provide the ultimate in off-road traction. Aquiline® Talon

Dual Truck Chains feature easy to use boomer style side chain fasteners and heavy duty cross chain hooks. Dual model with cams.

## HIGHWAY SERVICE DUAL CAM



These highway service truck tire chains for dual-wheeled trucks pass all legal requirements for all 50 states. Highway Service chains have a standard ladder-style

cross chain design and are built to current NACM specifications. All-steel construction and case-hardened cross chains provide excellent durability. Sold as a pair.

Stock Number	Cross Chain Stock Number	Cross Chains Per 1/2 Pair
4219CAM	CC6221	26
4221CAM	CC6221	28
4239CAM	CC6251	26
4241CAM	CC6251	28
4245CAM	CC6251	30
4247CAM	CC6253	28
4249CAM	CC6253	30
4251CAM	CC6260	28

# TRUCK CHAINS – DUAL



## MUD SERVICE DUAL

Tire chains designed for use in the mud have a special design that helps with cleanout upon removal. Heavy duty construction is designed for off-road use. These

chains feature durable case-hardened alloy steel cross chains and extra heavy cross chain hooks for long life and dependable performance.

Stock Number	Cross Chain Stock Number	Cross Chains Per 1/2 Pair
4412M	CC6256	20
4435M	CC6434	22
4437M	CC6434	24
4448M	CC6434	26
4461M	CC6434	28
4486M	CC6438	28

## DIAMOND PATTERN OLYMPIA SPRINT DUAL



These highway service truck tire chains for dual-wheeled trucks pass all legal requirements for all 50 states. Highway Service chains have a standard ladder-style

cross chain design and are built to current NACM specifications. All-steel construction and case-hardened cross chains provide excellent durability. Sold as a pair.

# TRUCK CHAINS – DUAL



## V-BAR DUAL

Tire chains designed for use in the mud have a special design that helps with cleanout upon removal. Heavy duty construction is designed for off-road use. These

chains feature durable case-hardened alloy steel cross chains and extra heavy cross chain hooks for long life and dependable performance.

Stock Number	Cross Chain Stock Number	Cross Chains Per 1/2 Pair
4819CAM	CC6821	26
4821CAM	CC6821	28
4839CAM	CC6822	26
4841CAM	CC6822	28
4845CAM	CC6822	30
4847CAM	CC6853	28
4849CAM	CC6853	30
4851CAM	CC6860	28
4855CAM	CC6863	28

# SEMI/COMM. TRUCK CHAINS – SINGLE

This chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that specific size tire. To view pictures and descriptions of the different chain

styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual product codes may vary.

	Pg. 140	Pg. 140	Pg. 140	Pg. 141	Pg. 141	Pg. 141
Tire Size	Cable Ladder Pattern Single Cam	Highway Service Single Cam Carbon Steel	Highway Service Single Non-Cam Carbon Steel	Highway Service Single Cam Lightweight Alloy	Highway Service Sgl. Cam Long Mileage Alloy	Mud Service Single Non-Cam
<b>15" Rim</b>						
10.00-15						
8.25-15			2228		2228LMC	
9.00-15			2237		2237LMC	
<b>17" Rim</b>						
325/75-17			2226			
<b>17.5" Rim</b>						
10-17.5			2228		2228LMC	
295/75-17.5			2226			
<b>19.5" Rim</b>						
15-19.5						
16.5-19.5						
18-19.5						
225/70-19.5						
245/70-19.5			2228		2228LMC	
245/75-19.5		2233CAM				
255/70-19.5		2228CAM	2228		2228LMC	
265/70-19.5			2237		2237LMC	
265/75-19.5		2237CAM	2237		2237LMC	
275/70-19.5		2237CAM	2237		2237LMC	
285/75-19.5						2445M
305/70-19.5		2239CAM	2239		2239LMC	
445/65-19.5						
<b>20" Rim</b>						
10.00-20	2345		2245	2245CAML	2245LMC	
10.5-20						
11.00-20	2351		2251		2251LMC	
11.50-20		2251CAM				2452M
12.00-20			2255		2255LMC	
12.50-20		2255CAM				2452M
13.00-20						

# SEMI/COMM. TRUCK CHAINS – SINGLE

	Pg. 140	Pg. 140	Pg. 140	Pg. 141	Pg. 141	Pg. 141
Tire Size	Cable Ladder Pattern Single Cam	Highway Service Single Cam Carbon Steel	Highway Service Single Non-Cam Carbon Steel	Highway Service Single Cam Lightweight Alloy	Highway Service Sgl. Cam Long Mileage Alloy	Mud Service Single Non-Cam
<b>20" Rim</b>						
13/80-20	2345		2255		2255LMC	
14.50-20		2255CAM				
14/80-20			2257			
16.00-20						
225/55-20						
225/70-20		2233CAM				
225/75-20		2228CAM				
235/55-20						
245/45-20						
245/50-20						
245/60-20		2228CAM				
245/70-20		2233CAM				
255/40-20						
255/45-20						
255/50-20						
255/55-20		2228CAM				
255/60-20		2228CAM				
265/40-20						
265/45-20						
265/60-20		2228CAM				
275/45-20						
275/50-20		2228CAM				
275/55-20		2228CAM				
275/60-20		2228CAM				
285/50-20		2228CAM				
285/55-20		2228CAM				
285/65-20			2226			
295/40-20		2228CAM				2439M
295/45-20		2228CAM				2439M
295/50-20		2228CAM				
305/50-20		2228CAM				
335/80-20		2255CAM				2452M
365/80-20						
365/85-20		2271CAM				

# SEMI/COMM. TRUCK CHAINS – SINGLE

	Pg. 140	Pg. 140	Pg. 140	Pg. 141	Pg. 141	Pg. 141
Tire Size	Cable Ladder Pattern Single Cam	Highway Service Single Cam Carbon Steel	Highway Service Single Non-Cam Carbon Steel	Highway Service Single Cam Lightweight Alloy	Highway Service Sgl. Cam Long Mileage Alloy	Mud Service Single Non-Cam
<b>20" Rim</b>						
395/85-20		2271CAM				
400/70-20						
6.50-20		2233CAM	2233			
7.00-20			2233			
7.50-20			2237		2237LMC	
8.00-20		2239CAM				
8.25-20	2339		2239		2239LMC	
9.00-20	2341		2241		2241LMC	
<b>22" Rim</b>						
10.00-22	2349		2249	2249CAML	2249LMC	
11.00-22			2255		2255LMC	
255/35-22						
285/35-22		2228CAM				
285/40-22		2228CAM				
285/45-22		2228CAM				
295/30-22		2228CAM				
305/40-22		2228CAM				
305/45-22		2228CAM				
<b>22.5" Rim</b>						
10-22.5	2341		2241		2241LMC	
11-22.5	2345		2245	2245CAML	2245LMC	
12.50-22.5	2351	2255CAM	2255		2255LMC	2452M
12.75-22.5						
12-22.5	2351		2251		2251LMC	
13.00-22.5		2255CAM				
13-22.5						
15.00-22.5						
15-22.5						
16.5-22.5						
18-22.5						
225/70-22.5			2233			
235/75-22.5		2237CAM	2239		2239LMC	
235/80-22.5	2339		2239		2239LMC	
245/70-22.5			2239		2239LMC	

# SEMI/COMM. TRUCK CHAINS – SINGLE

	Pg. 140	Pg. 140	Pg. 140	Pg. 141	Pg. 141	Pg. 141
Tire Size	Cable Ladder Pattern Single Cam	Highway Service Single Cam Carbon Steel	Highway Service Single Non-Cam Carbon Steel	Highway Service Single Cam Lightweight Alloy	Highway Service Sgl. Cam Long Mileage Alloy	Mud Service Single Non-Cam
<b>22.5" Rim</b>						
245/75-22.5			2241		2241LMC	
245/80-22.5	2339		2239		2239LMC	
255/70-22.5	2339		2239		2239LMC	
255/75-22.5	2339	2239CAM	2241		2241LMC	2445M
255/80-22.5			2241		2241LMC	
265/65-22.5		2237CAM				
265/75-22.5			2241		2241LMC	
275/70-22.5			2241		2241LMC	
275/75-22.5	2343	2247CAM	2247	2247CAML	2247LMC	2445M
275/80-22.5	2343		2245	2245CAML	2245LMC	
275/85-22.5		2247CAM	2247	2247CAML	2247LMC	2448M
285/65-22.5		2239CAM	2239		2239LMC	
285/70-22.5		2247CAM				2448M
285/75-22.5	2343		2247	2247CAML	2247LMC	2448M
285/80-22.5	2351					
295/70-22.5	2343	2247CAM	2247	2247CAML	2247LMC	2448M
295/75-22.5	2343		2247	2247CAML	2247LMC	
295/80-22.5	2351		2251		2251LMC	
305/70-22.5	2345	2247CAM	2247	2247CAML	2247LMC	2448M
305/80-22.5	2347	2251CAM	2251		2251LMC	2452M
305/85-22.5		2255CAM	2255		2255LMC	
315/70-22.5	2345					2448M
315/75-22.5						2452M
315/80-22.5	2349		2255		2255LMC	
365/70-22.5						
365/80-22.5						
385/65-22.5						
425/55-22.5						
425/65-22.5						
425/70-22.5						
445/50-22.5						
445/55-22.5						
445/65-22.5						
455/50-22.5						



# SEMI/COMM. TRUCK CHAINS – SINGLE

	Pg. 140	Pg. 140	Pg. 140	Pg. 141	Pg. 141	Pg. 141
Tire Size	Cable Ladder Pattern Single Cam	Highway Service Single Cam Carbon Steel	Highway Service Single Non-Cam Carbon Steel	Highway Service Single Cam Lightweight Alloy	Highway Service Sgl. Cam Long Mileage Alloy	Mud Service Single Non-Cam
<b>22.5" Rim</b>						
455/55-22.5						
7.00-22.5		2233CAM	2233			2439M
7.50-22.5		2239CAM				
8.00-22.5		2237CAM	2237		2237LMC	
8.25-22.5		2239CAM				
9-22.5	2339		2239		2239LMC	
<b>24" Rim</b>						
12.00-24			2257			
315/75-24						2452M
320/75-24	2351		2251		2251LMC	2452M
<b>24.5" Rim</b>						
11-24.5	2349		2249	2249CAML	2249LMC	
12.00-24.5			2255		2255LMC	
12.50-24.5						
275/80-24.5	2347		2247	2247CAML	2247LMC	
285/70-24.5	2343		2245	2245CAML	2245LMC	
285/75-24.5	2347		2249	2249CAML	2249LMC	
285/80-24.5	2351		2249	2249CAML	2249LMC	2452M
295/75-24.5	2347					2452M
305/75-24.5			2255		2255LMC	2452M
315/75-24.5			2255		2255LMC	2452M

# SEMI/COMM. TRUCK CHAINS – SINGLE

	Pg. 142	Pg. 142	Pg. 142	Pg. 143	Pg. 143	Pg. 143
Tire Size	Square Link Alloy Single Cam	Square Link Alloy Heavy Duty Single Cam	Square Link Alloy Heavy Duty Single Non-Cam	Square Link Alloy Twisted Single Cam	Studded Alloy 7mm Single Cam	Studded Alloy 7mm Single Non-Cam
<b>15" Rim</b>						
10.00-15	AS2239CAM					
8.25-15						
9.00-15		2137HDQC	2137RHD	2137SLCTWIST		
<b>17" Rim</b>						
325/75-17						
<b>17.5" Rim</b>						
10-17.5						
295/75-17.5						
<b>19.5" Rim</b>						
15-19.5						
16.5-19.5						
18-19.5						
225/70-19.5	AS2221CAM					
245/70-19.5	AS2228CAM					
245/75-19.5						
255/70-19.5	AS2228CAM					
265/70-19.5	AS2241CAM	2137HDQC	2137RHD	2137SLCTWIST		
265/75-19.5	AS2237CAM	2137HDQC	2137RHD	2137SLCTWIST		
275/70-19.5	AS2237CAM	2137HDQC	2137RHD	2137SLCTWIST		
285/75-19.5	AS2239CAM					
305/70-19.5	AS2239CAM		2139RHD	2139SLCTWIST		N343LW
445/65-19.5						
<b>20" Rim</b>						
10.00-20	AS2245CAM	2145HDQC	2145RHD	2145SLCTWIST	3345ASCAM	N343LW
10.5-20	AS2241CAM					
11.00-20	AS2251CAM	2151HDQC		2151SLCTWIST		N355LW
11.50-20	AS2251CAM					
12.00-20	AS2255CAM	2155HDQC	2155RHD	2155SLCTWIST		
12.50-20	AS2255CAM					
13.00-20						
13/80-20		2155HDQC	2155RHD	2155SLCTWIST		
14.50-20	AS2255CAM					
14/80-20						
16.00-20						
225/55-20	AS2229CAM					

# SEMI/COMM. TRUCK CHAINS – SINGLE

	Pg. 142	Pg. 142	Pg. 142	Pg. 143	Pg. 143	Pg. 143
Tire Size	Square Link Alloy Single Cam	Square Link Alloy Heavy Duty Single Cam	Square Link Alloy Heavy Duty Single Non-Cam	Square Link Alloy Twisted Single Cam	Studded Alloy 7mm Single Cam	Studded Alloy 7mm Single Non-Cam
<b>20" Rim</b>						
225/70-20						
225/75-20						
235/55-20	AS2229CAM					
245/45-20	AS2229CAM					
245/50-20						
245/60-20	AS2228CAM					
245/70-20						
255/40-20	AS2229CAM					
255/45-20	AS2229CAM					
255/50-20						
255/55-20	AS2228CAM					
255/60-20	AS2228CAM					
265/40-20	AS2229CAM					
265/45-20	AS2229CAM					
265/60-20	AS2228CAM					
275/45-20	AS2229CAM					
275/50-20	AS2228CAM					
275/55-20	AS2228CAM					
275/60-20	AS2228CAM					
285/50-20	AS2228CAM					
285/55-20						
285/65-20						
295/40-20	AS2228CAM					
295/45-20	AS2228CAM					
295/50-20	AS2228CAM					
305/50-20	AS2228CAM					
335/80-20	AS2255CAM					
365/80-20						
365/85-20						
395/85-20						
400/70-20						
6.50-20						
7.00-20						
7.50-20	AS2237CAM	2137HDQC	2137RHD	2137SLCTWIST		
8.00-20	AS2239CAM					

# SEMI/COMM. TRUCK CHAINS – SINGLE

	Pg. 142	Pg. 142	Pg. 142	Pg. 143	Pg. 143	Pg. 143
Tire Size	Square Link Alloy Single Cam	Square Link Alloy Heavy Duty Single Cam	Square Link Alloy Heavy Duty Single Non-Cam	Square Link Alloy Twisted Single Cam	Studded Alloy 7mm Single Cam	Studded Alloy 7mm Single Non-Cam
<b>20" Rim</b>						
8.25-20	AS2239CAM		2139RHD	2139SLCTWIST		
9.00-20	AS2241CAM	2141HDQC	2141RHD	2141SLCTWIST		
<b>22" Rim</b>						
10.00-22	AS2249CAM	2150HDQC	2150RHD	2149SLCTWIST	3349ASCAM	N344LW
11.00-22	AS2255CAM	2155HDQC	2155RHD	2155SLCTWIST		
255/35-22	AS2229CAM					
285/35-22						
285/40-22						
285/45-22						
295/30-22						
305/40-22						
305/45-22						
<b>22.5" Rim</b>						
10-22.5	AS2241CAM	2141HDQC	2141RHD	2141SLCTWIST		
11-22.5	AS2245CAM	2145HDQC	2145RHD	2145SLCTWIST	3345ASCAM	N343LW
12.50-22.5	AS2255CAM	2155HDQC	2155RHD	2155SLCTWIST		
12.75-22.5	AS2255CAM					
12-22.5	AS2251CAM	2151HDQC		2151SLCTWIST		N355LW
13.00-22.5	AS2255CAM					
13-22.5						
15.00-22.5						
15-22.5						
16.5-22.5						
18-22.5						
225/70-22.5	AS2237CAM					
235/75-22.5	AS2237CAM		2139RHD	2139SLCTWIST		
235/80-22.5	AS2239CAM		2139RHD	2139SLCTWIST		
245/70-22.5	AS2239CAM		2139RHD	2139SLCTWIST		
245/75-22.5	AS2239CAM	2141HDQC	2141RHD	2141SLCTWIST		
245/80-22.5	AS2239CAM		2139RHD	2139SLCTWIST		
255/70-22.5	AS2239CAM		2139RHD	2139SLCTWIST		
255/75-22.5	AS2239CAM	2141HDQC	2141RHD	2141SLCTWIST		
255/80-22.5	AS2239CAM	2141HDQC	2141RHD	2141SLCTWIST		
265/65-22.5	AS2237CAM					
265/75-22.5	AS2241CAM	2141HDQC	2141RHD	2141SLCTWIST		

# SEMI/COMM. TRUCK CHAINS – SINGLE

	Pg. 142	Pg. 142	Pg. 142	Pg. 143	Pg. 143	Pg. 143
Tire Size	Square Link Alloy Single Cam	Square Link Alloy Heavy Duty Single Cam	Square Link Alloy Heavy Duty Single Non-Cam	Square Link Alloy Twisted Single Cam	Studded Alloy 7mm Single Cam	Studded Alloy 7mm Single Non-Cam
<b>22.5" Rim</b>						
275/70-22.5	AS2245CAM	2141HDQC	2141RHD	2141SLCTWIST		
275/75-22.5	AS2247CAM	2147HDQC	2147RHD	2147SLCTWIST		
275/80-22.5	AS2245CAM	2145HDQC	2145RHD	2145SLCTWIST	3345ASCAM	N343LW
275/85-22.5	AS2247CAM	2147HDQC	2147RHD	2147SLCTWIST		N343LW
285/65-22.5			2139RHD	2139SLCTWIST		
285/70-22.5	AS2247CAM					
285/75-22.5	AS2247CAM	2147HDQC	2147RHD	2147SLCTWIST		N343LW
285/80-22.5						
295/70-22.5	AS2247CAM	2147HDQC	2147RHD	2147SLCTWIST		
295/75-22.5	AS2247CAM	2147HDQC	2147RHD	2147SLCTWIST		N343LW
295/80-22.5	AS2251CAM	2151HDQC		2151SLCTWIST		N355LW
305/70-22.5	AS2247CAM	2147HDQC	2147RHD	2147SLCTWIST		
305/80-22.5	AS2251CAM	2151HDQC		2151SLCTWIST		
305/85-22.5	AS2255CAM	2155HDQC	2155RHD	2155SLCTWIST		N344LW
315/70-22.5						
315/75-22.5						
315/80-22.5	AS2255CAM	2155HDQC	2155RHD	2155SLCTWIST		N355LW
365/70-22.5						
365/80-22.5						
385/65-22.5						N375LW
425/55-22.5						
425/65-22.5						N377LW
425/70-22.5						
445/50-22.5						
445/55-22.5						N377LW
445/65-22.5						N382LW
455/50-22.5						
455/55-22.5						N377LW
7.00-22.5						
7.50-22.5	AS2239CAM					
8.00-22.5	AS2237CAM	2137HDQC	2137RHD	2137SLCTWIST		
8.25-22.5	AS2239CAM					
9-22.5	AS2239CAM		2139RHD	2139SLCTWIST		

# SEMI/COMM. TRUCK CHAINS – SINGLE

	Pg. 142	Pg. 142	Pg. 142	Pg. 143	Pg. 143	Pg. 143
Tire Size	Square Link Alloy Single Cam	Square Link Alloy Heavy Duty Single Cam	Square Link Alloy Heavy Duty Single Non-Cam	Square Link Alloy Twisted Single Cam	Studded Alloy 7mm Single Cam	Studded Alloy 7mm Single Non-Cam
<b>24" Rim</b>						
12.00-24						
315/75-24	AS2255CAM					
320/75-24	AS2255CAM	2151HDQC		2151SLCTWIST		
<b>24.5" Rim</b>						
11-24.5	AS2249CAM	2150HDQC	2150RHD	2149SLCTWIST	3349ASCAM	N344LW
12.00-24.5	AS2255CAM	2155HDQC	2155RHD	2155SLCTWIST		
12.50-24.5	AS2255CAM					
275/80-24.5	AS2247CAM	2147HDQC	2147RHD	2147SLCTWIST		N344LW
285/70-24.5		2145HDQC	2145RHD	2145SLCTWIST		
285/75-24.5	AS2247CAM	2150HDQC	2150RHD	2149SLCTWIST		N343LW
285/80-24.5	AS2249CAM	2150HDQC	2150RHD	2149SLCTWIST		N344LW
295/75-24.5						
305/75-24.5	AS2255CAM	2155HDQC	2155RHD	2155SLCTWIST		N344LW
315/75-24.5	AS2255CAM	2155HDQC	2155RHD	2155SLCTWIST		N355LW

# SEMI/COMM. TRUCK CHAINS – SINGLE

	Pg. 143	Pg. 143	Pg. 144	Pg. 144	Pg. 144	Pg. 145
Tire Size	Studded Alloy 8mm Single Cam	Studded Alloy 8mm Single Non-Cam	V-Bar Single Cam	Wide Base Cable Cam	Wide Base Highway Service Non-Cam	Wide Base Square Link Alloy Cam
<b>15" Rim</b>						
10.00-15						
8.25-15						
9.00-15						
<b>17" Rim</b>						
325/75-17						
<b>17.5" Rim</b>						
10-17.5						
295/75-17.5						
<b>19.5" Rim</b>						
15-19.5					3265R	
16.5-19.5					3255R	3155SLC
18-19.5					3257R	
225/70-19.5						
245/70-19.5					3228R	
245/75-19.5			2833CAM			
255/70-19.5						
265/70-19.5						
265/75-19.5			2837CAM			
275/70-19.5			2837CAM			
285/75-19.5						
305/70-19.5		N343HD				
445/65-19.5				3371		3171SLC
<b>20" Rim</b>						
10.00-20	3346ASCAM	N343HD			3275R	
10.5-20						
11.00-20	3351ASCAM	N355HD			3277R	3177SLC
11.50-20						
12.00-20	3352ASCAM		2855CAM			3155SLC
12.50-20			2855CAM			
13.00-20			2857CAM			
13/80-20			2855CAM		3255R	3155SLC
14.50-20			2855CAM			
14/80-20			2857CAM			3155SLC
16.00-20					3277R	
225/55-20						

# SEMI/COMM. TRUCK CHAINS – SINGLE

	Pg. 143	Pg. 143	Pg. 144	Pg. 144	Pg. 144	Pg. 145
Tire Size	Studded Alloy 8mm Single Cam	Studded Alloy 8mm Single Non-Cam	V-Bar Single Cam	Wide Base Cable Cam	Wide Base Highway Service Non-Cam	Wide Base Square Link Alloy Cam
<b>20" Rim</b>						
225/70-20			2833CAM			
225/75-20					3228R	
235/55-20					3210R	
245/45-20						
245/50-20					3210R	
245/60-20					3228R	
245/70-20			2833CAM			
255/40-20						
255/45-20						
255/50-20					3210R	
255/55-20					3228R	
255/60-20					3228R	
265/40-20						
265/45-20						
265/60-20						
275/45-20						
275/50-20						
275/55-20						
275/60-20						
285/50-20						
285/55-20						
285/65-20						
295/40-20			2828CAM			
295/45-20			2828CAM			
295/50-20			2828CAM			
305/50-20			2828CAM			
335/80-20			2855CAM			
365/80-20			2857CAM			3155SLC
365/85-20						
395/85-20						3161SLC
400/70-20						3155SLC
6.50-20			2833CAM			
7.00-20			2833CAM			3165SLC
7.50-20			2837CAM			
8.00-20						



# SEMI/COMM. TRUCK CHAINS – SINGLE

	Pg. 143	Pg. 143	Pg. 144	Pg. 144	Pg. 144	Pg. 145
Tire Size	Studded Alloy 8mm Single Cam	Studded Alloy 8mm Single Non-Cam	V-Bar Single Cam	Wide Base Cable Cam	Wide Base Highway Service Non-Cam	Wide Base Square Link Alloy Cam
<b>20" Rim</b>						
8.25-20						3169SLC
9.00-20						3173SLC
<b>22" Rim</b>						
10.00-22	3350ASCAM	N344HD			3277R	3177SLC
11.00-22	3355ASCAM		2855CAM		3277R	3177SLC
255/35-22						
285/35-22						
285/40-22						
285/45-22						
295/30-22			2828CAM			
305/40-22			2828CAM			
305/45-22						
<b>22.5" Rim</b>						
10-22.5					3273R	3173SLC
11-22.5	3346ASCAM	N343HD			3275R	
12.50-22.5			2855CAM		3277R	3177SLC
12.75-22.5			2855CAM			
12-22.5	3351ASCAM				3277R	3177SLC
13.00-22.5			2855CAM			
13-22.5					3255R	
15.00-22.5						3155SLC
15-22.5					3255R	
16.5-22.5				3371	3271R	3171SLC
18-22.5					3261R	3161SLC
225/70-22.5			2837CAM			
235/75-22.5			2837CAM			
235/80-22.5						3169SLC
245/70-22.5						3169SLC
245/75-22.5						
245/80-22.5						
255/70-22.5						3169SLC
255/75-22.5						
255/80-22.5						3169SLC
265/65-22.5			2837CAM			
265/75-22.5						

# SEMI/COMM. TRUCK CHAINS – SINGLE

	Pg. 143	Pg. 143	Pg. 144	Pg. 144	Pg. 144	Pg. 145
Tire Size	Studded Alloy 8mm Single Cam	Studded Alloy 8mm Single Non-Cam	V-Bar Single Cam	Wide Base Cable Cam	Wide Base Highway Service Non-Cam	Wide Base Square Link Alloy Cam
<b>22.5" Rim</b>						
275/70-22.5						
275/75-22.5						
275/80-22.5		N343HD				
275/85-22.5		N343HD				
285/65-22.5						
285/70-22.5						
285/75-22.5		N343HD				
285/80-22.5						
295/70-22.5						
295/75-22.5		N343HD				
295/80-22.5						
305/70-22.5						
305/80-22.5						3177SLC
305/85-22.5		N344HD	2855CAM			
315/70-22.5						
315/75-22.5						
315/80-22.5	3352ASCAM	N355HD	2855CAM			3177SLC
365/70-22.5						3155SLC
365/80-22.5						3155SLC
385/65-22.5						3155SLC
425/55-22.5				3371		3171SLC
425/65-22.5		N377HD		3371		3171SLC
425/70-22.5				3371		3171SLC
445/50-22.5				3369		3169SLC
445/55-22.5		N377HD		3369		3169SLC
445/65-22.5		N382HD				3161SLC
455/50-22.5				3369		3169SLC
455/55-22.5		N377HD		3371		3171SLC
7.00-22.5			2833CAM			
7.50-22.5						
8.00-22.5			2837CAM			
8.25-22.5						
9-22.5						3169SLC

# SEMI/COMM. TRUCK CHAINS – SINGLE

	Pg. 143	Pg. 143	Pg. 144	Pg. 144	Pg. 144	Pg. 145
Tire Size	Studded Alloy 8mm Single Cam	Studded Alloy 8mm Single Non-Cam	V-Bar Single Cam	Wide Base Cable Cam	Wide Base Highway Service Non-Cam	Wide Base Square Link Alloy Cam
<b>24" Rim</b>						
12.00-24			2857CAM			
315/75-24			2855CAM			
320/75-24			2855CAM			
<b>24.5" Rim</b>						
11-24.5	3350ASCAM	N344HD			3277R	3177SLC
12.00-24.5	3355ASCAM		2855CAM			3155SLC
12.50-24.5			2855CAM			
275/80-24.5		N344HD				
285/70-24.5						
285/75-24.5		N343HD				
285/80-24.5		N344HD				
295/75-24.5						
305/75-24.5		N344HD	2855CAM			3177SLC
315/75-24.5			2855CAM			3177SLC

# SEMI/COMM. TRUCK CHAINS – SINGLE



## CABLE LADDER PATTERN SINGLE CAM

For highway use, these cables feature an extra large cross-chain with .525 inch diameter manganese alloy spring rollers. These chains also exceed the minimum chain regulations for all 50 states. Spider bungee chain

adjuster/tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.

## HIGHWAY SERVICE SINGLE CAM CARBON STEEL



Highway Service chains have a standard ladder style cross chain design and are built to current NACM specifications. All steel construction and case hardened cross chains provide excellent durability. Spider bungee

chain adjuster/tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.



## HIGHWAY SERVICE SINGLE NON-CAM CARBON STEEL

Highway Service chains have a standard ladder style cross chain design and are built to current NACM specifications. All steel construction and case hardened cross chains provide excellent durability. Spider bungee

chain adjuster/tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.

# SEMI/COMM. TRUCK CHAINS – SINGLE



## HIGHWAY SERVICE SINGLE CAM LIGHTWEIGHT ALLOY

Lightweight ladder style highway service single tire chains. For highway use, these lightweight alloy chains are the future of tire chains! Constructed of hardened alloy steel. Up to 25% lighter than standard carbon chains. Perfect for on-road fleets. Not for plow, forklift,

tow truck, fire truck, or off-road use. Spider bungee chain adjuster/tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.

## HIGHWAY SERVICE SINGLE CAM LONG MILEAGE ALLOY

Long mileage ladder style highway service single tire chains. For highway use, these long wear alloy chains are constructed of hardened thick alloy steel. Can run 2-3 times longer than standard carbon steel truck chains. Perfect for on-road fleets. Not for plow, forklift, tow truck,

fire truck, or off-road use. Cam Style. Spider bungee chain adjuster/tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.



## MUD SERVICE SINGLE NON-CAM

Tire chains designed for use in the mud have a special design that helps with cleanout after removal. Heavy duty construction designed for off-road use. This tire

chain features durable case-hardened alloy steel cross chains and extra heavy cross chain hooks for long life and dependable performance.

# SEMI/COMM. TRUCK CHAINS – SINGLE



## SQUARE LINK ALLOY SINGLE CAM

Cam style, for highway and off road use.

## SQUARE LINK ALLOY HEAVY DUTY SINGLE CAM



Made with heavy alloy steel and designed specifically for equipment in extreme applications. (Logging, Mining, Oil Fields, Plows, Forklifts And More) Made wider, longer and with heavier wire diameters. Spider bungee chain

adjuster/tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.



## SQUARE LINK ALLOY HEAVY DUTY SINGLE NON-CAM

Made with heavy alloy steel and designed specifically for equipment in extreme applications. (Logging, Mining, Oil Fields, Plows, Forklifts And More) Made wider, longer and with heavier wire diameters. Spider bungee chain

adjuster/tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.

# SEMI/COMM. TRUCK CHAINS – SINGLE



## SQUARE LINK ALLOY TWISTED SINGLE CAM

Alloy single twisted square link cam style chain. For highway use. Strong alloy, long mileage highway service featuring a twisted square link design for a smoother ride. Spider bungee chain adjuster/tensioner shown in

photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.

## STUDED ALLOY 7MM/8MM SINGLE CAM



Aquiline® Talon 7mm Single Truck Chains are manufactured from a specially designed alloy steel that is then case hardened for added durability. Robotically fused studs provide the ultimate in off-road traction.

Aquiline® Talon 7mm Truck Chains feature easy to use boomer style side chain fasteners and heavy duty cross chain hooks. Single model with cams.



## STUDED ALLOY 7MM/ 8MM SINGLE NON-CAM

Norsemen 7mm alloy studded single style chains. Extreme traction in snow and ice. High quality boron enhanced alloy steel for longer lasting durability. Sold

per pair and covers two tires. These chains are used in a variety of harsh environments, including forestry and oil field type applications.

# SEMI/COMM. TRUCK CHAINS – SINGLE



## V-BAR SINGLE CAM

Reinforced V-Bar semi/commercial truck chains provide an excellent choice for off-road conditions. The reinforced cross members provide superior traction in

mud, deep snow and ice. V-Bar reinforced semi snow chains are manufactured to current NACM specifications. Cam Style Chains.

## WIDE BASE CABLE CAM

For highway use, these cables feature an extra large cross-chain with .525 inch diameter manganese alloy spring rollers. These chains also exceed the minimum chain regulations for all 50 states. Spider bungee chain

adjuster/tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.



## WIDE BASE HIGHWAY SERVICE NON-CAM

Designed for full-sized 4-wheel drive trucks, and super-single tires. These wide base chains have a standard ladder-style cross chain design and are built to current NACM specifications. All-steel construction and case-hardened cross chains provide excellent durability.

Spider bungee chain adjuster/tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.



# SEMI/COMM. TRUCK CHAINS – SINGLE



## WIDE BASE SQUARE LINK ALLOY CAM

Designed for full-sized 4-wheel drive trucks, and super-single tires. Alloy steel construction for increased durability and longevity. Spider bungee chain adjuster/

tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.

# SEMI/COMM. TRUCK CHAINS – DUAL

This chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that specific size tire. To view pictures and descriptions of the different chain

styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual product codes may vary.

	Pg. 158	Pg. 158	Pg. 158	Pg. 159	Pg. 159
Tire Size	Cable Ladder Pattern Dual Cam	Highway Service Dual Cam Carbon Steel	Highway Service Dual Non-Cam Carbon Steel	Highway Service Dual Cam Lightweight Alloy	Highway Service Dual Cam Long Mileage Alloy
<b>15" Rim</b>					
8.25-15			4228		
9.00-15			4237		
<b>17.5" Rim</b>					
10-17.5			4228		
<b>19.5" Rim</b>					
245/70-19.5		4233CAM	4228		
245/75-19.5		4233CAM			
255/70-19.5		4237CAM	4228		
265/70-19.5		4241CAM	4237		
265/75-19.5		4237CAM	4237		
275/70-19.5		4237CAM	4237		
285/75-19.5		4239CAM			
305/70-19.5		4239CAM	4239		4239LMC
8.00-19.5					
<b>20" Rim</b>					
10.00-20	4345		4245	4245CAML	4245LMC
10.5-20		4241CAM			
11.00-20		4251CAM	4251		4251LMC
11.50-20					
12.00-20		4255CAM	4255		4255LMC
12.50-20		4255CAM			
13/80-20	4345		4255		4255LMC
14.50-20		4255CAM			
14/80-20			4257		
225/55-20					
225/70-20		4233CAM			
235/55-20					
245/45-20					
245/50-20					
245/60-20					

# SEMI/COMM. TRUCK CHAINS – DUAL

	Pg. 158	Pg. 158	Pg. 158	Pg. 159	Pg. 159
Tire Size	Cable Ladder Pattern Dual Cam	Highway Service Dual Cam Carbon Steel	Highway Service Dual Non-Cam Carbon Steel	Highway Service Dual Cam Lightweight Alloy	Highway Service Dual Cam Long Mileage Alloy
<b>20" Rim</b>					
245/70-20		4233CAM			
255/40-20					
255/45-20					
255/50-20					
255/55-20		4228CAM			
255/60-20		4228CAM			
265/40-20					
265/45-20					
265/50-20					
265/60-20		4228CAM			
275/40-20					
275/45-20					
275/50-20					
275/60-20					
285/50-20					
295/40-20		4228CAM			
295/45-20		4228CAM			
295/50-20					
335/80-20		4255CAM			
6.50-20		4233CAM	4233		
7.00-20		4233CAM	4233		
7.50-20		4237CAM	4237		
8.00-20		4239CAM			
8.25-20	4339	4239CAM	4239		4239LMC
9.00-20	4341	4241CAM	4241		4241LMC
<b>21" Rim</b>					
265/45-21					
<b>22" Rim</b>					
10.00-22					
11.00-22					
255/35-22					
265/40-22					
285/40-22					

# SEMI/COMM. TRUCK CHAINS – DUAL

	Pg. 158	Pg. 158	Pg. 158	Pg. 159	Pg. 159
Tire Size	Cable Ladder Pattern Dual Cam	Highway Service Dual Cam Carbon Steel	Highway Service Dual Non-Cam Carbon Steel	Highway Service Dual Cam Lightweight Alloy	Highway Service Dual Cam Long Mileage Alloy
<b>22.5" Rim</b>					
10-22.5	4341	4241CAM	4241		4241LMC
11-22.5	4345		4245	4245CAML	4245LMC
12.50-22.5		4255CAM	4255		4255LMC
12.75-22.5		4255CAM			
12-22.5		4251CAM	4251		4251LMC
13-22.5		4255CAM			
225/70-22.5		4237CAM	4233		
235/75-22.5		4237CAM	4239		4239LMC
235/80-22.5	4339	4239CAM	4239		4239LMC
245/70-22.5		4239CAM	4239		4239LMC
245/75-22.5		4239CAM	4241		4241LMC
245/80-22.5	4339	4239CAM	4239		4239LMC
255/70-22.5	4339	4239CAM	4239		4239LMC
255/75-22.5	4339	4241CAM	4241		4241LMC
255/80-22.5		4239CAM	4241		4241LMC
265/65-22.5		4237CAM			
265/75-22.5		4241CAM	4241		4241LMC
275/70-22.5			4241		4241LMC
275/75-22.5	4343	4247CAM	4247	4247CAML	4247LMC
275/80-22.5	4343		4245	4245CAML	4245LMC
275/85-22.5		4249CAM	4247	4247CAML	4247LMC
285/65-22.5		4239CAM	4239		4239LMC
285/70-22.5		4247CAM			
285/75-22.5	4343	4247CAM	4247	4247CAML	4247LMC
295/70-22.5	4343	4247CAM	4247	4247CAML	4247LMC
295/75-22.5	4343	4247CAM	4247	4247CAML	4247LMC
295/80-22.5		4251CAM	4251		4251LMC
305/70-22.5	4345	4247CAM	4247	4247CAML	4247LMC
305/80-22.5	4347		4251		4251LMC
305/85-22.5		4255CAM	4255		4255LMC
315/70-22.5	4345				
315/75-22.5		4251CAM			
315/80-22.5	4349	4255CAM	4255		4255LMC
7.00-22.5			4233		
7.50-22.5		4239CAM			

# SEMI/COMM. TRUCK CHAINS – DUAL

	Pg. 158	Pg. 158	Pg. 158	Pg. 159	Pg. 159
Tire Size	Cable Ladder Pattern Dual Cam	Highway Service Dual Cam Carbon Steel	Highway Service Dual Non-Cam Carbon Steel	Highway Service Dual Cam Lightweight Alloy	Highway Service Dual Cam Long Mileage Alloy
<b>22.5" Rim</b>					
8.00-22.5		4237CAM	4237		
8.25-22.5		4239CAM			
9-22.5	4339	4239CAM	4239		4239LMC
<b>24" Rim</b>					
11.00-24		4253CAM			
12.00-24			4257		
315/75-24		4255CAM			
320/75-24		4255CAM	4251		4251LMC
<b>24.5" Rim</b>					
11-24.5	4349	4249CAM	4249	4249CAML	4249LMC
12.00-24.5		4255CAM	4255		4255LMC
12.50-24.5		4255CAM			
275/80-24.5	4347	4247CAM	4247	4247CAML	4247LMC
285/70-24.5	4343	4247CAM	4245	4245CAML	4245LMC
285/75-24.5	4347	4247CAM	4249	4249CAML	4249LMC
285/80-24.5		4249CAM	4249	4249CAML	4249LMC
295/75-24.5	4347	4253CAM			
305/75-24.5		4255CAM	4255		4255LMC
315/75-24.5		4255CAM	4255		4255LMC

# SEMI/COMM. TRUCK CHAINS – DUAL

	Pg. 159	Pg. 160	Pg. 160	Pg. 160	Pg. 161
Tire Size	Mud Service Dual Non-Cam	Square Link Alloy Dual Cam	Square Link Alloy Heavy Duty Dual Cam	Square Link Alloy Heavy Duty Dual Non-Cam	Square Link Alloy Twisted Dual Cam
<b>15" Rim</b>					
8.25-15			4128HDQC	4128RHD	
9.00-15					4137SLCTWIST
<b>17.5" Rim</b>					
10-17.5			4128HDQC	4128RHD	
<b>19.5" Rim</b>					
245/70-19.5		AS4228CAM	4128HDQC	4128RHD	
245/75-19.5					
255/70-19.5			4128HDQC	4128RHD	
265/70-19.5		AS4237CAM			4137SLCTWIST
265/75-19.5		AS4237CAM			4137SLCTWIST
275/70-19.5		AS4237CAM			4137SLCTWIST
285/75-19.5		AS4239CAM			
305/70-19.5		AS4239CAM	4139HDQC	4139RHD	4139SLCTWIST
8.00-19.5		AS4221CAM			
<b>20" Rim</b>					
10.00-20	4448M	AS4245CAM	4145HDQC	4145RHD	4145SLCTWIST
10.5-20		AS4241CAM			
11.00-20	4461M	AS4251CAM	4151HDQC		4151SLCTWIST
11.50-20					
12.00-20		AS4255CAM			4155SLCTWIST
12.50-20					
13/80-20		AS4255CAM			4155SLCTWIST
14.50-20					
14/80-20					
225/55-20		AS4229CAM			
225/70-20					
235/55-20		AS4229CAM			
245/45-20		AS4229CAM			
245/50-20		AS4227CAM			
245/60-20		AS4228CAM			
245/70-20					
255/40-20		AS4229CAM			
255/45-20		AS4229CAM			
255/50-20		AS4227CAM			
255/55-20		AS4228CAM			

# SEMI/COMM. TRUCK CHAINS – DUAL

	Pg. 159	Pg. 160	Pg. 160	Pg. 160	Pg. 161
Tire Size	Mud Service Dual Non-Cam	Square Link Alloy Dual Cam	Square Link Alloy Heavy Duty Dual Cam	Square Link Alloy Heavy Duty Dual Non-Cam	Square Link Alloy Twisted Dual Cam
<b>20" Rim</b>					
255/60-20		AS4228CAM			
265/40-20		AS4229CAM			
265/45-20		AS4227CAM			
265/50-20		AS4227CAM			
265/60-20		AS4228CAM			
275/40-20		AS4227CAM			
275/45-20		AS4229CAM			
275/50-20		AS4228CAM			
275/60-20		AS4228CAM			
285/50-20		AS4228CAM			
295/40-20		AS4228CAM			
295/45-20		AS4228CAM			
295/50-20		AS4228CAM			
335/80-20					
6.50-20					
7.00-20					
7.50-20		AS4237CAM			4137SLCTWIST
8.00-20		AS4239CAM			
8.25-20	4435M	AS4239CAM	4139HDQC	4139RHD	4139SLCTWIST
9.00-20	4437M	AS4241CAM	4141HDQC	4141RHD	4141SLCTWIST
<b>21" Rim</b>					
265/45-21		AS4227CAM			
<b>22" Rim</b>					
10.00-22	4461M	AS4249CAM	4150HDQC	4150RHD	4149SLCTWIST
11.00-22		AS4255CAM			4155SLCTWIST
255/35-22		AS4229CAM			
265/40-22		AS4227CAM			
285/40-22		AS4228CAM			
<b>22.5" Rim</b>					
10-22.5	4437M	AS4241CAM	4141HDQC	4141RHD	4141SLCTWIST
11-22.5	4448M	AS4245CAM	4145HDQC	4145RHD	4145SLCTWIST
12.50-22.5		AS4255CAM			4155SLCTWIST
12.75-22.5					
12-22.5	4461M	AS4251CAM	4151HDQC		4151SLCTWIST
13-22.5					

# SEMI/COMM. TRUCK CHAINS – DUAL

	Pg. 159	Pg. 160	Pg. 160	Pg. 160	Pg. 161
Tire Size	Mud Service Dual Non-Cam	Square Link Alloy Dual Cam	Square Link Alloy Heavy Duty Dual Cam	Square Link Alloy Heavy Duty Dual Non-Cam	Square Link Alloy Twisted Dual Cam
<b>22.5" Rim</b>					
225/70-22.5					
235/75-22.5		AS4239CAM	4139HDQC	4139RHD	4139SLCTWIST
235/80-22.5		AS4239CAM	4139HDQC	4139RHD	4139SLCTWIST
245/70-22.5		AS4239CAM	4139HDQC	4139RHD	4139SLCTWIST
245/75-22.5	4435M	AS4239CAM	4141HDQC	4141RHD	4141SLCTWIST
245/80-22.5		AS4239CAM	4139HDQC	4139RHD	4139SLCTWIST
255/70-22.5	4435M	AS4239CAM	4139HDQC	4139RHD	4139SLCTWIST
255/75-22.5		AS4239CAM	4141HDQC	4141RHD	4141SLCTWIST
255/80-22.5		AS4241CAM	4141HDQC	4141RHD	4141SLCTWIST
265/65-22.5					
265/75-22.5	4437M	AS4241CAM	4141HDQC	4141RHD	4141SLCTWIST
275/70-22.5	4448M	AS4241CAM	4141HDQC	4141RHD	4141SLCTWIST
275/75-22.5		AS4247CAM	4147HDQC	4147RHD	4147SLCTWIST
275/80-22.5	4437M	AS4245CAM	4145HDQC	4145RHD	4145SLCTWIST
275/85-22.5		AS4247CAM	4147HDQC	4147RHD	4147SLCTWIST
285/65-22.5		AS4239CAM	4139HDQC	4139RHD	4139SLCTWIST
285/70-22.5		AS4247CAM			
285/75-22.5		AS4247CAM	4147HDQC	4147RHD	4147SLCTWIST
295/70-22.5		AS4247CAM	4147HDQC	4147RHD	4147SLCTWIST
295/75-22.5	4461M	AS4247CAM	4147HDQC	4147RHD	4147SLCTWIST
295/80-22.5		AS4251CAM	4151HDQC		4151SLCTWIST
305/70-22.5		AS4247CAM	4147HDQC	4147RHD	4147SLCTWIST
305/80-22.5		AS4251CAM	4151HDQC		4151SLCTWIST
305/85-22.5		AS4255CAM	4151HDQC		4155SLCTWIST
315/70-22.5					
315/75-22.5					
315/80-22.5		AS4255CAM			4155SLCTWIST
7.00-22.5					
7.50-22.5					
8.00-22.5		AS4237CAM			4137SLCTWIST
8.25-22.5					
9-22.5	4435M	AS4239CAM	4139HDQC	4139RHD	4139SLCTWIST



# SEMI/COMM. TRUCK CHAINS – DUAL

	Pg. 159	Pg. 160	Pg. 160	Pg. 160	Pg. 161
Tire Size	Mud Service Dual Non-Cam	Square Link Alloy Dual Cam	Square Link Alloy Heavy Duty Dual Cam	Square Link Alloy Heavy Duty Dual Non-Cam	Square Link Alloy Twisted Dual Cam
<b>24" Rim</b>					
11.00-24					
12.00-24					
315/75-24					
320/75-24		AS4251CAM	4151HDQC		4151SLCTWIST
<b>24.5" Rim</b>					
11-24.5	4461M	AS4249CAM	4150HDQC	4150RHD	4149SLCTWIST
12.00-24.5		AS4255CAM			4155SLCTWIST
12.50-24.5					
275/80-24.5	4461M	AS4247CAM	4147HDQC	4147RHD	4147SLCTWIST
285/70-24.5		AS4245CAM	4145HDQC	4145RHD	4145SLCTWIST
285/75-24.5	4461M	AS4249CAM	4150HDQC	4150RHD	4149SLCTWIST
285/80-24.5		AS4249CAM	4150HDQC	4150RHD	4149SLCTWIST
295/75-24.5					
305/75-24.5		AS4255CAM			4155SLCTWIST
315/75-24.5		AS4255CAM			4155SLCTWIST

# SEMI/COMM. TRUCK CHAINS – DUAL

	Pg. 161	Pg. 161	Pg. 161	Pg. 161	Pg. 162
Tire Size	Studded Alloy 7mm Dual Cam	Studded Alloy 7mm Dual Non-Cam	Studded Alloy 8mm Dual Cam	Studded Alloy 8mm Dual Non-Cam	V-Bar Dual Cam
<b>15" Rim</b>					
8.25-15					
9.00-15					
<b>17.5" Rim</b>					
10-17.5					
<b>19.5" Rim</b>					
245/70-19.5					
245/75-19.5					
255/70-19.5					
265/70-19.5					
265/75-19.5					
275/70-19.5					
285/75-19.5					4839CAM
305/70-19.5		N743LW		N743HD	4839CAM
8.00-19.5					
<b>20" Rim</b>					
10.00-20	5345ASCAM	N743LW	5346ASCAM	N743HD	
10.5-20					
11.00-20		N755LW		N755HD	4851CAM
11.50-20					4851CAM
12.00-20					
12.50-20					
13/80-20					4855CAM
14.50-20					
14/80-20					
225/55-20					
225/70-20					
235/55-20					
245/45-20					
245/50-20					
245/60-20					
245/70-20					
255/40-20					
255/45-20					
255/50-20					
255/55-20					
255/60-20					

# SEMI/COMM. TRUCK CHAINS – DUAL

	Pg. 161	Pg. 161	Pg. 161	Pg. 161	Pg. 162
Tire Size	Studded Alloy 7mm Dual Cam	Studded Alloy 7mm Dual Non-Cam	Studded Alloy 8mm Dual Cam	Studded Alloy 8mm Dual Non-Cam	V-Bar Dual Cam
<b>20" Rim</b>					
265/40-20					
265/45-20					
265/50-20					
265/60-20					
275/40-20					
275/45-20					
275/50-20					
275/60-20					
285/50-20					
295/40-20					
295/45-20					
295/50-20					
335/80-20					
6.50-20					
7.00-20					
7.50-20					
8.00-20					4839CAM
8.25-20					4839CAM
9.00-20					
<b>21" Rim</b>					
265/45-21					
<b>22" Rim</b>					
10.00-22	5349ASCAM	N744LW	5350ASCAM	N744HD	4849CAM
11.00-22					
255/35-22					
265/40-22					
285/40-22					
<b>22.5" Rim</b>					
10-22.5					
11-22.5	5345ASCAM	N743LW	5346ASCAM	N743HD	
12.50-22.5					
12.75-22.5					
12-22.5		N755LW			4851CAM
13-22.5					
225/70-22.5					
235/75-22.5					

# SEMI/COMM. TRUCK CHAINS – DUAL

	Pg. 161	Pg. 161	Pg. 161	Pg. 161	Pg. 162
Tire Size	Studded Alloy 7mm Dual Cam	Studded Alloy 7mm Dual Non-Cam	Studded Alloy 8mm Dual Cam	Studded Alloy 8mm Dual Non-Cam	V-Bar Dual Cam
<b>22.5" Rim</b>					
235/80-22.5					4839CAM
245/70-22.5					4839CAM
245/75-22.5					4839CAM
245/80-22.5					4839CAM
255/70-22.5					4839CAM
255/75-22.5					4839CAM
255/80-22.5					4839CAM
265/65-22.5					
265/75-22.5					
275/70-22.5					
275/75-22.5					4847CAM
275/80-22.5		N743LW		N743HD	
275/85-22.5		N743LW		N743HD	4849CAM
285/65-22.5					
285/70-22.5					4847CAM
285/75-22.5		N743LW		N743HD	4847CAM
295/70-22.5					4847CAM
295/75-22.5		N743LW		N743HD	4847CAM
295/80-22.5		N755LW			4851CAM
305/70-22.5					4847CAM
305/80-22.5					4851CAM
305/85-22.5		N744LW		N744HD	4855CAM
315/70-22.5					
315/75-22.5					4851CAM
315/80-22.5		N755LW		N755HD	4855CAM
7.00-22.5					
7.50-22.5					4839CAM
8.00-22.5					
8.25-22.5					4839CAM
9-22.5					4839CAM
<b>24" Rim</b>					
11.00-24					
12.00-24					
315/75-24					
320/75-24					

# SEMI/COMM. TRUCK CHAINS – DUAL

	Pg. 161	Pg. 161	Pg. 161	Pg. 161	Pg. 162
Tire Size	Studded Alloy 7mm Dual Cam	Studded Alloy 7mm Dual Non-Cam	Studded Alloy 8mm Dual Cam	Studded Alloy 8mm Dual Non-Cam	V-Bar Dual Cam
<b>24.5" Rim</b>					
11-24.5	5349ASCAM	N744LW	5350ASCAM	N744HD	4849CAM
12.00-24.5					
12.50-24.5					
275/80-24.5		N744LW		N744HD	4847CAM
285/70-24.5					
285/75-24.5		N743LW		N743HD	4847CAM
285/80-24.5		N744LW		N744HD	4849CAM
295/75-24.5					
305/75-24.5		N744LW		N744HD	
315/75-24.5		N755LW			

# SEMI/COMM. TRUCK CHAINS – DUAL



## CABLE LADDER PATTERN DUAL CAM

For highway use, these cables feature an extra large cross-chain with .525 inch diameter manganese alloy spring rollers. These chains also exceed the minimum chain regulations for all 50 states. Spider bungee chain

adjuster/tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.

## HIGHWAY SERVICE DUAL CAM CARBON STEEL



Highway Service chains have a standard ladder style cross chain design and are built to current NACM specifications. All steel construction and case hardened cross chains provide excellent durability. Spider bungee

chain adjuster/tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.



## HIGHWAY SERVICE DUAL NON-CAM CARBON STEEL

Highway Service chains have a standard ladder style cross chain design and are built to current NACM specifications. All steel construction and case hardened cross chains provide excellent durability. Spider bungee

chain adjuster/tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.

# SEMI/COMM. TRUCK CHAINS – DUAL



## HIGHWAY SERVICE DUAL CAM LIGHTWEIGHT ALLOY

Lightweight ladder style highway service single tire chains. For highway use, these lightweight alloy chains are the future of tire chains! Constructed of hardened alloy steel. Up to 25% lighter than standard carbon chains. Perfect for on-road fleets. Not for plow, forklift,

tow truck, fire truck, or off-road use. Spider bungee chain adjuster/tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.

## HIGHWAY SERVICE DUAL CAM LONG MILEAGE ALLOY



Long mileage ladder style highway service single tire chains. For highway use, these long wear alloy chains are constructed of hardened thick alloy steel. Can run 2-3 times longer than standard carbon steel truck chains. Perfect for on-road fleets. Not for plow, forklift, tow truck,

fire truck, or off-road use. Cam Style. Spider bungee chain adjuster/tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.



## MUD SERVICE DUAL NON-CAM

Tire chains designed for use in the mud have a special design that helps with cleanout after removal. Heavy duty construction designed for off-road use. This tire

chain features durable case-hardened alloy steel cross chains and extra heavy cross chain hooks for long life and dependable performance.

# SEMI/COMM. TRUCK CHAINS – DUAL



## SQUARE LINK ALLOY DUAL CAM

Cam style, for highway and off road use.



## SQUARE LINK ALLOY HEAVY DUTY DUAL CAM

Made with heavy alloy steel and designed specifically for equipment in extreme applications. (Logging, Mining, Oil Fields, Plows, Forklifts And More) Made wider, longer and with heavier wire diameters. Spider bungee chain

adjuster/tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.



## SQUARE LINK ALLOY HEAVY DUTY DUAL NON-CAM

Made with heavy alloy steel and designed specifically for equipment in extreme applications. (Logging, Mining, Oil Fields, Plows, Forklifts And More) Made wider, longer and with heavier wire diameters. Spider bungee chain

adjuster/tensioner shown in photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.



# SEMI/COMM. TRUCK CHAINS – DUAL



## SQUARE LINK ALLOY TWISTED DUAL CAM

Alloy single twisted square link cam style chain. For highway use. Strong alloy, long mileage highway service featuring a twisted square link design for a smoother ride. Spider bungee chain adjuster/tensioner shown in

photo not included with purchase of chains. Optional Spider Bungee Chain Adjusters can be ordered in addition to these tire chains.

## STUDED ALLOY 7MM/8MM DUAL CAM



Aquiline® Talon 7mm Single Truck Chains are manufactured from a specially designed alloy steel that is then case hardened for added durability. Robotically fused studs provide the ultimate in off-road traction.

Aquiline® Talon 7mm Truck Chains feature easy to use boomer style side chain fasteners and heavy duty cross chain hooks. Single model with cams.



## STUDED ALLOY 7MM/ 8MM DUAL NON-CAM

Norsemen 7mm alloy studded single style chains. Extreme traction in snow and ice. High quality boron enhanced alloy steel for longer lasting durability. Sold

per pair and covers two tires. These chains are used in a variety of harsh environments, including forestry and oil field type applications.

# SEMI/COMM. TRUCK CHAINS – DUAL



## V-BAR DUAL CAM

Reinforced V-Bar semi/commercial truck chains provide an excellent choice for off-road conditions. The reinforced cross members provide superior traction in

mud, deep snow and ice. V-Bar reinforced semi snow chains are manufactured to current NACM specifications. Cam Style Chains.

# GRADER CHAINS

This chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that specific size tire. To view pictures and descriptions of the different chain

styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual product codes may vary.

	Pg. 164	Pg. 164	Pg. 164	Pg. 165
Tire Size	Aquiline Talon	Diamond Pattern Alloy	Ladder Pattern Square Link Alloy	Ladder Pattern Twist Link
<b>20" Rim</b>				
14.00-20	14020ASH		2612SQ	2612G
16.00-20				2624G
<b>21" Rim</b>				
14.00-21			2612SQ	2612G
16.00-21				2624G
<b>24" Rim</b>				
13.00-24	13024ASH		2612SQ	2612G
14.00-24	14024AS	2615SQ-D	2615SQ	2615G
16.00-24		2627SQ-D	2627SQ	2627G
17.5-24	17524ASH			
18.00-24		2636SQ-D	2636SQ	2636G
19.5-24	19524ASH			
21.00-24				2648G
<b>25" Rim</b>				
13.00-25			2612SQ	2612G
14.00-25	14024AS	2615SQ-D		2615G
15.5-25			2612SQ	2612G
16.00-25			2627SQ	2627G
17.5-25	17525AS	2624SQ-D	2624SQ	2624G
18.00-25		2636SQ-D	2636SQ	2636G
20.5-25	20525AS	2633SQ-D	2633SQ	2633G
21.00-25				2648G
23.5-25			2645SQ	2645G
25.5-25				H2745SL-12
26.5-25				H2757SL-12
29.5-25				H2772SL-12
<b>26" Rim</b>				
18.00-26			2636SQ	2636G
<b>33" Rim</b>				
18.00-33				2642G

# GRADER CHAINS



## AQUILINE TALON

Aquiline® Talon Chains for Graders and Loaders feature studded cross chains that are manufactured from specifically designed all steel, which are case hardened for added durability. Talon Chains feature robotically fused studs to provide the ultimate in off-road traction.

These chains feature easy to use boomer style side chain fasteners and heavy-duty cross chain hooks. The box pattern of the chains ensures that these chains will not fall between the lugs of the tire.

## DIAMOND PATTERN ALLOY

When people rely on you to remove snow and ice from highways, parking lots and sidewalks, you need to be able to work quickly and efficiently. Heavy-duty loader and grader tire chains can help you achieve that. We recommend the diamond style pattern chains on the

front steering tires to help with easier cornering. Alloy chain is harder, more resilient, and lighter weight than hardened carbon steel. A diamond pattern square link alloy chain, best suited for front tires to help turning.



## LADDER PATTERN SQUARE LINK ALLOY

When people rely on you to remove snow and ice from highways, parking lots and sidewalks, you need to be able to work quickly and efficiently. Heavy-duty loader and grader tire chains can help you achieve that. We recommend the heavier square link style on the rear tires

as these give superb traction and are very hard-wearing. Alloy chain is harder, more resilient, and lighter weight than hardened carbon steel. A hard wearing ladder style alloy square link chain that gives improved traction.

# GRADER CHAINS



## LADDER PATTERN TWIST LINK

When people rely on you to remove snow and ice from highways, parking lots and sidewalks, you need to be able to work quickly and efficiently. Heavy-duty loader

and grader tire chains can help you achieve that. Standard twist link ladder design chains, made of hardened carbon steel.

Tire Size	Stock Number	Cross Chain Stock Number	Cross Chains Per 1/2 Pair
3.00-24/25; 14.00-20/21; 15.5-25	2612G	CC6630	14
14.00-24; 14.00-25	2615G	CC6630	16
16.00-20/21; 17.5-25	2624G	CC6640	13
16.00-24; 16.00-25	2627G	CC6640	15
20.5-25	2633G	CC6650	14
18.00-25; 18.00-24; 18.00-26	2636G	CC6650	15
18.00-33	2642G	CC6650	18
23.5-25	2645G	CC6660	15
21.00-24; 21.00-25	2648G	CC6660	16
26.5-25	2657G	CC6670	17

# TRACTOR CHAINS

This chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that specific size tire. To view pictures and descriptions of the different chain

styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual product codes may vary.

	Pg. 174	Pg. 174	Pg. 174	Pg. 175	Pg. 175-176	Pg. 176-177
Tire Size	Aquiline MPC Square Link	Aquiline Talon Studded	Double Ring	Duo H Pattern 7mm	Duo H Pattern 10mm	Roadmaster Ladder Pattern 4 Link
<b>16" Rim</b>						
11.00-16			NW732			RM822
11.2-16				DUO214-7	DUO214	
12.4-16	12416AMPC	12416AST	NW736	DUO239-7	DUO239	RM836
13.6-16	13616AMPC		NW738			RM850
21.5-16						RM882
8.3-16						3227
9.5-16		9516AST				RM829
<b>16.1" Rim</b>						
12.5L-16.1			NW773			
13.5-16.1			NW738	DUO214-7	DUO214	RM838
18.4-16.1		184161AST	NW774		DUO264	RM881
21.5L-16.1					DUO264	RM882
<b>16.5" Rim</b>						
10-16.5	10165AMPC	10165AST				
12-16.5	12165AMPC	12165AST				
<b>17.5" Rim</b>						
14-17.5	14175AMPC	14175AST				
<b>18" Rim</b>						
10.5/80-18			NW732		DUO225	RM822
12.5/80-18	1116AMPC		NW738	DUO210-7	DUO225XL	RM834
320/65-18				DUO239-7	DUO239	RM836
320/80-18	11220AMPCH					
335/80-18				DUO210-7	DUO210	RM834
340/80-18			NW732			RM836
7.50-18				DUO239-7	DUO239	RM836
9.5-18						RM822
<b>19.5" Rim</b>						
15-19.5	15195AMPC	15195AST		DUO239-7	DUO239	RM859
<b>20" Rim</b>						
10.5-20						RM822
11.2-20	1116AMPC		NW732			

# TRACTOR CHAINS

	Pg. 174	Pg. 174	Pg. 174	Pg. 175	Pg. 175-176	Pg. 176-177
Tire Size	Aquiline MPC Square Link	Aquiline Talon Studded	Double Ring	Duo H Pattern 7mm	Duo H Pattern 10mm	Roadmaster Ladder Pattern 4 Link
<b>20" Rim</b>						
12.4-20		12420ASTH		DUO218-7	DUO218	RM838
12.5-20			NW732			
14.00-20	1420AMPC					RM858
14.5-20						RM858
300/70-20	11220AMPCH					
320/70-20	11220AMPCH					
320/85-20				DUO218-7	DUO218	RM838
355/80-20					DUO226	RM836
360/70-20				DUO218-7	DUO218	RM838
360/80-20	12424AMPC					
38-14.00-20						RM850
400/70-20						RM858
405/70-20	13624AMPC	13624ASTH				
41-14.00-20			NW758	DUO240-7	DUO240	RM858
41-14.00-20			NW758	DUO240-7	DUO240	RM858
43-16.00-20	431620AMPC	431620AST		DUO239-7	DUO239	RM836
43-16.00-20	431620AMPC	431620AST		DUO239-7	DUO239	RM836
44-18.00-20						RM881
7.50-20				DUO239-7	DUO239	RM836
<b>22.5" Rim</b>						
15-22.5			NW752			RM852
16.5-22.5			NW752			
465/85R22.5						RM883
550-60-22.5						RM884
<b>24" Rim</b>						
11.2-24	11224AMPC	11224AST	NW736	DUO226-7	DUO214	RM836
12.4-24	12424AMPC	12424ASTH	NW752	DUO242-7	DUO229	RM852
13.00-24	1324AMPCH			DUO242-7	DUO242	
13.6-24	13624AMPC	13624ASTH	NW756	DUO240-7	DUO240	RM858
14.00-24	14928AMPCH				DUO262	
14.9-24	1420AMPC	14924AST	NW772	DUO242-7	DUO240	RM859
16.9-24	16924AMPC	16924AST	NW774		DUO260	RM874
17.5-24	17524AMPC	17524ASTH				
18.4-24		18424AST	NW783		DUO268	RM883
19.5L-24			NW783		DUO268	
21L-24			NW785			

# TRACTOR CHAINS

	Pg. 174	Pg. 174	Pg. 174	Pg. 175	Pg. 175-176	Pg. 176-177
Tire Size	Aquiline MPC Square Link	Aquiline Talon Studded	Double Ring	Duo H Pattern 7mm	Duo H Pattern 10mm	Roadmaster Ladder Pattern 4 Link
<b>24" Rim</b>						
240/85-24				DUO214-7	DUO214	RM832
280/85-24	11224AMPC			DUO226-7	DUO226	RM836
300/80-24	11224AMPC					
320/70-24	11224AMPC			DUO226-7	DUO226	RM838
320/85-24	12424AMPC			DUO242-7	DUO242	RM852
340/85-24			NW752	DUO240-7	DUO240	RM858
360/70-24	13624AMPC	13624ASTH		DUO242-7	DUO242	RM852
380/70-24	13624AMPC			DUO240-7	DUO240	RM858
380/85-24	1420AMPC	14924AST	NW756		DUO242	RM859
400/70-24				DUO240-7	DUO240	RM858
400/80-24	1420AMPC					
420/65-24				DUO242-7	DUO242	RM859
420/70-24	1420AMPC		NW756			
420/85-24	16924AMPC				DUO262	RM874
440/65-24	1420AMPC	14924AST		DUO240-7	DUO240	RM858
440/70-24					DUO262	RM874
440/80-24	16924AMPC					
445/70-24				DUO240-7	DUO240	RM874
460/65R24	4457024AMPC					
460/70-24					DUO262	RM874
465/65-24	16924AMPC					
480/65-24	16924AMPC	16924AST				
480/70-24	16924AMPC				DUO262	RM874
495/70-24					DUO268	RM883
500/70-24					DUO268	RM883
540/65-24						RM874
7.2-24			NW732			
8.3-24		8324AST	NW732			RM822
9.5-24	9524AMPC	9524AST	NW732	DUO214-7	DUO214	RM832
<b>25" Rim</b>						
13.00-25	1324AMPCH			DUO242-7		
14.00-25	14928AMPCH					
15.5-25	1324AMPCH					
17.5-25					DUO268	
20.5-25					DUO275	



# TRACTOR CHAINS

	Pg. 174	Pg. 174	Pg. 174	Pg. 175	Pg. 175-176	Pg. 176-177
Tire Size	Aquiline MPC Square Link	Aquiline Talon Studded	Double Ring	Duo H Pattern 7mm	Duo H Pattern 10mm	Roadmaster Ladder Pattern 4 Link
<b>26" Rim</b>						
13.6-26			NW758	DUO240-7	DUO240	RM858
14.9-26	14926AMPC	14926AST	NW773	DUO250-7	DUO250	RM869
16.9-26			NW777		DUO262	RM876
18.4-26		18426AST	NW783		DUO271	RM883
23.1-26		23126AST	NW791		DUO280	RM891
28L-26			NW790			
420/70-26					DUO262	RM876
420/85-26					DUO262	RM876
460/85-26					DUO268	RM883
480/70-26					DUO262	
480/80-26					DUO268	RM883
520/70-26					DUO268	RM883
540/65-26					DUO262	RM876
<b>28" Rim</b>						
11-28				DUO218-7	DUO218	
11.2-28		11228AST	NW738	DUO229-7	DUO226	RM838
12-28				DUO242-7	DUO242	
12.4-28		12428AST	NW756	DUO218-7	DUO218	RM856
13.6-28		13628AST	NW759	DUO242-7	DUO242	RM859
14.9-28	1424AMPC	14928AST	NW774	DUO250-7	DUO252	RM869
16.9-28		16928AST	NW777		DUO262	RM876
18.4-28		18426AST			DUO271	RM884
19.5L-28					DUO262	RM876
23.1-28					DUO280	
320/70-28				DUO229-7	DUO229	RM838
320/85-28				DUO218-7	DUO218	RM856
340/85-28			NW758	DUO242-7	DUO242	RM859
360/70-28				DUO218-7	DUO218	RM856
380/70-28				DUO242-7	DUO242	RM859
380/85-28	14928AMPCH					
400/80-28	14928AMPCH					
420/65-28				DUO218-7	DUO218	RM856
420/70-28	14928AMPCH	14928AST			DUO250	
420/80-28					DUO250	RM869
420/85-28					DUO262	RM876
440/65-28	14928AMPCH			DUO242-7	DUO242	RM859

# TRACTOR CHAINS

	Pg. 174	Pg. 174	Pg. 174	Pg. 175	Pg. 175-176	Pg. 176-177
Tire Size	Aquiline MPC Square Link	Aquiline Talon Studded	Double Ring	Duo H Pattern 7mm	Duo H Pattern 10mm	Roadmaster Ladder Pattern 4 Link
<b>28" Rim</b>						
440/80-28		16928AST	NW777			RM884
480/65-28		16928AST		DUO250-7		RM869
480/70-28					DUO262	RM876
540/65-28					DUO262	RM876
600/65-28					DUO266	RM877
9.5-28			NW736	DUO214-7	DUO214	RM836
<b>30" Rim</b>						
14.9-30			NW777		DUO252	RM876
16.9-30		16930AST	NW777		DUO266	RM877
18.4-30		16934AST	NW785		DUO271	RM885
19.5L-30					DUO266	RM877
23.1-30		23130AST	NW793		DUO281	RM893
380/85-30					DUO252	RM876
420/70-30			NW759		DUO252	RM876
420/85-30					DUO266	RM877
420/90-30					DUO266	RM877
440/80-30		16930AST				
460/85-30					DUO271	RM885
480/70-30					DUO266	RM877
520/70-30					DUO271	RM885
540/65-30					DUO266	RM877
620/75-30						RM893
<b>32" Rim</b>						
10-32				DUO218-7	DUO218	
11.2-32			NW744	DUO218-7	DUO218	
16.9-32			NW778		DUO266	RM877
210/95-32				DUO240-7	DUO240	RM856
230/90-32				DUO226-7	DUO226	
230/95-32				DUO226-7	DUO226	RM856
24.5-32					DUO282	
9.5-32			NW738	DUO226-7	DUO226	RM838
<b>34" Rim</b>						
11.2-34		11234AST	NW744	DUO224-7	DUO224	RM846
12.4-34					DUO262	RM876
16.9-34		16934AST	NW779		DUO270	RM879

# TRACTOR CHAINS

	Pg. 174	Pg. 174	Pg. 174	Pg. 175	Pg. 175-176	Pg. 176-177
Tire Size	Aquiline MPC Square Link	Aquiline Talon Studded	Double Ring	Duo H Pattern 7mm	Duo H Pattern 10mm	Roadmaster Ladder Pattern 4 Link
<b>34" Rim</b>						
18.4-34			NW787		DUO273	RM887
20.8-34		20834AST	NW790		DUO272	RM890
23.1-34		23134AST			DUO282	RM895
28.1-34			NW795		DUO282	
290/95-34					DUO262	RM876
30.5-34						
320/85-34					DUO242	RM876
320/95-34					DUO262	RM876
380/85R34						RM859
385/85-34					DUO271	RM885
420/85-34					DUO270	RM879
440/80-34		16934AST				
460/85-34					DUO273	RM887
480/70-34					DUO270	RM879
480/85-34					DUO273	RM887
500/70-34					DUO270	RM879
520/70-34					DUO273	RM887
540/65-34					DUO270	RM885
600/65-34					DUO273	RM887
620/75-34						RM895
<b>36" Rim</b>						
11-36				DUO232-7	DUO232	
11.2-36		11234AST	NW746	DUO224-7	DUO224	RM846
12-36					DUO246	
12.4-36		12436AST	NW760	DUO232-7	DUO232	RM862
13.6-36			NW764		DUO246	RM866
13.9-36			NW766		DUO242	RM866
210/95-36				DUO218-7	DUO218	RM856
270/95-36					DUO262	RM876
320/85-36					DUO266	RM877
340/85-36					DUO271	RM885
9.5-36			NW744		DUO218	
<b>38" Rim</b>						
10-38				DUO232-7	DUO232	
11-38			NW766	DUO232-7	DUO232	
11.2-38			NW746	DUO232-7	DUO232	RM862

# TRACTOR CHAINS

	Pg. 174	Pg. 174	Pg. 174	Pg. 175	Pg. 175-176	Pg. 176-177
Tire Size	Aquiline MPC Square Link	Aquiline Talon Studded	Double Ring	Duo H Pattern 7mm	Duo H Pattern 10mm	Roadmaster Ladder Pattern 4 Link
<b>38" Rim</b>						
10-38				DUO232-7	DUO232	
11-38			NW766	DUO232-7	DUO232	
11.2-38			NW746	DUO232-7	DUO232	RM862
12.4-38		12436AST	NW764	DUO232-7	DUO232	RM862
13.6-38		13638AST	NW766		DUO246	RM866
14.9-38		14938AST	NW779		DUO254	RM871
15.5-38			NW779		DUO254	RM879
16.9-38		16938AST	NW787		DUO272	RM880
18.4-38		18438AST	NW789		DUO272	RM889
20.8-38		20838AST	NW790		DUO276	RM892
230/95-38					DUO272	
270/95-38					DUO266	
290/90-38				DUO232-7	DUO232	RM862
320/85-38					DUO271	RM885
340/85-38					DUO270	RM879
380/80-38					DUO254	RM871
380/85-38					DUO270	RM879
420/85-38					DUO272	RM880
480/70-38					DUO272	RM880
480/80-38					DUO272	RM889
520/85-38					DUO276	RM892
540/65-38					DUO272	RM880
580/70-38					DUO276	RM892
650/65-38					DUO276	RM892
710/70-38					DUO286	
9.5-38			NW744		DUO218	
<b>40" Rim</b>						
12.4-40			NW766		DUO247	
230/95-40					DUO266	
9.5-40			NW746			
<b>42" Rim</b>						
12.4-42			NW766		DUO247	RM866
18.4-42		18442AST			DUO277	RM894
20.8-42					DUO286	
320/90-42					DUO272	RM880
480/80-42					DUO277	RM894

# TRACTOR CHAINS

	Pg. 174	Pg. 174	Pg. 174	Pg. 175	Pg. 175-176	Pg. 176-177
Tire Size	Aquiline MPC Square Link	Aquiline Talon Studded	Double Ring	Duo H Pattern 7mm	Duo H Pattern 10mm	Roadmaster Ladder Pattern 4 Link
<b>42" Rim</b>						
520/85-42					DUO286	
580/70-42					DUO286	
620/70-42					DUO286	
650/65-42					DUO286	
<b>44" Rim</b>						
11.2-44			NW766	DUO236-7	DUO236	
8.3R44					DUO228	
9.5R44					DUO227	
<b>46" Rim</b>						
14.9-46					DUO256	
16.9-46					DUO256	
18.4-46					DUO277	
20.5-46					DUO286	
380/90-46					DUO256	RM892
420/80R-46					DUO256	
480/80-46					DUO277	RM894
520/85-46					DUO286	
<b>48" Rim</b>						
11.2R48					DUO247	
12.4-48					DUO259	
230/95-48				DUO236-7	DUO236	
9.5-48				DUO236-7	DUO236	
<b>50" Rim</b>						
320/90-50					DUO255	
<b>52" Rim</b>						
12.4-52					DUO255	
<b>54" Rim</b>						
12.4-54					DUO256	

# TRACTOR CHAINS



## AQUILINE MPC SQUARE LINK

NOTE: Aquiline MPC tire chains are for tractors only. Will not fit a skid steer! Aquiline® Multi Purpose Chains are exactly what is needed when clearance is an issue and you require excellent traction. They are aggressive giving the traction needed for snow removal, but will

not damage the asphalt. Manufactured from hardened alloy steel, featuring a square link with wear bars, these chains are both durable and lightweight, and with the box pattern design will not fall down between the lugs of the tire. Ideal for use with compact tractors.

## AQUILINE TALON STUDDED



These chains feature studded cross chains that are manufactured from specially designed alloy steel, which is case hardened for added durability. Robotically fused

studs provide the ultimate in off-road traction. The Aquiline® Talon feature easy to use boomer style side chain fasteners and heavy duty cross chain hooks.



## DOUBLE RING

These tractor tire chains are designed for use on mud and snow, and are self cleaning. They are the preferred tire chain for agricultural equipment and have been around the longest. They are usually the least expensive option amongst all tractor tire chains. Double Ring tractor tire chains feature case hardened double welded

rings that rotate and move freely, providing outstanding self-cleaning action and extra wear. The double rings bite well on ice. In mud the double rings move within themselves effectively kicking off the mud. Overlapping cross chain rings are big enough to avoid falling in between the tire's tread lugs causing loss of traction.

# TRACTOR CHAINS



## DUO H PATTERN 7MM/10MM

Duo Grip tractor tire chains are made for use in the snow for extra traction and are for off-road use only. These H-Pattern chains, while slightly more expensive, are the most popular type of tractor tire chain we sell. They provide more chain contact with the ground surface than the ladder style, due to having more cross chains per side providing more lateral stability. In addition, the cross chains are linked so that they ride on top of the

lugs and will not fall between tread bars. Consequently, Duo Grip Tractor Tire Chains are ideal for deep lug tread tires. Duo-Grip Style chains are recommended for general field work and hilly conditions. They are not recommended for use on pavement as they may dig into blacktop or concrete more than the ladder style. Available in 7mm or 10mm sizes.

Tire Size	Stock Number	Cross Chain Stock Number	Cross Chains Per 1/2 Pair
9.5-24; 9.5-28; 11.2-24	DUO214	DUO292	8
9.5-32; 11.2-28; 355/80-20	DUO226	DUO292	9
11.2-34; 11.2-36	DUO224	DUO292	11
9.5R40; 8.3R44	DUO228	DUO292	12
9.5R44	DUO227	DUO292	13
10.5/80-18; 12.5/80-18	DUO225	DUO293	6
12.4-24	DUO229	DUO293	9
11.2-32; 12.4-28; 9.5-36; 9.5-38	DUO218	DUO293	10
11.2-38; 12.4-36; 12.4-38	DUO232	DUO293	12
13.6-28; 320/85R-34; 13.9-36	DUO242	DUO294	11
13.6-36; 13.6-38; 11-38	DUO246	DUO294	12
11.2R48; 12.4-40; 12.4-42	DUO247	DUO294	13
13.6-24; 13.6-26; 14.9-24	DUO240	DUO295	9
14.9-26	DUO250	DUO295	10
14.9-28; 14.9-30	DUO252	DUO295	11
16.9-24	DUO260	DUO296	10
14.9-38; 15.5-38	DUO254	DUO296	12
17.5L-24	DUO263	DUO297	8
16.9-26; 16.9-28	DUO262	DUO297	10
16.9-30; 16.9-32	DUO266	DUO297	11
16.9-34	DUO270	DUO297	12
320/90-50; 12.4-52	DUO255	DUO297	13

# TRACTOR CHAINS

## DUO H PATTERN 7MM/10MM

Tire Size	Stock Number	Cross Chain Stock Number	Cross Chains Per 1/2 Pair
14.9-46; 420/80R-46; 12.4-54	DUO256	DUO297	14
12.4-48	DUO259	DUO297	15
18.4-16.1; 21.5L-16.1	DUO264	DUO298	7
18.4-24; 19.5L-24	DUO268	DUO298	9
18.4-26; 18.4-28; 18.4-30	DUO271	DUO298	10
18.4-34	DUO273	DUO298	11
16.9-38; 18.4-38; 20.8-34	DUO272	DUO298	12
18.4-42; 18.4-46	DUO277	DUO298	14
21L24 20.5-25	DUO275	DUO299	8
20.8-38	DUO276	DUO299	13
23.1-26; 23.1-28	DUO280	DUO302	10
23.1-30; 28L-26	DUO281	DUO302	11
24.5-32; 23.1-34; 28.1-34	DUO282	DUO302	12



## ROADMASTER LADDER PATTERN 4 LINK

Ladder style tractor chains are also known as “Road Chains” or Roadmaster because they are less likely to damage hard surfaces. Designed for on and off-road use. They are recommended for use on worn tires. Good on pavement or concrete, and are designed for faster

speeds. They are more of a traditional turf style tire chain. These chains are not recommended for deep lug tires, since the cross chain will tend to settle between the tread lugs.

Tire Size	Stock Number	Cross Chain Stock Number	Cross Chains Per 1/2 Pair
8.3-24	RM822	CC6434	11
9.5-16	RM829	CC6434	9
9.5-24	RM832	CC6434	12
11.2-24; 9.5-28	RM836	CC6445	12



# TRACTOR CHAINS

## ROADMASTER LADDER PATTERN 4 LINK

Tire Size	Stock Number	Cross Chain Stock Number	Cross Chains Per 1/2 Pair
11.2-28; 9.5-32	RM838	CC6445	14
11.2-34; 11.2-36	RM846	CC6445	17
13.6-16	RM850	CC7420	10
12.4-24	RM852	CC6445	13
12.4-28	RM856	CC6445	15
13.6-24; 13.6-26	RM858	CC7420	14
13.6-28; 14.9-24	RM859	CC7420	19
11.2-38; 12.4-36; 12.4-38	RM862	CC6445	18
13.6-38; 12.4-42; 13.6-36	RM866	CC7420	19
14.9-26; 14.9-28	RM869	CC7420	16
14.9-38	RM871	CC7420	20
16.9-24; 17.5L-24	RM874	CC7426	15
16.9-26; 16.9-28; 14.9-30	RM876	CC7426	16
16.9-30	RM877	CC7426	17
16.9-34; 15.5-38	RM879	CC7426	18
16.9-38	RM880	CC7426	20
18.4-16.1	RM881	CC9562	10
21.5-16; 21.5L-16.1	RM882	CC9562	12
18.4-26; 19.5L24; 18.4-24	RM883	CC9562	13
18.4-28	RM884	CC9562	14
18.4-30; 21L-24	RM885	CC9562	15
18.4-34	RM887	CC9562	16
18.4-38	RM889	CC9562	17
20.8-34	RM890	CC6650	17
23.1-26	RM891	CC9567	14
20.8-38	RM892	CC6650	18
23.1-30	RM893	CC9567	16
18.4-42	RM894	CC9562	19

# GARDEN TRACTOR CHAINS

This chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that specific size tire. To view pictures and descriptions of the different chain

styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual product codes may vary.

	Pg. 180	Pg. 180
Tire Size	Twist 2-Link Ladder	Twist 4-Link Ladder
<b>10" Rim</b>		
18-8.50-10	GT3307	GT3311
20-10.00-10	GT7145	GT5320
20-8.00-10	GT1308	GT5318
<b>12" Rim</b>		
12-12	GT5308	GT5306
22-9.50-12	GT4300	
23-10.50-12	GT5307	GT5303
23-7.50-12	GT5313	GT5312
23-8.50-12	GT4300	GT4301
23-9.50-12	GT5307	GT5303
24-10.50-12	GT5307	GT5303
26-12.00-12	GT5308	GT5306
27-12.00-12	GT5308	GT5306
6-12	GT5313	GT5312
8-12	GT4300	GT4301
<b>14" Rim</b>		
24-8.50-14	GT5313	
25-8.50-14	GT1307	GT1309
<b>15" Rim</b>		
27-8.50-15	GT1307	GT1309
27-9.50-15	GT5305	GT5304
29-12.00-15	GT5323	GT5316
31-12.00-15	GT5324	GT9100
31-15.50-15	GT5324	GT9100
33-12.50-15	GT5324	GT9100XL
8-15	GT1307	GT1309
<b>16" Rim</b>		
8-16	1311	GT1310
<b>16.5" Rim</b>		
8.5-16.5		GT1310
<b>18" Rim</b>		
8-18	GT5323	GT5316

# GARDEN TRACTOR CHAINS

Pg. 180

Pg. 180

Tire Size	Twist 2-Link Ladder	Twist 4-Link Ladder
<b>2.75" Rim</b>		
10-10.50-2.75	GT3301	
<b>3" Rim</b>		
12-3	GT3308	
<b>3.25" Rim</b>		
10.25-3.25	GT3301	
<b>3.5" Rim</b>		
10-3.50	GT3301	
<b>4" Rim</b>		
4.10-3.50-4	GT7106	
<b>5" Rim</b>		
3.40/3.00-5	GT7106	
4.10-3.50-5	GT3302	
<b>6" Rim</b>		
12.25-3.50-6	GT3302	
12-3.50-6	GT3302	
13-5.00-6	GT7129	
15-6.00-6	GT3300	
4.10-6	GT3302	
5.30-6	GT3309	
<b>6" Rim</b>		
12.25-3.50-6	GT3302	
12-3.50-6	GT3302	
13-5.00-6	GT7129	
15-6.00-6	GT3300	
4.10-6	GT3302	
5.30-6	GT3309	
<b>8" Rim</b>		
16-6.50-8	GT3300	
18-6.50-8	GT3312	
18-8.50-8	GT3307	GT3311
18-9.50-8	GT3305	GT3306
19-9.50-8	GT7145	GT5320
20-10.00-8	GT7145	GT5320
20-8.00-8	GT1308	GT5318
4.80-8	GT1301	
5.70-8	GT3303	
<b>9" Rim</b>		
18-9.50-9	GT3305	GT3306

# GARDEN TRACTOR CHAINS



## TWIST 2-LINK LADDER

Garden tractor chains are essential for any lawn tractor used for pushing or blowing snow. Your garden tractor will go much farther with a set of our lawn tractor tire

chains! Get a set today, so you're ready for the big snow! These tire chains are made from hardened steel and shipped on a daily basis.

## TWIST 4-LINK LADDER

Whether you are using your tractor as a snowplow to clear your driveway, or just need that extra helping hand in dense brush, you will benefit from the extra grip gained from putting on a set of lawn tractor chains.

Get a set today, so you're ready for the big snow! These tire chains are made from hardened steel and shipped on a daily basis.



# ATV CHAINS



## DIAMOND U-GRIP

Available in over 60 different sizes, ranging from 21-10.00-8 to 27-11.00-14. The Diamond U-Grip ATV tire chains have a pattern style that enhances the lifespan of

the chain itself and provides better traction in extreme situations. U-Grip studs are also good for breaking ice and maximum off road traction.

## STANDARD 4-LINK



SKU	Cross Chain Width (Hooks Included)	Side Chain Length (Hooks Excluded)
ATV-101	13.8 inches	51.3 inches
ATV-102	13.8 inches	53.8 inches
ATV-103	15.75 inches	55.75 inches
ATV-104	16.6 inches	66.11 inches

# SNOW BLOWER CHAINS

This chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that specific size tire. To view pictures and descriptions of the different chain

styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual product codes may vary.

Pg. 182

Tire Size	Twist 2-Link Ladder
<b>4" Rim</b>	
4.10-3.50-4	GT7106SH
<b>5" Rim</b>	
3.40-3.00-5	GT7106SH
4.10-3.50-5	GT3302SH
<b>6" Rim</b>	
12.25-3.50-6	GT3302SH
12-3.50-6	GT3302SH
13-4.00-6	GT3301
13-5.00-6	GT7129SH
14-4.00-6	GT7129SH
14-4.50-6	GT3301
15-5.00-6	1556SH
4.10-6	GT3302SH
<b>8" Rim</b>	
16-6.50-8	GT3300SH
4.80-8	GT1301SH



## TWIST 2-LINK LADDER

Many of us depend on snow blowers during the nastiest snowy weather. Whether it's clearing driveways, walkways or parking lots, they are essential when it comes to keeping people mobile when the winter weather hits. Although snow blower tires are usually designed with heavy-duty treads, sometimes even they

need a helping hand when it comes to getting traction in deep snow or on icy surfaces. NOTE: These chains are for Snow Hog snow blower tires only. These are twist 2 link ladder style chains. For all other models please see the chains on the Garden Tractor pages.

# FORKLIFT CHAINS

This chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that specific size tire. To view pictures and descriptions of the different chain

styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual product codes may vary.

	Pg. 184	Pg. 184
Tire Size	Forklift Square 2-Link	Forklift Square 4-Link
<b>10" Rim</b>		
6.50-10	2208MFG-R-FL2L	2208MFG-R-FL
7.50-10		2210MFG-R-FL
<b>12" Rim</b>		
23-10.50-12		2225MFG-R-FL
7.00-12	2213MFG-R-FL2L	2213MFG-R-FL
<b>14" Rim</b>		
25-8.50-14		2210MFG-R-FL
<b>15" Rim</b>		
2.50-15	2229MFG-R-FL2L	2229MFG-R-FL
27-10.50-15		2229MFG-R-FL
27-8.50-15		2213MFG-R-FL
28-9.00-15		2216MFG-R-FL
28-9.50-15		2216MFG-R-FL
300-15		3229MFG-R-FL
32-12.1-15		3229MFG-R-FL
7.00-15		2216MFG-R-FL
8.15-15		2216MFG-R-FL
8.25-15	2228MFG-R-FL-2L	2228MFG-R-FL
<b>17.5" Rim</b>		
14-17.5		3235MFG-R-FL
<b>32" Rim</b>		
7.50-15/32		2221MFG-R-FL

# FORKLIFT CHAINS



## SQUARE 2-LINK

Forklift tires typically have little in the way of tread, which actually helps in getting a grip on snow and ice, but even they need a helping hand every now and then. Do not let your business grind to a halt on account of the winter weather. When you rely on your forklift to load and unload product every single day, having a set

of chains can save you time and money. Our chains are designed to work on both pneumatic and cushion forklift tires. Use your forklift throughout the winter with a set of quality steel, square link style, 4-link or 2-link spaced chains.

## SQUARE 4-LINK





# SKID STEER CHAINS

This chart is a quick reference guide to show you the options available for your tire size. If a box is left empty that style chain is not available for that specific size tire. To view pictures and descriptions of the different chain

styles, please turn to the page number listed at the top of each column. The codes listed here are a guide only. Actual product codes may vary.

	Pg. 185	Pg. 186	Pg. 186	Pg. 186
Tire Size	H-Pattern Round Link Alloy 8mm	Ladder Pattern Alloy 2-Link 7mm	Ladder Pattern Alloy 4-Link 7mm	Ladder Pattern Alloy 4-Link 10mm
<b>16.5" Rim</b>				
10-16.5	2229H-SS	2229-SS-2L	2229-SS	3410I
12-16.5	3227H-SS		3227-SS	3429I
33-15.50-16.5			33155165MFC	
<b>17.5" Rim</b>				
14-17.5	3235H-SS	3235-SS-2L	3235-SS	3435I
<b>19.5" Rim</b>				
15-19.5			3265-SS	3465SSI



## H-PATTERN ROUND LINK ALLOY 8MM

Whether you are using your skid steer to clear snow from a parking lot, carrying materials on a job site or moving debris out in the wilds, a set of chains on your tires can offer vastly superior traction.

Due to the constant twisting and turning motion of the vehicle, skid steer snow chains need to be tougher than car or truck chains. Our alloy steel tire chains have been treated to be much harder and more wear-resistant. It is a much tougher material than the hardened carbon used in many truck tire chains.

Like all chains, however, it is important that they are fitted and used correctly to avoid unnecessary wear and tear. Firstly, they are not designed to be used on bare concrete. Even a hardened alloy will wear quicker when used in such a way. Secondly, make sure the chains are

properly tightened and are not hanging loosely on the tire, as this will cause them to break more easily and wear out much faster. If used correctly, they will last a long time under normal use. Check out our video tab to see proper snow chain installation on a skid steer tire. It is always a good idea to practice installation before chains are needed, to check for proper fitment.

Which tires you install your skid steer chains on depends on the purpose you are using it for. If you are pushing snow, meaning the main weight will be on the back, we suggest you put the chains on your back tires. If you will be lifting and carrying heavy loads, causing the weight to mainly be on the front tires, then it is best to install the chains on the front. In an ideal world, however, we recommend chains be installed on both front and rear sets of tires for extra traction and security.

# SKID STEER CHAINS



**LADDER PATTERN  
ALLOY 2-LINK 7MM**




**LADDER PATTERN ALLOY  
4-LINK 7MM/10MM**

# SPIDER BUNGEE ADJUSTERS

Available for a wide variety of vehicles, these Spider Bungee Adjusters make fitting chains to your tires a fast and easy process. They're constructed of soft pliable

rubber that's resistant to cold temperatures and are a snap to install - even with gloves on.



## PASSENGER

For rims 13" to 16"—these adjusters are usually used for the following types of chains: car cable tire chains, car


tire chains grip, car tire chains square link, car tire chains twist link, and olympia sprint car chains.

## ATV, GARDEN TRACTOR, SNOW BLOWER



For rims 6" to 12"—these adjusters are usually used for the following types of chains: ATV tire chains, garden

tractor tire chains 2-link, garden tractor tire chains 4-link, and snow blower tire chains.



## LIGHT TRUCK

For light truck and SUV rims 16" to 20"—these adjusters are usually used for the following types of chains: truck

cable tire chains, truck tire chains (4x4 trucks), and olympia spring truck chains.

# SPIDER BUNGEE ADJUSTERS



## LIGHT TRUCK, LARGE ATV



For light truck or large ATV rims 14" to 16"—these adjusters are usually used for the following types of

chains: truck cable tire chains, truck tire chains (4x4 trucks), and olympia sprint truck chains.

## HEAVY TRUCK

For commercial truck rims 21" to 24.5"—these adjusters are usually used for the following types of chains: truck tire chains (highway service single/dual, mud service

single/dual, v bar single/dual, wide base/dual mount, square alloy) and semi truck snow tire chains.



## TRACTOR, LIGHT LOADER

For tractor and light loader rims 16" to 32"—these adjusters are usually used for the following types of

chains: forklift, skid steer, and tractor tire chains (double ring, duo, roadmaster, aquiline talon, aquiline MPC).

# ADJUSTERS/TENSIONERS

Tire chain tensioners and adjusters are always a great idea to pair with your chains to ensure a consistent tight fit. We offer a wide variety, all designed to fit different

sizes and styles of chains. As another option, be sure to check out our selection of Spider Bungee Adjusters.



## 0270i SPRING STYLE

For rims 10" and over—these adjusters are usually used for the following types of chains: ATV tire chains, garden

tractor chains 2-link, garden tractor chains 4-link, and tractor snow chains duo.

## 0271i, 0272i, 0273i SPRING STYLE



### 0271i Spring Style

For rims under 10"—these adjusters are usually used for the following types of chains: ATV tire chains, garden tractor tire chains 2-link, garden tractor tire chains 4-link, and snow blower tire chains.

### 0272i Spring Style


For rims 13" to 16"—these adjusters are usually used for the following types of chains: car tire chains grip, dual mud truck tire chains, dual truck tire chains highway service, dual truck tire chains v-bar, highway service truck tire chains, mud truck tire chains, olympia sprint passenger vehicle tire chains, olympia sprint truck tire

chains, truck cable tire chains, truck tire chains v-bar, truck tire chains wide base dual mount, and truck tire snow chains 4x4 grip.

### 0273i Spring Style

For heavy equipment—these adjusters are usually used for the following types of chains: garden tractor tire chains 2-link, grader & equipment chains (diamond pattern 10mm, ladder 10mm, ladder 3/8, ladder 7/16), skid steer loader h-pattern 7mm, skid steer loader ladder style 7mm, snow blower tire chains, tractor snow chains duo pattern, tractor tire chains roadmaster, and tractor tire snow chains double ring.

# ADJUSTERS/TENSIONERS



## 0275i SPRING STYLE

For heavy equipment, binder included—these adjusters are usually used for the following types of chains: garden tractor tire chains 2-link, grader & equipment

chains (ladder 25mm), snow blower tire chains, tractor snow chains duo pattern, and tractor tire snow chains double ring.

## 29110, 29225, 29229 RUBBER HOOK STYLE



### 29110 Rubber Hook Style

For 14" to 15" rims—these adjusters are usually used for the following types of chains: car tire chains grip, highway service truck tire chains, olympia sprint passenger vehicle tire chains, olympia sprint truck tire chains, truck tire chains v-bar, and truck tire snow chains 4x4 grip.

### 29225 Rubber Hook Style

For 15" to 18" rims—these adjusters are usually used for the following types of chains: car tire chains grip, dual mud truck tire chains, dual truck tire chains (highway service, v-bar), highway service truck tire chains, mud

truck tire chains, olympia sprint passenger vehicle tire chains, olympia sprint truck tire chains, truck cable tire chains, truck tire chains (v-bar, wide base dual mount), and truck tire snow chains 4x4 grip.

### 29229 Rubber Hook Style

For 18" rims and up—these adjusters are usually used for the following types of chains: dual mud truck tire chains, dual truck tire chains (highway service, v-bar), highway service truck tire chains, mud truck tire chains, olympia sprint truck tire chains, semi truck tire chains highway dual, truck cable tire chains, truck tire chains (v-bar, wide base dual mount), and truck tire snow chains 4x4 grip.

# **CEDAR RAPIDS TIRE**

4601 8th Ave. Marion, IA 52302  
sales@cedarrapidstire.com

